

VOLUME 60 • AUTHOR INDEX

- Aarden LA** *see* van der Linden MW *et al*
Abe I *see* Oinuma K *et al*
Abe M *see* Akimoto S *et al*
Abu-Shakra M *et al*. Cancer and autoimmunity: autoimmune and rheumatic features in patients with malignancies: *review*, 433
Acevedo E *see* Castro F *et al*
Actis GC *see* Marzano A *et al*
Adu D *see* Eardley KS *et al*
Aepinus C *see* Kötter I *et al*
Aertsen J *see* Steen KSS *et al*
Aeschlimann A *see* Angst F *et al*
Aeschlimann A *et al*. Multiple choice question quiz: a valid test for needs assessment in CME in rheumatology and for self assessment, 740
Agren U *see* Haapala J *et al*
Ahern MJ *see* Kraan MC *et al*
Aho K *see* Hakala M *et al*
see Heliövaara M *et al*
see Hutchinson D *et al*
see Kaipiainen-Seppänen O *et al*
see Paimela L *et al*
Ainsworth JR *see* Mulherin D *et al*
Akesson A *see* Geirsson AJ *et al*
Akimoto S *et al*. HLA-DRB1 and DQB1 genes in antinuclear antibody positive patients with SSC and primary biliary cirrhosis: *letter*, 639
Akiyama M *see* Kurosaka D *et al*
Albers JMC *et al*. Treatment strategy, disease activity, and outcome in four cohorts of patients with early rheumatoid arthritis, 453
Aldag JC *see* Masi AT *et al*
Alegre JJ *see* Nolla JM *et al*
Alegre-López J *see* Alvarez-Lario B *et al*
Alen M *see* Häkkinen A *et al*
Alessandri C *see* Carlucci F *et al*
Alexander C. Idiopathic osteoporosis: an evolutionary dys-adaptation?, 554
Al-Ghuriear S *see* Malaviya AN *et al*
Allain J *see* Laloux L *et al*
Almqvist KF *et al*. Culture of chondrocytes in alginate surrounded by fibrin gel: characteristics of the cells over a period of eight weeks, 781
Al-Mutairi M *see* Malaviya AN *et al*
Aloe L *see* Matucci-Cerinic M *et al*
Alonso-Valdivielso JL *see* Alvarez-Lario B *et al*
Al-Shari IM *see* Malaviya AN *et al*
Al-Shayeb AR *see* Malaviya AN *et al*
Alvarez-Lario B *et al*. Acceptance of the different denominations for reflex sympathetic dystrophy, 77
Alves H *see* Balsa A *et al*
Aman S *see* Hakala M *et al*
Amerongen AVN *see* Kalk WWI *et al*
Amit M *see* Paran D *et al*
Amoura Z *see* Delévaux I *et al*
Anders HJ *et al*. Differentiation between primary and secondary Raynaud's phenomenon: a prospective study comparing nailfold capillaroscopy using an ophthalmoscope or stereomicroscope, 407
Andersson M *see* Svenungsson E *et al*
André M *see* Delévaux I *et al*
André M-H *see* Noël V *et al*
Angst F *et al*. Responsiveness of the WOMAC osteoarthritis index as compared with the SF-36 in patients with osteoarthritis of the legs undergoing a comprehensive rehabilitation intervention, 834
Angulo JA *see* Castro F *et al*
Antal-Szalmás P *see* Sipka S *et al*
Antoni C *see* Kraetsch HG *et al*
Antoni CE *see* Furst DE *et al*
Aoyagi T *see* Yamasaki S *et al*
Apparailly F *see* Jorgensen C *et al*
Arden N *see* Sheehan NJ *et al*
Aretxabala-Alcibar I *see* Alvarez-Lario B *et al*
Arie E *see* Wiles NJ *et al*
Arita M *see* Hyttinen MM *et al*
Arnaud M *see* Nogueira L *et al*
Arnay-De-La-Rosa M *see* González-Reimers E *et al*
Arnold R *see* Binks M *et al*
Arokoski JPA *see* Haapala J *et al*
Aromaa A *see* Heliövaara M *et al*
see Hutchinson D *et al*
Asahara H *see* Sekine T *et al*
Asai Y *see* Matsukawa Y *et al*
Asano Y *see* Yamane K *et al*
Audenino D *see* Primavera A *et al*
Audrain M *see* Hamidou MA *et al*
Aumaitre O *see* Delévaux I *et al*
Aurell Y *see* Nilsdotter A-K *et al*
Authier F-J *see* Chariot P *et al*
Avikainen V *see* Huusko TM *et al*
Axford JS *et al*. Sensitivity of quantitative ¹H magnetic resonance spectroscopy of the brain in detecting early neuronal damage in systemic lupus erythematosus, 106
Baccarani M *see* Ferraccioli G *et al*
Backenroth R *see* Ben-Chetrit E and Backenroth R
Backhaus M *et al*. Guidelines for musculoskeletal ultrasound in rheumatology: *review*, 641
Bacon PA *see* Binks M *et al*
Baek HJ *see* Shin KC *et al*
Baerwald CGO *see* Wahle M *et al*
Baeten D *see* Almqvist KF *et al*
see van Damme N *et al*
see van den Bosch F *et al*
Baeten D *et al*. Impaired Th1 cytokine production in spondyloarthritis is restored by anti-TNF α , 750
Baidam EM *see* Ramanan AV *et al*
Bailey M *see* Brand C *et al*
see Wluka AE *et al*
Balada-Prades E *see* Mijares-Boeckh-Behrens T *et al*
Baldi F *see* Cosentino R *et al*
Ballina J *see* Carmona L *et al*
Balsa A *et al*. Clinical and immunogenetic characteristics of European multicase rheumatoid arthritis families, 573
Bando S *see* Fujita J *et al*
see Yang Y *et al*
Bardin T *see* Balsa A *et al*
Barendregt PJ *et al*. Involvement of the peripheral nervous system in primary Sjögren's syndrome, 876
Barkmann R *see* Røben P *et al*
Barozzi L *see* Olivieri I *et al*
Barrera P *see* Balsa A *et al*
Barrera P *et al*. Effects of treatment with a fully human anti-tumour necrosis factor α monoclonal antibody on the local and systemic homeostasis of interleukin 1 and TNF α in patients with rheumatoid arthritis, 660
Barrett EM *see* Wiles NJ *et al*
Barth W *see* Stewart M *et al*
Bartram S *see* Young-Min SA *et al*
Bas S *et al*. Male sex predominance in *Chlamydia trachomatis* sexually acquired reactive arthritis: are women more protected by anti-chlamydia antibodies?, 605
Basu S *et al*. Raised levels of F₂-isoprostanes and prostaglandin F_{2 α} in different rheumatic diseases, 627
Beaufils H *see* Huang DLT *et al*
Becvar R *see* Rossa AD *et al*
Beeton C *see* Young-Min SA *et al*
Belch JF *see* Rossa AD *et al*
see Valentini G *et al*
Bell AL *see* Cairns AP *et al*
see Gormley G *et al*
Belt E *see* Laiho K *et al*
see Laiho K *et al*
Belt EA *see* Lehtinen JT *et al*
see Lehtinen JT *et al*
Ben-Chetrit E, Backenroth R. Amyloidosis induced, end stage renal disease in patients with familial Mediterranean fever is highly associated with point mutations in the MEV1 gene, 146
Bencivelli W *see* Rossa AD *et al*
see Valentini G *et al*
Bentham G *see* Watts RA *et al*
Bentham GA *see* Watts RA *et al*
Benton N *see* McQueen FM *et al*
Berg L *et al*. Increased peripheral T cell reactivity to microbial antigens and collagen type II in rheumatoid arthritis after treatment with soluble TNF α receptors, 133
Bernardeau C *et al*. Acute arthritis after intra-articular hyaluronate injection: onset of effusions without crystal, 518
Berner B *et al*. Rapid improvement of SLE-specific cutaneous lesions by C1q immunoadsorption: *letter*, 898
Berti G *see* Cini R *et al*
Bertin P *see* Bonnet C *et al*
Besenthal C *see* Binks M *et al*
Bezemer D *see* Steen KSS *et al*
Bezemer PD *see* Jansen LMA *et al*
Bhanji A *see* Pyne D *et al*
Bhathal P *see* van Doornum S *et al*
Bijl D *see* van Baar ME *et al*
Bijl M *et al*. Expression of costimulatory molecules on peripheral blood lymphocytes of patients with systemic lupus erythematosus, 523
Bijlsma JWJ *see* Jacobs JWG *et al*
see van Baar ME *et al*

VOLUME 60 • AUTHOR INDEX

- Aarden LA** *see* van der Linden MW *et al*
Abe I *see* Oinuma K *et al*
Abe M *see* Akimoto S *et al*
Abu-Shakra M *et al*. Cancer and autoimmunity: autoimmune and rheumatic features in patients with malignancies: *review*, 433
Acevedo E *see* Castro F *et al*
Actis GC *see* Marzano A *et al*
Adu D *see* Eardley KS *et al*
Aepinus C *see* Kötter I *et al*
Aertsen J *see* Steen KSS *et al*
Aeschlimann A *see* Angst F *et al*
Aeschlimann A *et al*. Multiple choice question quiz: a valid test for needs assessment in CME in rheumatology and for self assessment, 740
Agren U *see* Haapala J *et al*
Ahern MJ *see* Kraan MC *et al*
Aho K *see* Hakala M *et al*
see Heliövaara M *et al*
see Hutchinson D *et al*
see Kaipiainen-Seppänen O *et al*
see Paimela L *et al*
Ainsworth JR *see* Mulherin D *et al*
Akesson A *see* Geirsson AJ *et al*
Akimoto S *et al*. HLA-DRB1 and DQB1 genes in antcentromere antibody positive patients with SSC and primary biliary cirrhosis: *letter*, 639
Akiyama M *see* Kurosaka D *et al*
Albers JMC *et al*. Treatment strategy, disease activity, and outcome in four cohorts of patients with early rheumatoid arthritis, 453
Aldag JC *see* Masi AT *et al*
Alegre JJ *see* Nolla JM *et al*
Alegre-López J *see* Alvarez-Lario B *et al*
Alen M *see* Häkkinen A *et al*
Alessandri C *see* Carlucci F *et al*
Alexander C. Idiopathic osteoporosis: an evolutionary dys-adaptation?, 554
Al-Ghuriear S *see* Malaviya AN *et al*
Allain J *see* Laloux L *et al*
Almqvist KF *et al*. Culture of chondrocytes in alginate surrounded by fibrin gel: characteristics of the cells over a period of eight weeks, 781
Al-Mutairi M *see* Malaviya AN *et al*
Aloe L *see* Matucci-Cerinic M *et al*
Alonso-Valdivielso JL *see* Alvarez-Lario B *et al*
Al-Shari IM *see* Malaviya AN *et al*
Al-Shayeb AR *see* Malaviya AN *et al*
Alvarez-Lario B *et al*. Acceptance of the different denominations for reflex sympathetic dystrophy, 77
Alves H *see* Balsa A *et al*
Aman S *see* Hakala M *et al*
Amerongen AVN *see* Kalk WWI *et al*
Amit M *see* Paran D *et al*
Amoura Z *see* Delévaux I *et al*
Anders HJ *et al*. Differentiation between primary and secondary Raynaud's phenomenon: a prospective study comparing nailfold capillaroscopy using an ophthalmoscope or stereomicroscope, 407
Andersson M *see* Svenungsson E *et al*
André M *see* Delévaux I *et al*
André M-H *see* Noël V *et al*
Angst F *et al*. Responsiveness of the WOMAC osteoarthritis index as compared with the SF-36 in patients with osteoarthritis of the legs undergoing a comprehensive rehabilitation intervention, 834
Angulo JA *see* Castro F *et al*
Antal-Szalmás P *see* Sipka S *et al*
Antoni C *see* Kraetsch HG *et al*
Antoni CE *see* Furst DE *et al*
Aoyagi T *see* Yamasaki S *et al*
Apparailly F *see* Jorgensen C *et al*
Arden N *see* Sheehan NJ *et al*
Aretxabala-Alcibar I *see* Alvarez-Lario B *et al*
Arie E *see* Wiles NJ *et al*
Arita M *see* Hyttinen MM *et al*
Arnaud M *see* Nogueira L *et al*
Arnay-De-La-Rosa M *see* González-Reimers E *et al*
Arnold R *see* Binks M *et al*
Arokoski JPA *see* Haapala J *et al*
Aromaa A *see* Heliövaara M *et al*
see Hutchinson D *et al*
Asahara H *see* Sekine T *et al*
Asai Y *see* Matsukawa Y *et al*
Asano Y *see* Yamane K *et al*
Audenino D *see* Primavera A *et al*
Audrain M *see* Hamidou MA *et al*
Aumaitre O *see* Delévaux I *et al*
Aurell Y *see* Nilsdotter A-K *et al*
Authier F-J *see* Chariot P *et al*
Avikainen V *see* Huusko TM *et al*
Axford JS *et al*. Sensitivity of quantitative ¹H magnetic resonance spectroscopy of the brain in detecting early neuronal damage in systemic lupus erythematosus, 106
Baccarani M *see* Ferraccioli G *et al*
Backenroth R *see* Ben-Chetrit E and Backenroth R
Backhaus M *et al*. Guidelines for musculoskeletal ultrasound in rheumatology: *review*, 641
Bacon PA *see* Binks M *et al*
Back HJ *see* Shin KC *et al*
Baerwald CGO *see* Wahle M *et al*
Baeten D *see* Almqvist KF *et al*
see van Damme N *et al*
see van den Bosch F *et al*
Baeten D *et al*. Impaired Th1 cytokine production in spondyloarthritis is restored by anti-TNF α , 750
Baidam EM *see* Ramanan AV *et al*
Bailey M *see* Brand C *et al*
see Wluka AE *et al*
Balada-Prades E *see* Mijares-Boeckh-Behrens T *et al*
Baldi F *see* Cosentino R *et al*
Ballina J *see* Carmona L *et al*
Balsa A *et al*. Clinical and immunogenetic characteristics of European multicase rheumatoid arthritis families, 573
Bando S *see* Fujita J *et al*
see Yang Y *et al*
Bardin T *see* Balsa A *et al*
Barendregt PJ *et al*. Involvement of the peripheral nervous system in primary Sjögren's syndrome, 876
Barkmann R *see* Røben P *et al*
Barozzi L *see* Olivieri I *et al*
Barrera P *see* Balsa A *et al*
Barrera P *et al*. Effects of treatment with a fully human anti-tumour necrosis factor α monoclonal antibody on the local and systemic homeostasis of interleukin 1 and TNF α in patients with rheumatoid arthritis, 660
Barrett EM *see* Wiles NJ *et al*
Barth W *see* Stewart M *et al*
Bartram S *see* Young-Min SA *et al*
Bas S *et al*. Male sex predominance in *Chlamydia trachomatis* sexually acquired reactive arthritis: are women more protected by anti-chlamydia antibodies?, 605
Basu S *et al*. Raised levels of F₂-isoprostanes and prostaglandin F_{2 α} in different rheumatic diseases, 627
Beaufils H *see* Huang DLT *et al*
Becvar R *see* Rossa AD *et al*
Beeton C *see* Young-Min SA *et al*
Belch JF *see* Rossa AD *et al*
see Valentini G *et al*
Bell AL *see* Cairns AP *et al*
see Gormley G *et al*
Belt E *see* Laiho K *et al*
see Laiho K *et al*
Belt EA *see* Lehtinen JT *et al*
see Lehtinen JT *et al*
Ben-Chetrit E, Backenroth R. Amyloidosis induced, end stage renal disease in patients with familial Mediterranean fever is highly associated with point mutations in the MEJV gene, 146
Bencivelli W *see* Rossa AD *et al*
see Valentini G *et al*
Bentham G *see* Watts RA *et al*
Bentham GA *see* Watts RA *et al*
Benton N *see* McQueen FM *et al*
Berg L *et al*. Increased peripheral T cell reactivity to microbial antigens and collagen type II in rheumatoid arthritis after treatment with soluble TNF α receptors, 133
Bernardeau C *et al*. Acute arthritis after intra-articular hyaluronate injection: onset of effusions without crystal, 518
Berner B *et al*. Rapid improvement of SLE-specific cutaneous lesions by C1q immunoadsorption: *letter*, 898
Berti G *see* Cini R *et al*
Bertin P *see* Bonnet C *et al*
Besenthal C *see* Binks M *et al*
Bezemer D *see* Steen KSS *et al*
Bezemer PD *see* Jansen LMA *et al*
Bhanji A *see* Pyne D *et al*
Bhathal P *see* van Doornum S *et al*
Bijl D *see* van Baar ME *et al*
Bijl M *et al*. Expression of costimulatory molecules on peripheral blood lymphocytes of patients with systemic lupus erythematosus, 523
Bijlsma JWJ *see* Jacobs JWG *et al*
see van Baar ME *et al*

- Bijzet J** *see* Poland DCW *et al*
Binks M *et al*. Phase I/II trial of autologous stem cell transplantation in systemic sclerosis: procedure related mortality and impact on skin disease, 577
Bird H *see* Hill J *et al*
Birdsall M *see* Stamp L *et al*
Black C *see* Binks M *et al*
see Young-Min SA *et al*
Black CM *see* Rossa AD *et al*
see Valentini G *et al*
Blake D *see* Edmonds S *et al*
Blake DR *see* Klocke R *et al*
Bliddal H *see* Qvistgaard E *et al*
Blum M *see* Shirazi I *et al*
Bobbio-Pallavicini F *see* Caporali R *et al*
Boeger CA *et al*. Treatment of ankylosing spondylitis with infliximab: letter, 1159
Boini S, Guillemin F. Radiographic scoring methods as outcome measures in rheumatoid arthritis: properties and advantages: review, 817
Boki KA *see* Tektonidou MG *et al*
Bolvig L *see* Fredberg U *et al*
Bombardieri S *see* Rossa AD *et al*
see Valentini G *et al*
Bonar F *see* Szomor ZL *et al*
Bondeson J *see* Foxwell BMJ *et al*
Bongartz EB *see* van Asselt KM *et al*
Bonnet C *et al*. Antiphospholipid antibodies and RA: presence of β_2 GP1 independent aCL: letter, 303
Book reviews Brandt K D. Diagnosis and non-surgical management of osteoarthritis, 7
 Evans CH, Robbins PD, editors. Gene therapy in inflammatory diseases, 105
 Kahn M-F, Peltier A-P, Meyer O, Piette J-C, editors. Maladies et syndromes systémiques, 186
 Letts LG Jr, Morgan DW, editors. Inflammatory processes: molecular mechanisms and therapeutic opportunities, 315
 Paget SA, Gibofsky A, Beary JF III, editor. Manual of rheumatology and outpatient orthopedic disorders. Diagnosis and therapy, 1096
 Snaith ML. ABC of rheumatology, 315
 Tsokos GC, editor. Principles of molecular rheumatology, 442
 Winyard P G, Blake D R, Evans C H. Free radicals and inflammation, 442
Boonen A *et al*. Employment, work disability, and work days lost in patients with ankylosing spondylitis: a cross sectional study of Dutch patients, 353
 Withdrawal from labour force due to work disability in patients with ankylosing spondylitis, 1033
Bootsma H *see* Kalk WWI *et al*
Bosch-Gil JA *see* Mijares-Boeckh-Behrens T *et al*
Bossuyt X *see* Padalko EY and Bossuyt X
Bowman SJ *see* Mulherin D *et al*
Boyer F *see* Mosquera-Martinez JA *et al*
Boyer F *et al*. Rheumatoid arthritis associated with ulcerative colitis: a case with severe flare of both diseases after delivery: letter, 901
Bozic B *see* Brouwer R *et al*
Brand C *et al*. Vitamin E is ineffective for symptomatic relief of knee osteoarthritis: a six month double blind, randomised, placebo controlled study, 946
Bratt J *see* Gunnarsson I *et al*
Braun J *see* Fendler C *et al*
see Rudwaleit M *et al*
see Sieper J and Braun J
Breedveld FC *see* Binks M *et al*
see Furst DE *et al*
see Goossens PH *et al*
see Kraan MC *et al*
see Rood MJ *et al*
Breedveld FC *et al*. Advances in targeted therapies III, iii1 (suppl III)
Breitbart A *see* Fiehn C *et al*
Brenchley PEC. Antagonising angiogenesis in rheumatoid arthritis, iii71 (suppl III)
Brennan FM *see* Foxwell BMJ *et al*
Bresnihan B *see* Murphy E *et al*
Britton KE *see* Silberstein L *et al*
Brons RH *et al*. Detection of immune deposits in skin lesions of patients with Wegener's granulomatosis, 1097
Brouwer R *et al*. Autoantibody profiles in the sera of European patients with myositis, 116
Bruhlman P *see* Rossa AD *et al*
Bruhlmann P *see* Seemayer CA *et al*
see Valentini G *et al*
Brundin L *see* Svenungsson E *et al*
Buchanan W *see* Smieja M *et al*
Bucki B *see* Bernardeau C *et al*
Bultmann B *see* Kötter I *et al*
Bunke T *see* Freise J *et al*
Buoncompagni A *see* Picco P *et al*
Burbage G *et al*. Intramuscular methotrexate in inflammatory rheumatic disease: letter, 1156
Burdach S *see* Schmeling H *et al*
Burgers A *see* Wijnands M and Burgers A
Burgos-Vargas R *see* Vázquez-Mellado J *et al*
Burmester GR *see* Furst DE *et al*
see Wahle M *et al*
Burmester G-R *see* Backhaus M *et al*
see Jacobi AM *et al*
Buskila D *see* Abu-Shakra M *et al*
Cacoub P *see* Lidove O *et al*
Cagnoni M *see* Matucci-Cerinic M *et al*
Cagnoni ML *see* Matucci-Cerinic M *et al*
Cailleux N *see* Marie I *et al*
Cairns AP *et al*. Reduced expression of CD44 on monocytes and neutrophils in systemic lupus erythematosus: relations with apoptotic neutrophils and disease activity, 950
Çalgüneri M *see* Ertenli I *et al*
see Kiraz S *et al*
Cantagrel A *see* Nogueira L *et al*
Cantini F *see* Olivieri I *et al*
Capell HA *see* Hamilton J *et al*
Caporali R *et al*. Presenting features of polymyalgia rheumatica (PMR) and rheumatoid arthritis with PMR-like onset: a prospective study, 1021
Carlucci F *et al*. Y chromosome microchimerism in Sjögren's syndrome: letter, 1078
Carmona L *et al*. The burden of musculoskeletal diseases in the general population of Spain: results from a national survey, 1040
Carrère S *see* Elliott S *et al*
Casale R *see* Matucci-Cerinic M *et al*
Casassus P *see* Noël V *et al*
Caspi D *see* Paran D *et al*
Castellino G *et al*. Characteristics of patients with antiphospholipid syndrome with major bleeding after oral anticoagulant treatment, 527
Castro F *et al*. Tumour necrosis factor microsatellites and HLA-DRB1, HLA-DQA1, and HLA-DQB1 alleles in Peruvian patients with rheumatoid arthritis, 791
Catenaccio M *see* Cini R *et al*
see Selvi E *et al*
Catterall JB *see* Elliott S *et al*
Cawston T *see* Hui W *et al*
Cawston TE *see* Cleaver CS *et al*
see Elliott S *et al*
see Young-Min SA *et al*
Celik I *see* Ertenli I *et al*
Cerinic MM *see* Rossa AD *et al*
see Valentini G *et al*
Cervera A *et al*. Cardiac toxicity secondary to long term treatment with chloroquine: letter, 301
Cervera R *see* Cervera A *et al*
Cervini C *see* Grassi W *et al*
see Klocke R *et al*
Chariot P *et al*. Impaired redox status and cytochrome c oxidase deficiency in patients with polymyalgia rheumatica, 1016
Charron D *see* Balsa A *et al*
Chaudier B *see* Granel B *et al*
Chernihovsky T *see* Shirazi I *et al*
Cherry NM *see* Pope DP *et al*
Cheung HS *see* McCarthy GM *et al*
Chevalier X *see* Chariot P *et al*
see Laloux L *et al*
Chindamo D *see* Cini R *et al*
Cho C-S *see* Kim W-U *et al*
Choi HK *see* Wolfe F and Choi HK
Chorus A *see* Boonen A *et al*
Chorus AMJ *et al*. Work factors and behavioural coping in relation to withdrawal from the labour force in patients with rheumatoid arthritis, 1025
Christgau S *see* Garnerio P *et al*
Christiaens GCML *see* Derksen RHWM *et al*
see Fiehn C *et al*
Christides C *see* Granel B *et al*
Christopherson PA *see* McCarthy GM *et al*
Cicuttini F *see* Brand C *et al*
Cicuttini FM *see* Wluka AE *et al*
Cicuttini FM *et al*. Tibial and femoral cartilage changes in knee osteoarthritis, 977
Cimmino MA *see* Caporali R *et al*
Cimmino MA *et al*. Remitting seronegative symmetrical synovitis with pitting oedema (RS3PE) as recurrence of aborted PMR: letter, 303
Cini R *et al*. Dissolution of calcium pyrophosphate crystals by polyphosphates: an in vitro and ex vivo study, 962
Cipriani P *see* Matucci-Cerinic M *et al*
Ciusani E *see* Castro F *et al*
Claudepierre P *see* Laloux L *et al*
Clavaguera MT *see* Narváez J *et al*
Cleaver CS *et al*. Interleukin 13 blocks the release of collagen from bovine nasal cartilage treated with proinflammatory cytokines, 150

- Close DR. Matrix metalloproteinase inhibitors in rheumatic diseases, **iii62 (suppl III)**
- Cocito L *see* Primavera A *et al*
- Cohen P *see* García de La Peña P *et al*
see Mouthon L *et al*
see Noël V *et al*
- Combe B *see* Hellier J-P *et al*
- Conrad K *see* Abu-Shakra M *et al*
- Cornelissen M *see* Almqvist KF *et al*
- Cornélis F *see* Balsa A *et al*
- Cortés-Blanco A *see* Martínez-Lázaro R *et al*
- Cosentino R *et al*. Efficacy of extracorporeal shock wave treatment in calcaneal enthesophytosis, **1064**
- Courtney PA *see* Cairns AP *et al*
- Courtney PA, Wright GD. Referrals to an "early synovitis clinic": are they appropriate?: *letter*, **991**
- Courtois H *see* Marie I *et al*
- Covington MB *see* Newton RC *et al*
- Cox N *see* Klocke R *et al*
- Cozzi F *see* Rossa AD *et al*
- Crabbe J *see* McQueen FM *et al*
- Cramer T *see* Pfander D *et al*
- Crockard AD *see* Cairns AP *et al*
- Crofford LJ *see* Furst DE *et al*
- Croft P *see* Peat G *et al*
- Csernok E *see* Lamprecht P *et al*
- Cuadrado MJ *see* Castellino G *et al*
- Cucini S *see* Selvi E *et al*
- Cutolo M *et al*. Anti-inflammatory mechanisms of methotrexate in rheumatoid arthritis: *leader*, **729**
- Cuvellier C *see* van Damme N *et al*
- Czirják L *see* Rossa AD *et al*
see Valentini G *et al*
- Dahlström M *see* Svenungsson E *et al*
- Damato R *see* Ferraccioli G *et al*
- Damiani D *see* Ferraccioli G *et al*
- D'Angelo S *see* Rossa AD *et al*
see Valentini G *et al*
- Danneskiold-Samsee B *see* Qvistgaard E *et al*
- Daurès J-P *see* Hellier J-P *et al*
- Davies G *see* Lorenzi AR *et al*
- Davis SR *see* Wluka AE *et al*
- D'Cruz D *see* Longhurst HJ *et al*
see Silberstein L *et al*
- de Abajo Alonso A *see* García Gasalla M *et al*
- de Almeida G *see* Balsa A *et al*
- de Boer NK *see* Brons RH *et al*
- Decicco CP *see* Newton RC *et al*
- Degen W *see* Zampieri S *et al*
- de Groot PG *see* Derksen RHWM *et al*
see Fiehn C *et al*
- de Jong MCJM *see* Brons RH *et al*
- de Keyser F *see* Baeten D *et al*
see Peene I *et al*
see van Damme N *et al*
see van den Bosch F *et al*
- Dekker J *see* van Baar ME *et al*
- del Rosso A *see* Matucci-Cerinic M *et al*
- de La Fuente J *et al*. Rheumatic pneumonia: *letter*, **990**
- Delévaux I *et al*. Concomitant diagnosis of primary Sjögren's syndrome and systemic AL amyloidosis, **694**
- Delmas PD *see* Garnerio P *et al*
- de Luca A *see* Valentini G *et al*
- Demetter P *see* van Damme N *et al*
- de Micco C *see* Granel B *et al*
- Demir M *see* Fresko I *et al*
- den Broeder AA *see* Barrera P *et al*
- den Broeder AA *et al*. Isolated digital vasculitis in a patient with rheumatoid arthritis: good response to tumour necrosis factor α blocking treatment, **538**
- Denton J *see* Teh L-S *et al*
- Dequeker J. Benign familial hypermobility syndrome and Trendelenburg sign in a painting "The Three Graces" by Peter Paul Rubens (1577-1640): *editorial*, **894**
- Derksen RHWM *see* Fiehn C *et al*
- Derksen RHWM *et al*. How to treat women with antiphospholipid antibodies in pregnancy?: *leader*, **1**
- de Stefano R *see* Cosentino R *et al*
see Selvi E *et al*
- Deuse U *see* Michalsen A *et al*
- de Vita S *see* Ferraccioli G *et al*
- de Vos M *see* Baeten D *et al*
see van Damme N *et al*
- de Waal Malefijt MC *see* van Heereveld HAEM *et al*
- de Wilde PC *see* Zandbelt MM *et al*
- Dick T *see* Mierau R *et al*
- Dijkmans BAC *see* Hadithi M *et al*
see Jansen LMA *et al*
see Nurmohamed MT *et al*
see Steen KSS *et al*
see van Asselt KM *et al*
- Dinareello CA. Novel targets for interleukin 18 binding protein, **iii18 (suppl III)**
- Direskeneli H. Behçet's disease: infectious aetiology, new autoantigens, and HLA-B51: *review*, **996**
- Diri E *et al*. Papulopustular skin lesions are seen more frequently in patients with Behçet's syndrome who have arthritis: a controlled and masked study, **1074**
- di Rocco M *see* Picco P *et al*
- Disdier P *see* Granel B *et al*
- Disney A *see* Limaye V *et al*
- Dobos G *see* Michalsen A *et al*
- Doherty M *see* Aeschlimann A *et al*
see Hassan BS *et al*
see Jawad ASM *et al*
see Pfeiffer K *et al*
- Donker AJM *see* Hadithi M *et al*
- Doria A *see* Zampieri S *et al*
- Dörner T *see* Jacobi AM *et al*
- Dougados M *see* Jawad ASM *et al*
see Pfeiffer K *et al*
- Doyle D *see* Wolfe F *et al*
- Doyle DV *see* Greenwood MC *et al*
- Drenth JPH *see* Poland DCW *et al*
- Drogou I *see* Chariot P *et al*
- Drosos AA *see* Rossa AD *et al*
see Valentini G *et al*
- Drossaers-Bakker KW *see* van Asselt KM *et al*
- Dush DM. Breast implants and illness: a model of psychological factors, **653**
- Dziankowska B *see* Rossa AD *et al*
- Eardley KS *et al*. Gold treatment, nephrotic syndrome, and multi-organ failure in a patient with adult onset Still's disease: *lesson of the month*, **4**
- Eberhardt KB *see* Albers JMC *et al*
- Eckstein AK *see* Kötter I *et al*
- Edmonds S *et al*. Effect of intensive exercise on patients with active RA: *letter*, **429**
- Eerola E *see* Jalava J *et al*
- Egberts WV *see* Brouwer R *et al*
- Eguchi K *see* Yamasaki S *et al*
- Ehrenfeld M *see* Abu-Shakra M *et al*
see Leiba M *et al*
- Ehrfeld H *see* Brouwer R *et al*
- Eick J *see* Rudwaleit M *et al*
- Einarsdottir H *see* Lampa J *et al*
- Ejbjerg B *see* Østergaard M *et al*
- Elbarcha O *see* Guglielmone H *et al*
- Eliaou J-F *see* Hellier J-P *et al*
- Elkayam O *see* Paran D *et al*
- Elliott S *et al*. Esculetin inhibits cartilage resorption induced by interleukin 1 α in combination with oncostatin M, **158**
- Emery P *see* Albers JMC *et al*
see Binks M *et al*
see Marzo-Ortega H *et al*
see McGonagle D *et al*
- Englert H, Low S. Pitting oedema in early diffuse systemic scleroderma: *letter*, **1079**
- Enokida M *see* Nawata K *et al*
- Ensor M *see* Greenwood MC *et al*
- Epis O *see* Caporali R *et al*
- Erman M *see* Ertenli I *et al*
- Ertenli I *et al*. Changes in the concentration and distribution of tissue factor pathway inhibitor in Behçet's disease and systemic lupus erythematosus: effect on the prothrombotic state, **1149**
- Ertenli I *see* Kiraz S *et al*
- Esch T *see* Michalsen A *et al*
- Espigado I *see* Binks M *et al*
- Espinosa G *see* Cervera A *et al*
- Evers AWM *see* Jacobs JWG *et al*
- Falsetti P *see* Cosentino R *et al*
- Fan P-S *see* Matucci-Cerinic M *et al*
- Fanin R *see* Ferraccioli G *et al*
- Farge D *see* Binks M *et al*
- Farina A *see* Grassi W *et al*
see Klocke R *et al*
- Farmer KM *see* Szomor ZL *et al*
- Farrow A *see* Pyne D *et al*
- Fear S *see* Grennan DM *et al*
- Feher MD *see* Hepburn AL *et al*
- Feige U. Osteoprotegerin, **iii81 (suppl III)**
- Feist T *see* Wagner AD *et al*
- Feldmann M *see* Foxwell BMJ *et al*
- Felek S *see* Kamanli A *et al*
- Fendler C *et al*. Frequency of triggering bacteria in patients with reactive arthritis and undifferentiated oligoarthritis and the relative importance of the tests used for diagnosis, **337**
- Fentem P *see* Sutton AJ *et al*
- Fenton MJ *see* Jones BW *et al*
- Fernández A *see* de La Fuente J *et al*
- Fernandez E *see* Guglielmone H *et al*

- Ferraccioli G** *et al.* Haematopoietic stem cell transplantation (HSCT) in a patient with Sjögren's syndrome and lung malt lymphoma cured lymphoma not the autoimmune disease: *letter*, 174
- Ferrari P** *see* Marasini B *et al*
- Ferri C** *see* Rossa AD *et al*
- see* Valentini G *et al*
- Fibbe WE** *see* Binks M *et al*
- Fiehn C** *et al.* Autologous skin transplantation for widespread cutaneous necrosis in secondary antiphospholipid syndrome: *lesson of the month*, 908
- Treatment of women with aPL in pregnancy: *letter*, 717
- Filippucci E** *see* Grassi W *et al*
- see* Klocke R *et al*
- Finke J** *see* Binks M *et al*
- Fiter J** *see* Nolla JM *et al*
- Fitzgerald O** *see* Murphy E *et al*
- Fleig WE** *see* Wagner AD *et al*
- Flores RH** *see* Hochberg MC *et al*
- Font J** *see* Cervera A *et al*
- Fontanges E** *see* Boyer F *et al*
- see* Mosquera-Martinez JA *et al*
- Fournié B** *see* Nogueira L *et al*
- Foxwell BMJ** *et al.* High efficiency gene transfer is an efficient way of defining therapeutic targets: a functional genomics approach, **iii13 (suppl III)**
- Frankham A** *see* Limaye V *et al*
- Frati E** *see* Cosentino R *et al*
- see* Selvi E *et al*
- Fredberg U** *et al.* Placement of intra-articular injections verified by ultrasonography and injected air as contrast medium: *letter*, 542
- Frediani B** *see* Cosentino R *et al*
- Freemont AJ** *see* Teh L-S *et al*
- Freise J** *et al.* Optimised sample DNA preparation for detection of *Chlamydia trachomatis* in synovial tissue by polymerase chain reaction and ligase chain reaction, 140
- Fresko I** *et al.* Intestinal permeability in Behçet's syndrome, 65
- Friedman SM** *see* Newton RC *et al*
- Fries JF** *see* Wolfe F *et al*
- Fritz P** *see* Balsa A *et al*
- Fujinaga H** *see* Kogure T *et al*
- Fujita J** *see* Yang Y *et al*
- Fujita J** *et al.* Non-specific interstitial pneumonia as pulmonary involvement of systemic sclerosis, 281
- Furst D** *see* Binks M *et al*
- Furst DE** *et al.* Updated consensus statement on tumour necrosis factor blocking agents for the treatment of rheumatoid arthritis and other rheumatic diseases (April 2001): *editorial*, 2
- Furuichi I** *see* Yamasaki S *et al*
- Fust G** *see* Nagy G *et al*
- Gabriel R** *see* Carmona L *et al*
- Gabrielli A** *see* Rossa AD *et al*
- see* Valentini G *et al*
- Gaffney K** *see* Wiles NJ *et al*
- Gagetta M** *see* Marasini B *et al*
- Galjaard S** *see* Smeets TJM *et al*
- Garcia Alvarado M** *see* Garcia Gasalla M *et al*
- Garcia de La Peña P** *et al.* Polyarteritis nodosa and mixed cryoglobulinaemia related to hepatitis B and C virus coinfection, 1068
- Garcia Gasalla M** *et al.* Giant cell arteritis associated with demyelinating polyradiculoneuropathy: *letter*, 812
- Garcia-Porrúa C** *see* González-Gay MA *et al*
- see* Watts RA *et al*
- Garcia-Porrúa C, González-Gay MA.** Ethical aspects of new medicines targeted at treatment of RA: *letter*, 304
- Garlaschi G** *see* Cimmino MA *et al*
- Garnero P** *et al.* Cross sectional evaluation of biochemical markers of bone, cartilage, and synovial tissue metabolism in patients with knee osteoarthritis: relations with disease activity and joint damage, 619
- Gärtner V** *see* Köttler I *et al*
- Gattorno M** *see* Picco P *et al*
- Gause A** *see* Lamprecht P *et al*
- see* Röben P *et al*
- Gay RE** *see* Seemayer CA *et al*
- Gay S** *see* Seemayer CA *et al*
- Geborek P** *see* Månsson B *et al*
- Geenen R** *see* Jacobs JWG *et al*
- Geirsson AJ** *et al.* Disease severity of 100 patients with systemic sclerosis over a period of 14 years: using a modified Medsger scale, 1117
- Généreau T** *see* Noël V *et al*
- Generini S** *see* Matucci-Cerinic M *et al*
- Genevay S** *et al.* Intravenous gammaglobulins in refractory polymyositis: lower dose for maintenance treatment is effective, 635
- Genth E** *see* Mierau R *et al*
- Gérard HC** *see* Freise J *et al*
- Gerber T** *see* Backhaus M *et al*
- Gergely P** *see* Nagy G *et al*
- see* Sipka S *et al*
- Germann G** *see* Fiehn C *et al*
- Gesslein M** *see* Pfander D *et al*
- Gherardi R** *see* Chariot P *et al*
- Ghirardello A** *see* Brouwer R *et al*
- see* Zampieri S *et al*
- Giacomelli R** *see* Matucci-Cerinic M *et al*
- see* Rossa AD *et al*
- see* Valentini G *et al*
- Gibbon W** *see* McGonagle D *et al*
- Gideon P** *see* Østergaard M *et al*
- Gilboe I-M** *et al.* Sicca symptoms and secondary Sjögren's syndrome in systemic lupus erythematosus: comparison with rheumatoid arthritis and correlation with disease variables, 1103
- Gilliland D** *see* Gormley G *et al*
- Gineys E** *see* Garnerio P *et al*
- Glew D** *see* Klocke R *et al*
- Gluckman E** *see* Binks M *et al*
- Gluer C-C** *see* Röben P *et al*
- Godfrey T** *see* Castellino G *et al*
- Goizueta G** *see* Garcia Gasalla M *et al*
- Goldsmith CH** *see* Smieja M *et al*
- Gómez-Vaquero C** *see* Nolla JM *et al*
- González-Gay MA** *see* Garcia-Porrúa C and González-Gay MA
- Gonzalez-Gay MA** *see* Watts RA *et al*
- González-Gay MA** *et al.* Epidemiology of biopsy proven giant cell arteritis in northwestern Spain: trend over an 18 year period, 367
- González-Reimers E** *et al.* Klippel-Feil syndrome in the prehispanic population of El Hierro (Canary Islands): *letter*, 174
- Goossens PH** *et al.* Remission of Behçet's syndrome with tumour necrosis factor α blocking therapy, 637
- Gormley G** *et al.* Can rheumatologists agree on a diagnosis of inflammatory arthritis in an early synovitis clinic?: *letter*, 638
- Goto T** *see* Matsumura R *et al*
- Gotzsche PC.** Reporting of outcomes in arthritis trials measured on ordinal and interval scales is inadequate in relation to meta-analysis, 349
- Gough A** *see* Lorenzi AR *et al*
- Graeppler F** *see* Köttler I *et al*
- Granel B** *et al.* Multinodular goitre with giant cell vasculitis of thyroid arteries in a woman with temporal arteritis: *letter*, 811
- Granfors K** *see* Fendler C *et al*
- Grassi W** *see* Backhaus M *et al*
- see* Klocke R *et al*
- Grassi W** *et al.* Ultrasonography in the evaluation of bone erosions, 98
- Gratwohl A** *see* Binks M *et al*
- see* Tyndall A *et al*
- Gray J** *see* Grennan DM *et al*
- Greenberg P.** Treatment of myelodysplastic syndrome with agents interfering with inhibitory cytokines, **iii41 (suppl III)**
- Greenwood M** *see* Wolfe F *et al*
- Greenwood MC** *et al.* Does the Stanford Health Assessment Questionnaire have potential as a monitoring tool for subjects with rheumatoid arthritis?, 344
- Greitz D** *see* Svenungsson E *et al*
- Grennan DM** *et al.* Methotrexate and early postoperative complications in patients with rheumatoid arthritis undergoing elective orthopaedic surgery, 214
- Griep EN** *see* Houtman PM and Griep EN
- Griffith JF** *see* Wong SM *et al*
- Griffiths ID** *see* Young-Min SA *et al*
- Griffiths JR** *see* Axford JS *et al*
- Gripenberg-Lerche C** *see* Fendler C *et al*
- Grober SE.** Coffee or decaff?: *matters arising*, 87
- Groh A** *see* Fendler C *et al*
- Grolleau J-Y** *see* Hamidou MA *et al*
- Gronal G** *see* Brouwer R *et al*
- Gross WL** *see* Lamprecht P *et al*
- Guédon C** *see* Marie I *et al*
- Guerne P-A** *see* Genevay S *et al*
- Guglielmone H** *et al.* Cofactor dependence and isotype distribution of anticardiolipin antibodies in viral infections, 500
- Guillemin F** *see* Boini S and Guillemin F
- Guillemin L** *see* de La Peña Lefebvre PG *et al*
- see* Mouthon L *et al*
- see* Noël V *et al*
- Gulfe A** *see* Månsson B *et al*
- Gunnarsson I** *et al.* HLA-DRB10301 and DQA10501 in RA: *letter*, 727
- Gupta R** *see* Burbage G *et al*
- Gur H** *see* Leiba M *et al*
- Haapala J** *et al.* Decline after immobilisation and recovery after remobilisation of synovial fluid IL1, TIMP, and chondroitin sulphate levels in young beagle dogs, 55
- Habbema JDF** *see* Krijnen P *et al*
- Habib GS, Saliba WR.** Arthritis associated with non-alcoholic steatohepatitis: *letter*, 815
- Hadithi M** *et al.* Sjögren's syndrome: an unusual cause of Bell's palsy: *letter*, 724
- Hagino H** *see* Nawata K *et al*

- Hai LX *see* Kogure T *et al*
 Hakala M *see* Laivoranta-Nyman S *et al*
 Hakala M *et al*. Type I collagen degradation does not diminish with RA disease duration, 420
 Häkkinen A *et al*. Strength training induced adaptations in neuromuscular function of premenopausal women with fibromyalgia: comparison with healthy women, 21
 Häkkinen K *see* Häkkinen A *et al*
 Haley PJ *see* Newton RC *et al*
 Halliwell B *see* Basu S *et al*
 Halman L *see* Havelka S *et al*
 Hamburger HL *see* van Asselt KM *et al*
 Hamburger J *see* Mulherin D *et al*
 Hamidou MA *et al*. Systemic antineutrophil cytoplasmic antibody vasculitis associated with lymphoid neoplasia, 293
 Hamilton J *see* Wilson H *et al*
 Hamilton J *et al*. Comparative study of intramuscular gold and methotrexate in a rheumatoid arthritis population from a socially deprived area, 566
 Hamuryudan V *see* Diri E *et al*
 see Fresko I *et al*
 Hannonen P *see* Häkkinen A *et al*
 see Laivoranta-Nyman S *et al*
 Hansen H *see* Lamprecht P *et al*
 Harada Y *see* Oinuma K *et al*
 Haraguchi K *see* Sakai T *et al*
 Harrington P *et al*. Inappropriate medical management of spinal epidural abscess, 218
 Hart LE *see* Smieja M *et al*
 Hassan BS *et al*. Static postural sway, proprioception, and maximal voluntary quadriceps contraction in patients with knee osteoarthritis and normal control subjects, 612
 Havelka S *et al*. Are DISH and OPLL genetically related? *letter*, 902
 Haverman JF *see* Rood MJ *et al*
 Hayem G *see* Rossa AD *et al*
 see Valentini G *et al*
 Hazes JMW *see* Edmonds S *et al*
 Haznedaroglu IC *see* Ertenli I *et al*
 Heinegård D *see* Månsson B *et al*
 Heldwein KA *see* Jones BW *et al*
 Helenius I *see* Helenius LMJ *et al*
 Helenius LMJ *et al*. Focal sialadenitis in patients with ankylosing spondylitis and spondyloarthritis: a comparison with patients with rheumatoid arthritis or mixed connective tissue disease, 744
 Heliövaara M *see* Hutchinson D *et al*
 Heliövaara M *et al*. Coffee or decaff? *matters arising*, 87
 Heller M *see* Röben P *et al*
 Hellier J-P *et al*. HLA-DRB1 genes and patients with late onset rheumatoid arthritis, 531
 Helminen HJ *see* Haapala J *et al*
 see Hyttinen MM *et al*
 Hengstman GJD *see* Brouwer R *et al*
 Henry JF *see* Granel B *et al*
 Hepburn AL *et al*. Fenofibrate: a new treatment for hyperuricaemia and gout? *letter*, 984
 Hepper M *see* Berner B *et al*
 Herlyn K *see* Lamprecht P *et al*
 Heron C *see* Axford JS *et al*
 Hertenstein B *see* Binks M *et al*
 Hewlett S *et al*. Values for function in rheumatoid arthritis: patients, professionals, and public, 928
 Hickling P *see* Robertson LP and Hickling P
 Hida A *see* Yamasaki S *et al*
 Hiepe F *see* Binks M *et al*
 see Jacobi AM *et al*
 Hietanen JH *see* Helenius LMJ *et al*
 Hietarinta M *see* Brouwer R *et al*
 Higgins CS *see* Sofat N *et al*
 Hijmans W. Extreme exorotation of a foot in a painting by Dirk Bouts (ca 1464): *leader*, 1152
 Hill J *et al*. Effect of patient education on adherence to drug treatment for rheumatoid arthritis: a randomised controlled trial, 869
 Hillarby MC *see* Teh L-S *et al*
 Hirai Y *see* Yamasaki S *et al*
 Hizli N *see* Diri E *et al*
 see Fresko I *et al*
 Hochberg MC *et al*. "Stepping-up" from methotrexate: a systematic review of randomised placebo controlled trials in patients with rheumatoid arthritis with an incomplete response to methotrexate, iii51 (suppl III)
 Hoier-Madsen M *see* Vasilakou L *et al*
 Holle R *see* von Koskull St *et al*
 Honda S *see* Yamasaki S *et al*
 Horie T *see* Matsukawa Y *et al*
 see Takaoka T *et al*
 Horiuchi T *see* Kikuchi Y *et al*
 Hörmann A *see* von Koskull St *et al*
 Horneff G *see* Schmeling H *et al*
 Horslev-Petersen K *see* Lindegaard H *et al*
 Horst G *see* Bijl M *et al*
 Horváth A *see* Nagy G *et al*
 Houghton J *see* Sofat N *et al*
 Houtman PM, Griep EN. Ultrasonography is useful to distinguish between intra- and extra-articular disease in pyoderma gangrenosum complicating polyarthritis: *letter*, 901
 Howe FA *see* Axford JS *et al*
 Hudson AP *see* Freise J *et al*
 Hughes GRV *see* Castellino G *et al*
 Hui ACF *see* Wong SM *et al*
 Hui ACF *et al*. Oral steroid in the treatment of carpal tunnel syndrome: *letter*, 813
 Hui W *et al*. Insulin-like growth factor 1 blocks collagen release and down regulates matrix metalloproteinase-1, -3, -8, and -13 mRNA expression in bovine nasal cartilage stimulated with oncostatin M in combination with interleukin 1 α , 254
 Huizinga TWJ *see* Polderman MCA *et al*
 see Rood MJ *et al*
 see van der Linden MW *et al*
 Hummel KM *see* Berner B *et al*
 Hung LK *see* Hui ACF *et al*
 Hunter JA *see* Hamilton J *et al*
 Huang DLT *et al*. Pregnancy in past or present lupus nephritis: a study of 32 pregnancies from a single centre, 599
 Husby G *see* Gilboe I-M *et al*
 Hussain MAS *see* Malaviya AN *et al*
 Hutchinson D *see* Masi AT *et al*
 Hutchinson D *et al*. Coffee consumption, RF, and the risk of RA: *matters arising*, 540
 Heavy cigarette smoking is strongly associated with rheumatoid arthritis (RA), particularly in patients without a family history of RA, 223
 Huusko TM *et al*. Threefold increased risk of hip fractures with rheumatoid arthritis in Central Finland, 521
 Hyttinen MM *et al*. Inactivation of one allele of the type II collagen gene alters the collagen network in murine articular cartilage and makes cartilage softer, 262
 Iaina A *see* Shirazi I *et al*
 Ida H *see* Yamasaki S *et al*
 Igari J *see* Yamada T *et al*
 Ihn H *see* Yamane K *et al*
 Ilonen J *see* Laivoranta-Nyman S *et al*
 Impivaara O *see* Heliövaara M *et al*
 see Hutchinson D *et al*
 Inanc M *see* Rossa AD *et al*
 see Valentini G *et al*
 Ingelmo M *see* Cervera A *et al*
 Inoue I *see* Havelka S *et al*
 Ioannidis JPA *see* Tektonidou MG *et al*
 Ip WY *see* Peh WCG *et al*
 Isenberg D *see* Brouwer R *et al*
 Isenberg DA *see* Mediawake R *et al*
 Ishida T *see* Fujita J *et al*
 see Yang Y *et al*
 Ishikawa K *see* Ohira T and Ishikawa K
 Ishikawa O *see* Akimoto S *et al*
 Ishizuka H *see* Matsukawa Y *et al*
 Ito O *see* Miyata M *et al*
 Itoh K *see* Yamada T *et al*
 Izumino K *see* Yamasaki S *et al*
 Jacobi AM *et al*. Prolactin enhances the in vitro production of IgG in peripheral blood mononuclear cells from patients with systemic lupus erythematosus but not from healthy controls, 242
 Jacobs JWG *et al*. Short term effects of corticosteroid pulse treatment on disease activity and the wellbeing of patients with active rheumatoid arthritis, 61
 Jalava J *et al*. Bacterial PCR in the diagnosis of joint infection, 287
 Jansen LMA *et al*. Predictors of radiographic joint damage in patients with early rheumatoid arthritis, 924
 Jauberteau M-O *see* Bonnet C *et al*
 Jaulhac B *see* Limbach F-X *et al*
 Jawad ASM *see* Leeb BF and Jawad ASM
 Jawad ASM *et al*. EULAR recommendations for the management of knee osteoarthritis: *matters arising*, 540
 Jennens I *see* van Doornum S *et al*
 Jensen CH *see* Østergaard M *et al*
 Jiménez-Gómez MC *see* González-Reimers E *et al*
 John V *see* Schmeling H *et al*
 Johnson AH *see* Lorenzi AR *et al*
 Johnson S *see* Hill J *et al*
 Jolivet M *see* Nogueira L *et al*
 Jones BW *et al*. Differential roles of Toll-like receptors in the elicitation of proinflammatory responses by macrophages, iii6 (suppl III)
 Joosten LAB *see* Barrera P *et al*
 Jørgensen C *et al*. Stem cells for repair of cartilage and bone: the next challenge in osteoarthritis and rheumatoid arthritis, 305
 Judge MR *see* Ramanan AV *et al*
 Judovich R *see* Shirazi I *et al*
 Junker P *see* Lindegaard H *et al*
 Jurvelin JS *see* Hyttinen MM *et al*

- Kaandorp CJE** see Krijnen P *et al*
Kaarela K see Laiho K *et al*
 see Lehtinen JT *et al*
Kagami M see Matsumura R *et al*
Kahaleh BM see Matucci-Cerinic M *et al*
Kaipainen-Seppänen O *et al*. Regional differences in the incidence of rheumatoid arthritis in Finland in 1995, 128
Kalden JR see Breedveld FC *et al*
 see Brouwer R *et al*
 see Furst DE *et al*
 see Kraetsch HG *et al*
 see Scott DL *et al*
Kalk WWI *et al*. Sialometry and sialochemistry: diagnostic tools for Sjögren's syndrome, 1110
Kallenberg CGM see Bijl M *et al*
 see Brons RH *et al*
 see Kalk WWI *et al*
Kamachi M see Yamasaki S *et al*
Kamanli A *et al*. Lumbar spondylodiscitis secondary to *Enterobacter cloacae* septicemia after extracorporeal shock wave lithotripsy: letter, 989
Kamatani N see Koseki Y *et al*
Kamikawa K see Oinuma K *et al*
Kanagawa S see Wang Z-Y *et al*
Kanai K see Matsukawa Y *et al*
Kandolf R see Kötter I *et al*
Kang SW see Shin KC *et al*
Kanz L see Kötter I *et al*
Karádi I see Nagy G *et al*
Karppi P see Huusko TM *et al*
Kashyap A see Binks M *et al*
Kaskas B see Kötter I *et al*
Kasukawa R see Miyata M *et al*
Kato T see Sekine T *et al*
Kauppi M see Hakala M *et al*
 see Laiho K *et al*
Kauppi MJ see Lehtinen JT *et al*
Kautiainen H see Helenius LMJ *et al*
 see Huusko TM *et al*
 see Laiho K *et al*
Kautiainen HJ see Lehtinen JT *et al*
Kavanaugh A see Furst DE *et al*
Kavuncu V see Kamanli A *et al*
Kawabe Y see Yamasaki S *et al*
Kawakami A see Yamasaki S *et al*
Kawakami Y see Toda I *et al*
Kay R see Hui ACF *et al*
Kaye SA see Hepburn AL *et al*
Kean W see Smieja M *et al*
Keat A see Taylor-Robinson D and Keat A
Kellner H see Boeger CA *et al*
Kellner W see Boeger CA *et al*
Kémény J-L see Delévaux I *et al*
Kerboull L see Laloux L *et al*
Keyßer G see Schmeling H *et al*
 see Wagner AD *et al*
Keystone EC see Furst DE *et al*
Khademi M see Svenungsson E *et al*
Khaled M see Mouthon L *et al*
Khamashta MA see Castellino G *et al*
Kierner AK, Vollmar AM. The atrial natriuretic peptide regulates the production of inflammatory mediators in macrophages, iii68 (suppl III)
Kikuchi Y *et al*. Difference in B cell activation between dermatomyositis and polymyositis: analysis of the expression of RP105 on peripheral blood B cells, 1137
Kim HA see Shin KC *et al*
Kim H-Y see Kim W-U *et al*
Kim W-U *et al*. Treatment with cyclosporin switching to hydroxychloroquine in patients with rheumatoid arthritis, 514
Kiraz S see Ertenli I *et al*
Kiraz S *et al*. Parvovirus B19 infection in Behçet's disease: letter, 814
Kirazli S see Ertenli I *et al*
Kirkham BW see Szomor ZL *et al*
Kirsch T see Pfander D *et al*
Kirwan JR see Hewlett S *et al*
 see Shepstone L *et al*
Kiss E see Sipka S *et al*
Kitamura N see Matsukawa Y *et al*
 see Takaoka T *et al*
Kiviranta I see Haapala J *et al*
Klareskog L see Berg L *et al*
 see Svenungsson E *et al*
Klarlund M see Østergaard M and Klarlund M
Klindworth C see Zink A *et al*
Klocke R *et al*. Sonographic erosions of the rheumatoid little toe: letter, 896
Knekt P see Heliövaara M *et al*
 see Hutchinson D *et al*
Ko KH see Lee SS *et al*
Koarada S see Kikuchi Y *et al*
Kobayashi H see Miyata M *et al*
Koga H see Havelka S *et al*
Kogure T *et al*. Effect of interleukin 2 on killer cell inhibitory receptors in patients with rheumatoid arthritis, 166
Köhler L see Freise J *et al*
Koji T see Yamasaki S *et al*
Koldingsnes W see Watts RA *et al*
Kölker S see Wahle M *et al*
Komdeur R *et al*. Immunosuppressive treatment for vasculitis associated with Lyme borreliosis: letter, 721
Kontinen YT see Matucci-Cerinic M *et al*
Korpela M see Huusko TM *et al*
Körtje D see Pfander D *et al*
Koseki Y *et al*. A prospective study of renal disease in patients with early rheumatoid arthritis, 327
Koshy P see Elliott S *et al*
Kosma V-M see Haapala J *et al*
Kötter I see Binks M *et al*
Kötter I *et al*. HHV8 associated Kaposi's sarcoma during triple immunosuppressive treatment with cyclosporin A, azathioprine, and prednisolone for ocular Behçet's disease and complete remission of both disorders with interferon α , 83
Kouri DE see Hamidou MA *et al*
Kovács I see Sipka S *et al*
Koya Y see Matsukawa Y *et al*
Kraaimaat FW see Jacobs JWG *et al*
Kraan MC see Smeets TJM *et al*
Kraan MC *et al*. Measurement of cytokine and adhesion molecule expression in synovial tissue by digital image analysis, 296
Kraetsch HG *et al*. Successful treatment of a small cohort of patients with adult onset of Still's disease with infliximab: first experiences, iii55 (suppl III)
Krause A see Wahle M *et al*
Krijnen P *et al*. Antibiotic prophylaxis for haematogenous bacterial arthritis in patients with joint disease: a cost effectiveness analysis, 359
Krishnan J see Stewart M *et al*
Kruithof E see Baeten D *et al*
 see van den Bosch F *et al*
Kruller A see Szomor ZL *et al*
Kubo M see Yamane K *et al*
Kuipers JG see Freise J *et al*
 see Putschky N *et al*
Kumagai S see Wang Z-Y *et al*
Kuntz J-L see Limbach F-X *et al*
Kurki P see Albers JMC *et al*
 see Paimela L *et al*
Kurosaka D *et al*. Telomerase activity in peripheral blood mononuclear cells from patients with SLE: letter, 1158
Kuusela P see Lehtinen JT *et al*
Kuusela PP see Lehtinen JT *et al*
Kuwana M see Mijares-Boeckh-Behrens T *et al*
 see Toda I *et al*
 see Yamane K *et al*
Kvien TK see Gilboe I-M *et al*
 see Scott DL *et al*
Kyriakidis MK see Tektonidou MG *et al*
Laan RFJM see van Heereveld HAEM *et al*
Laffon A see Carmona L *et al*
Laiho K *et al*. Effect of daily corticosteroid treatment on CRP response to hip or knee replacement in patients with RA: letter, 989
 Rise in serum C reactive protein after hip and knee arthroplasties in patients with rheumatoid arthritis, 275
Laipala P see Pertovaara M *et al*
Laitko S see Fendler C *et al*
Laivoranta-Nyman S *et al*. Differences between female and male patients with familial rheumatoid arthritis, 413
Lakos G see Sipka S *et al*
Laloux L *et al*. Immunohistological study of entheses in spondyloarthropathies: comparison in rheumatoid arthritis and osteoarthritis, 316
Lam KS, Moulton A. Stress fracture of the sacrum in a child: letter, 87
Lampa J see Berg L *et al*
Lampa J *et al*. MRI guided muscle biopsy confirmed polymyositis diagnosis in a patient with interstitial lung disease, 423
Lamprecht P *et al*. Immunological and clinical follow up of hepatitis C virus associated cryoglobulinaemic vasculitis, 385
Landeweé R see Boonen A *et al*
Lane SE see Watts RA *et al*
 see Watts RA *et al*
Lappalainen M see Helenius LMJ *et al*
Lapveteläinen T see Hyttinen MM *et al*
Larsen A see Scott DL *et al*
Laughton R see Young-Min SA *et al*
Lawton JWM see Lee SS *et al*
Lear JT see Hutchinson D *et al*
le Cessie S see Polderman MCA *et al*
Lee EB see Shin KC *et al*
Lee S-K see Kim W-U *et al*

- Lee SS *et al.* *u*. Antitrypsin phenotypic variability is not associated with ANCA in southern Chinese: *letter*, 725
- Lee W-K *see* Kim W-U *et al.*
- Lee YJ *see* Shin KC *et al.*
- Leeb BF, Jawad ASM. Management of knee osteoarthritis: *letter*, 984
- Lefebvre G *see* Huong DLT *et al.*
- Léger J-M *see* Lidove O *et al.*
- Lehtinen JT *et al.* Bone destruction, upward migration, and medialisation of rheumatoid shoulder: a 15 year follow up study, 322
- Valgus deformity and proximal subluxation of the rheumatoid elbow: a radiographic 15 year follow up study of 148 elbows, 765
- Lehto M *see* Laiho K *et al.*
- Lehto MUK *see* Lehtinen JT *et al.*
- Leiba A *see* Leiba M *et al.*
- Leiba M *et al.* Behçet's disease and thrombophilia: *review*, 1081
- Leinenbach H-P *see* Berner B *et al.*
- Leirisalo-Repo M *see* Albers JMC *et al.*
- see* Helenius LMJ *et al.*
- see* Paimela L *et al.*
- Lems WF *see* Steen KSS *et al.*
- see* van Asselt KM *et al.*
- Leonard R. A mnemonic for SLE diagnostic criteria: *letter*, 638
- Leone N *see* Marzano A *et al.*
- Lepage V *see* Balsa A *et al.*
- Lessin L *see* Stewart M *et al.*
- Letellier E *see* Longhurst HJ *et al.*
- Levesque H *see* Marie I *et al.*
- Lhote F *see* de La Peña Lefebvre PG *et al.*
- Li E *see* Hui ACF *et al.*
- see* Wong SM *et al.*
- Li S-W *see* Hytinen MM *et al.*
- Lidove O *et al.* Hepatitis C virus infection with peripheral neuropathy is not always associated with cryoglobulinaemia, 290
- Ligtenberg JJM *see* Komdeur R *et al.*
- Lim K *see* Burbage G *et al.*
- Limaye V *et al.* Evaluation of hand function in patients undergoing long term haemodialysis, 278
- Limbach F-X *et al.* Treatment resistant Lyme arthritis caused by *Borrelia garinii*, 284
- Limburg PC *see* Bijl M *et al.*
- Lindblom J *see* Hytinen MM *et al.*
- Lindegaard H *et al.* Low field dedicated magnetic resonance imaging in untreated rheumatoid arthritis of recent onset, 770
- Lindqvist C *see* Helenius LMJ *et al.*
- Lioté F *see* Bernardeau C *et al.*
- Listing J *see* Zink A *et al.*
- Livneh A *see* Poland DCW *et al.*
- Llorca J *see* González-Gay MA *et al.*
- Locatelli F *see* Binks M *et al.*
- Loew-Friedrich I *see* Scott DL *et al.*
- Lohmander LS *see* Haapala J *et al.*
- see* Nilsson A-K *et al.*
- Longhurst HJ *et al.* Parvovirus arthropathy masquerading as the arthritis of Behçet's disease: *letter*, 1080
- Lopes-Vaz A *see* Balsa A *et al.*
- Lorenzen I *see* Østergaard M *et al.*
- Lorenzi AR *et al.* Gastric antral vascular ectasia in systemic sclerosis: complete resolution with methylprednisolone and cyclophosphamide, 796
- Lorenzini S *see* Cini R *et al.*
- Lortholary O *see* Noël V *et al.*
- Loudon J *see* Grennan DM *et al.*
- Low S *see* Englert H and Low S
- Lukka M *see* Paimela L *et al.*
- Lundberg I *see* Brouwer R *et al.*
- see* Lampa J *et al.*
- see* Svenungsson E *et al.*
- Luukkainen R *see* Hakala M *et al.*
- see* Laivoranta-Nyman S *et al.*
- Lynch MP *see* Hutchinson D *et al.*
- McCarney R *see* Peat G *et al.*
- McCarthy GM *et al.* Basic calcium phosphate crystals activate human osteoarthritic synovial fibroblasts and induce matrix metalloproteinase-13 (collagenase-3) in adult porcine articular chondrocytes, 399
- McColl G *see* van Doornum S *et al.*
- McConnell JR *see* Cairns AP *et al.*
- McCurdie I *see* Longhurst HJ *et al.*
- Macfarlane GJ *see* Pope DP *et al.*
- McGonagle D *see* Marzo-Ortega H *et al.*
- McGonagle D *et al.* Human immunodeficiency virus associated spondyloarthropathy: pathogenic insights based on imaging findings and response to highly active antiretroviral treatment, 696
- McHale J *see* Sofat N *et al.*
- Machold KP *see* Backhaus M *et al.*
- Machold KP, Smolen JS. Stem cell transplantation: limits and hopes: *leader*, 548
- McHugh NJ *see* Rossa AD *et al.*
- see* Valentini G *et al.*
- McInnes IB *see* Hamilton J *et al.*
- McKane R *see* Gormley G *et al.*
- McLean L *see* McQueen FM *et al.*
- see* Stamp L *et al.*
- McMurray RW *see* Thongngarm T and McMurray RW
- MacPherson DW *see* Smieja M *et al.*
- McQueen FM *et al.* What is the fate of erosions in early rheumatoid arthritis? Tracking individual lesions using x rays and magnetic resonance imaging over the first two years of disease, 859
- McSweeney P *see* Binks M *et al.*
- Madhok R *see* Hamilton J *et al.*
- see* Vamvakopoulos J and Madhok R
- see* Wilson H *et al.*
- Madsen OR, Murphy E. Periarticular bone mineral density at the knee joint: *matters arising*, 638
- Maeda S *see* Havelka S *et al.*
- Maenaut K *see* Balsa A *et al.*
- Mäenpää H *see* Laiho K *et al.*
- see* Lehtinen JT *et al.*
- Maeshima E *et al.* A case of cholesterol embolism with ANCA treated with corticosteroid and cyclophosphamide: *letter*, 726
- Mahony JB *see* Smieja M *et al.*
- Maio T *see* Caporali R *et al.*
- Maisonobe T *see* Lidove O *et al.*
- Malaguarnera L *see* Vinci M *et al.*
- Malamet RL *see* Masi AT *et al.*
- Malaviya AN *et al.* Calcium pyrophosphate dihydrate (CPPD) crystal deposition disease in a teaching hospital in Kuwait, 416
- Malikova V *see* Stewart M *et al.*
- Manca S *see* Cosentino R *et al.*
- Manganelli S *see* Selvi E *et al.*
- Manger B *see* Backhaus M *et al.*
- see* Kraetsch HG *et al.*
- Mansson B *et al.* Release of cartilage and bone macromolecules into synovial fluid: differences between psoriatic arthritis and rheumatoid arthritis, 27
- Marasini B *et al.* Rheumatic disorders and primary biliary cirrhosis: an appraisal of 170 Italian patients, 1046
- Marchesi C *see* Matucci-Cerinic M *et al.*
- Marcolongo R *see* Cini R *et al.*
- see* Cosentino R *et al.*
- see* Selvi E *et al.*
- Marie I *et al.* Intravenous immunoglobulin for treatment of gastrointestinal haemorrhage in dermatomyositis: *letter*, 723
- Mariette X. Lymphomas complicating Sjögren's syndrome and hepatitis C virus infection may share a common pathogenesis: chronic stimulation of rheumatoid factor B cells, 1007
- Markusse HM *see* Barendregt PJ *et al.*
- Marmont A *see* Binks M *et al.*
- Marsh FP *see* Silberstein L *et al.*
- Martin N *see* Laloux L *et al.*
- Martinez A *see* Binks M *et al.*
- Martinez CA *see* de La Fuente J *et al.*
- Martinez M *see* Balsa A *et al.*
- Martinez-Lázaro R *et al.* A pilot study of the salivary scintigraphy diagnostic performance in a Spanish population with Sjögren's syndrome diagnosed by the European criteria: *letter*, 302
- Martini A *see* Binks M *et al.*
- Marzano A *et al.* Treatment of idiopathic retroperitoneal fibrosis using cyclosporin, 427
- Marzo-Ortega H *see* McGonagle D *et al.*
- Marzo-Ortega H *et al.* Subclinical vasculitis in polymyalgia rheumatica, 1058
- Masi AT *et al.* Heavy cigarette smoking and RA: *letter*, 1154
- Mas-Pascual A *see* González-Reimers E *et al.*
- Masuda I *see* McCarthy GM *et al.*
- Masuko-Hongo K *see* Sekine T *et al.*
- Mat C *see* Diri E *et al.*
- Mathony K *see* Schmeling H *et al.*
- Matsui T *see* Sekine T *et al.*
- Matsukawa Y *see* Takaoka T *et al.*
- Matsukawa Y *et al.* Idiopathic dilatation of the pulmonary artery in a patient with dermatomyositis complicated by interstitial pneumonitis: *letter*, 815
- Matsumoto N *see* Shiokawa S *et al.*
- Matsumura R *et al.* Glandular and extraglandular expression of costimulatory molecules in patients with Sjögren's syndrome, 473
- Mattey DL *see* Basu S *et al.*
- Matthews C *see* Gormley G *et al.*
- Matucci-Cerinic M *et al.* Nerve growth factor and neuropeptides circulating levels in systemic sclerosis (scleroderma), 487
- Mavilio N *see* Primavera A *et al.*
- Mayo A *see* Paran D *et al.*
- Means TK *see* Jones BW *et al.*
- Mease PJ. Cytokine blockers in psoriatic arthritis, **iii37 (suppl III)**
- Mediawake R *et al.* Use of anti-citrullinated peptide and anti-RA33 antibodies in distinguishing erosive arthritis in patients with systemic lupus erythematosus and rheumatoid arthritis, 67
- Meenagh G *see* Gormley G *et al.*

- Meenagh GK, Wright GD.** Debilitating knee pain in a patient with "normal" radiographs: *lesson of the month*, 650
- Meheus L** see Peene I *et al*
- Melikoglu M** see Fresko I *et al*
- Mellor Pita S** see Garcia Gasalla M *et al*
- Melsom R** see McGonagle D *et al*
- Meoño-Morales E** see Vázquez-Mellado J *et al*
- Merry P** see Wiles NJ *et al*
- see Wong SM *et al*
- Michalsen A** *et al.* Effect of leeches therapy (*Hirudo medicinalis*) in painful osteoarthritis of the knee: a pilot study: *letter*, 986
- Michel BA** see Seemayer CA *et al*
- Miedema H** see Boonen A *et al*
- Miedema HS** see Chorus AMJ *et al*
- Mielants H** see Baeten D *et al*
- see van Damme N *et al*
- see van den Bosch F *et al*
- Mierau R** *et al.* Less specific myositis autoantibodies?: *letter*, 810
- Miettinen A** see Pertovaara M *et al*
- Migita K** see Yamasaki S *et al*
- Migliorini P** see Balsa A *et al*
- Mijares-Boeckh-Behrens T** *et al.* Fetal microchimerism in Sjögren's syndrome: *letter*, 897
- Millner PA** see Harrington P *et al*
- Minamizaki T** see Nawata K *et al*
- Miossec P** see Boyer F *et al*
- see Mosquera-Martinez JA *et al*
- Mitchell PG** see McCarthy GM *et al*
- Miyake K** see Kikuchi Y *et al*
- Miyata M** *et al.* CpG-DNA derived from sera in systemic lupus erythematosus enhances ICAM-1 expression on endothelial cells, 685
- Mockett S** see Hassan BS *et al*
- see Sutton AJ *et al*
- Moebus S** see Michalsen A *et al*
- Moens HJB** see Krijnen P *et al*
- Montecucco C** see Caporali R *et al*
- Monteil H** see Limbach F-X *et al*
- Moosig F** see Lamprecht P *et al*
- Mootoo R** see Pyne D *et al*
- Moots R** see Hutchinson D *et al*
- see Masi AT *et al*
- Morgan A** see McGonagle D *et al*
- Morgan E** see McGonagle D *et al*
- Mori M** see Akimoto S *et al*
- Moriguchi M** see Koseki Y *et al*
- Morinobu A** see Wang Z-Y *et al*
- Morio Y** see Nawata K *et al*
- Morito F** see Kikuchi Y *et al*
- Moriya H** see Oinuma K *et al*
- Morris J** see Teh L-S *et al*
- Mosquera-Martinez JA** *et al.* Rheumatoid arthritis associated with ulcerative colitis: *letter*, 1155
- Möttönen T** see Laivoranta-Nyman S *et al*
- Moulton A** see Lam KS and Moulton A
- Moussa KM** see Teh L-S *et al*
- Mouthon L** see de La Peña Lefebvre PG *et al*
- see Noël V *et al*
- Mouthon L** *et al.* Systemic small sized vessel vasculitis after massive antigen inhalation: *letter*, 903
- Moutsopoulos H** see Brouwer R *et al*
- Moutsopoulos HM** see Tektonidou MG *et al*
- Moyssakis I** see Tektonidou MG *et al*
- Muir KR** see Sutton AJ *et al*
- Mulherin D** see Burbage G *et al*
- see Osman A and Mulherin D
- Mulherin D** *et al.* Survey of artificial tear and saliva usage among patients with Sjögren's syndrome: *letter*, 1077
- Muller GA** see Berner B *et al*
- Mune M** see Maeshima E *et al*
- Murota M** see Yang Y *et al*
- Murphy E** see Madsen OR and Murphy E
- Murphy E** *et al.* Validated measurement of periarticular bone mineral density at the knee joint by dual energy x ray absorptiometry, 8
- Murphy G** see Young-Min SA *et al*
- Murrell GAC** see Szomor ZL *et al*
- Nagasawa K** see Kikuchi Y *et al*
- Nagy G** *et al.* Anticholesterol antibody levels in patients with systemic lupus erythematosus: *letter*, 722
- Nakamura H** see Yamasaki S *et al*
- Nakashima T** see Yamasaki S *et al*
- Nakazawa T** see Matsumura R *et al*
- Narváez J** *et al.* Musculoskeletal manifestations in polymyalgia rheumatica and temporal arteritis, 1060
- Narváez JA** see Narváez J *et al*
- Nash AP** see Scott DL *et al*
- Natale D** see Riccio A *et al*
- Nawata K** *et al.* Tensile properties of rat anterior cruciate ligament in collagen induced arthritis, 395
- Nawata Y** see Oinuma K *et al*
- Neidhart M** see Seemayer CA *et al*
- Nennesmo I** see Lampa J *et al*
- Nerucci F** see Cini R *et al*
- Newton RC** *et al.* Biology of TACE inhibition, iii25 (suppl III)
- Nielsen H** see Rossa AD *et al*
- see Valentini G *et al*
- Nieuwenhuis HK** see Derksen RHW M *et al*
- see Fiehn C *et al*
- Niewerth M** see Zink A *et al*
- Niizawa A** see Kogure T *et al*
- Nikkarinen M** see Kaipainen-Seppänen O *et al*
- Nilsdotter A-K** *et al.* Radiographic stage of osteoarthritis or sex of the patient does not predict one year outcome after total hip arthroplasty, 228
- Nilsson G** see Olsson N *et al*
- Nishii T** see Sakai T *et al*
- Nishimura J** see Shiokawa S *et al*
- Nishinara S** see Matsukawa Y *et al*
- see Takaoka T *et al*
- Nishioka K** see Sekine T *et al*
- Nishioka M** see Yang Y *et al*
- Nodar A** see de La Fuente J *et al*
- Noel D** see Jorgensen C *et al*
- Noël V** *et al.* Risk factors and prognostic influence of infection in a single cohort of 87 adults with systemic lupus erythematosus, 1141
- Nogueira L** *et al.* Performance of two ELISAs for antifilaggrin autoantibodies, using either affinity purified or deiminated recombinant human filaggrin, in the diagnosis of rheumatoid arthritis, 882
- Nolla JM** *et al.* Value of clinical factors in selecting postmenopausal women with rheumatoid arthritis for bone densitometry, 799
- Nolla-Solé JM** see Narváez J *et al*
- Nossent H** see Watts RA *et al*
- Novakova IRO** see van Heereveld HAEM *et al*
- Nurmohamed MT** *et al.* Prevention of post-discharge venous thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthroplasty: a continuing matter of debate: *leader*, 905
- Ochiai H** see Kogure T *et al*
- O'Connor P** see Marzo-Ortega H *et al*
- see McGonagle D *et al*
- Oed C** see Scott DL *et al*
- Oestmann E** see Berner B *et al*
- Ogawa Y** see Mijares-Boeckh-Behrens T *et al*
- O'Gradaigh D** see Wong SM *et al*
- Ohira H** see Miyata M *et al*
- Ohira T, Ishikawa K.** Preservation of calcium pyrophosphate dihydrate crystals: effect of Mayer's haematoxylin staining period, 80
- Ohta A** see Kikuchi Y *et al*
- Ohtsuki Y** see Fujita J *et al*
- Ohzono K** see Sakai T *et al*
- Oinuma K** *et al.* Osteonecrosis in patients with systemic lupus erythematosus develops very early after starting high dose corticosteroid treatment, 1145
- Okuda Y** see Yamada T *et al*
- Olivieri I** *et al.* Retrocalcaneal bursitis in polymyalgia rheumatica: *letter*, 1160
- Olsson N** *et al.* Demonstration of mast cell chemotactic activity in synovial fluid from rheumatoid patients, 187
- Olsson T** see Svenungsson E *et al*
- Oostendorp RAB** see van Baar ME *et al*
- O'Reilly D** see Gormley G *et al*
- Osman A, Mulherin D.** Is parenteral methotrexate worth trying?: *letter*, 432
- Ostergaard M** see Lindegaard H *et al*
- Ostergaard M, Klarlund M.** Importance of timing of post-contrast MRI in rheumatoid arthritis: what happens during the first 60 minutes after IV gadolinium-DTPA?, 1050
- Ostergaard M** *et al.* Quantitative magnetic resonance imaging as marker of synovial membrane regeneration and recurrence of synovitis after arthroscopic knee joint synovectomy: a one year follow up study, 233
- Overbosch EH** see Spronk PE *et al*
- Ozawa Y** see Kurosaka D *et al*
- Öztürk MA** see Kiraz S *et al*
- Pache X** see Granel B *et al*
- Pacheco-Tena C** see Vázquez-Mellado J *et al*
- Padalko EY, Bossuyt X.** Anti-dsDNA antibodies associated with acute EBV infection in Sjögren's syndrome: *letter*, 992
- Padula A** see Olivieri I *et al*
- Paek S-I** see Kim W-U *et al*
- Paimela L** see Albers JMC *et al*
- see Helenius LMJ *et al*
- Paimela L** *et al.* Association of autoantibodies to filaggrin with an active disease in early rheumatoid arthritis, 32
- Palosuo T** see Paimela L *et al*
- Paoletti M** see Matucci-Cerinic M *et al*

- Paran D et al.** A pilot study of a long acting somatostatin analogue for the treatment of refractory rheumatoid arthritis, 888
- Paran H** see **Paran D et al**
- Park S-H** see **Kim W-U et al**
- Pascual MJ** see **Binks M et al**
- Pascual-Salcedo D** see **Balsa A et al**
- Passweg J** see **Tyndall A et al**
- Passweg JR** see **Binks M et al**
- Pasternack A** see **Pertovaara M et al**
- Pavel S** see **Polderman MCA et al**
- Pavelková A** see **Havelka S et al**
- Pease C** see **Marzo-Ortega H et al**
- Peat G et al.** Knee pain and osteoarthritis in older adults: a review of community burden and current use of primary health care, 91
- Peene I et al.** Detection and identification of antinuclear antibodies (ANA) in a large and consecutive cohort of serum samples referred for ANA testing, 1131
- Peh WCG et al.** Growing wrist mass, 550
- Pertovaara M et al.** A longitudinal cohort study of Finnish patients with primary Sjögren's syndrome: clinical, immunological, and epidemiological aspects, 467
- Peter HH** see **Binks M et al**
- Petito A** see **Riccio A et al**
- Pettinato G** see **Riccio A et al**
- Pfander D et al.** Vascular endothelial growth factor in articular cartilage of healthy and osteoarthritic human knee joints, 1070
- Pfeiffer K et al.** Pulsed electromagnetic field therapy in the management of knee OA: letter, 717
- Picchi MP** see **Cini R et al**
- Picco P et al.** Non-steroidal anti-inflammatory drugs in the treatment of hyper-IgD syndrome: letter, 904
- Piemont Y** see **Limbach F-X et al**
- Piette J-C** see **Delevaux I et al**
- see **Huong DLT et al**
- see **Lidove O et al**
- Pignone A** see **Matucci-Cerinic M et al**
- Piirainen H** see **Helenius LMJ et al**
- Pile K** see **Limaye V et al**
- Pincus T** see **Wolfe F et al**
- Piperno M** see **Garnero P et al**
- Pistone G** see **Vinci M et al**
- Pizzorni C** see **Cutolo M et al**
- Plumpton T** see **Young-Min SA et al**
- Poland DCW et al.** Specific glycosylation of α_1 -acid glycoprotein characterises patients with familial Mediterranean fever and obligatory carriers of MEFV, 777
- Polderman MCA et al.** UVA-1 cold light treatment of SLE: a double blind, placebo controlled crossover trial, 112
- Pope DP et al.** Association of occupational physical demands and psychosocial working environment with disabling shoulder pain, 852
- Porter D** see **Hamilton J et al**
- Prentice HG** see **Binks M et al**
- Price C** see **Sheehan NJ et al**
- Primavera A et al.** Reversible posterior leucoencephalopathy syndrome in systemic lupus and vasculitis, 534
- Priori R** see **Carlucci F et al**
- Pritchard C** see **Pope DP et al**
- Prockop DJ** see **Hyttinen MM et al**
- Prondzinsky R** see **Wagner AD et al**
- Prudhomme JF** see **Balsa A et al**
- Puechal X** see **Limbach F-X et al**
- Pukkala E** see **Pertovaara M et al**
- Putschky N et al.** Intra-articular co-infection by *Borrelia burgdorferi* and *Chlamydia trachomatis*, 632
- Puzziello A** see **Riccio A et al**
- Pyne D et al.** *Salmonella* arthritis: an unusual cause of low back pain: lesson of the month, 1086
- Qvistgaard E et al.** Quantitative ultrasonography in rheumatoid arthritis: evaluation of inflammation by Doppler technique, 690
- Rabinovitz E** see **Poland DCW et al**
- Radbruch A** see **Rudwaleit M et al**
- Radstake TRDJ** see **Balsa A et al**
- Raftery MJ** see **Silberstein L et al**
- Ramanan AV et al.** Atrophoderma and juvenile idiopathic arthritis: letter, 900
- Raza K** see **Eardley KS et al**
- Reade S** see **McGonagle D et al**
- Reckner Olsson A et al.** Comorbidity and lifestyle, reproductive factors, and environmental exposures associated with rheumatoid arthritis, 934
- Reunanen A** see **Heliövaara M et al**
- see **Hutchinson D et al**
- Reuss-Borst MA** see **Berner B et al**
- Rey J** see **Granel B et al**
- Riccio A et al.** Castleman's disease: letter, 176
- Richter S** see **Rudwaleit M et al**
- Riente L** see **Balsa A et al**
- Rimpiläinen M** see **Zhang X et al**
- Ringertz B** see **Gunnarsson I et al**
- Risteli J** see **Hakala M et al**
- Rivas MJ** see **González-Gay MA et al**
- Rizzetto M** see **Marzano A et al**
- Röben P et al.** Assessment of phalangeal bone loss in patients with rheumatoid arthritis by quantitative ultrasound, 670
- Roberts OM** see **Malaviya AN et al**
- Robertson LP, Hickling P.** Chronic recurrent multifocal osteomyelitis is a differential diagnosis of juvenile idiopathic arthritis: lesson of the month, 828
- Robinson E** see **McQueen FM et al**
- Rodríguez-Ledo P** see **González-Gay MA et al**
- Rogberg S** see **Berg L et al**
- Rogers J** see **Shepstone L et al**
- Roggendorf M** see **Seemayer CA et al**
- Rogind H** see **Qvistgaard E et al**
- Rohde W** see **Jacobi AM et al**
- Roig-Escofet D** see **Narváez J et al**
- see **Nolla JM et al**
- Röllinghoff M** see **Stenger S and Röllinghoff M**
- Romics L** see **Nagy G et al**
- Rönkkö S** see **Haapala J et al**
- Rood MJ et al.** CNS involvement in systemic lupus erythematosus: a case with remarkable histopathological findings, 299
- Roos HP** see **Nilsdotter A-K et al**
- Rosada M** see **Valentini G et al**
- Rossa AD** see **Valentini G et al**
- Rossa AD et al.** European multicentre study to define disease activity criteria for systemic sclerosis. I. Clinical and epidemiological features of 290 patients from 19 centres, 585
- Rossi V** see **Marasini B et al**
- Roux-Lombard P** see **Brouwer R et al**
- Rowan AD** see **Cleaver CS et al**
- see **Elliott S et al**
- see **Hui W et al**
- Rudwaleit M et al.** Low incidence of reactive arthritis in children following a salmonella outbreak, 1055
- Low T cell production of TNF α and IFN γ in ankylosing spondylitis: its relation to HLA-B27 and influence of the TNF-308 gene polymorphism, 36
- Ruzicková S** see **Havelka S et al**
- Sahin S** see **Kamanli A et al**
- Saito S** see **Kurosaka D et al**
- Sakai T et al.** Bone scintigraphy for osteonecrosis of the knee in patients with non-traumatic osteonecrosis of the femoral head: comparison with magnetic resonance imaging, 14
- Salaffi F** see **Grassi W et al**
- see **Klocke R et al**
- Saliba WR** see **Habib GS and Saliba WR**
- Salvarani C** see **Olivieri I et al**
- Sandberg-Wollheim M** see **Castro F et al**
- Sanders PA** see **Teh L-S et al**
- Sany J** see **Hellier J-P et al**
- see **Jorgensen C et al**
- Sasajima T** see **Miyata M et al**
- Saudan-Kister A** see **Genevay S et al**
- Saukkonen JJ** see **Jones BW et al**
- Sawada U** see **Takaoka T et al**
- Saxne T** see **Mansson B et al**
- Sayman H** see **Fresko I et al**
- Schattenberg AVN** see **Binks M et al**
- Schattenkirchner M** see **Anders HJ et al**
- see **Boeger CA et al**
- see **Scott DL et al**
- Scheel AK** see **Berner B et al**
- Schellekens GA** see **Mediawake R et al**
- Schettler V** see **Berner B et al**
- Schmeling H et al.** A combination of etanercept and methotrexate for the treatment of refractory juvenile idiopathic arthritis: a pilot study, 410
- Schmuck ML** see **Smieja M et al**
- Schnarr S** see **Putschky N et al**
- Schneider HGF** see **Zandbelt MM et al**
- Schouten H** see **Boonen A et al**
- Schreuder FHJM** see **Albers JMC et al**
- Schut NH** see **Spronk PE et al**
- Scieux C** see **Bas S et al**
- Scorza R** see **Rossa AD et al**
- see **Valentini G et al**
- Scott DGI** see **Watts RA et al**
- see **Wiles NJ et al**
- Scott DL et al.** Treatment of active rheumatoid arthritis with leflunomide: two year follow up of a double blind, placebo controlled trial versus sulfasalazine, 913
- Sebbag M** see **Nogueira L et al**
- Seelig HP** see **Brouwer R et al**
- Seemayer CA et al.** Prevalence of TTV DNA and GBV-C RNA in patients with systemic sclerosis, rheumatoid arthritis, and osteoarthritis does not differ from that in healthy blood donors, 806

- Sekine T** *et al.* Recognition of YKL-39, a human cartilage related protein, as a target antigen in patients with rheumatoid arthritis, 49
- Selva-O'Callaghan A** *see* Mijares-Boeckh-Behrens T *et al*
- Selvi E** *see* Cini R *et al*
see Cosentino R *et al*
- Selvi E** *et al.* Diff Quik staining method for detection and identification of monosodium urate and calcium pyrophosphate crystals in synovial fluids, 194
- Seo Y-I** *see* Kim W-U *et al*
- Seriolo B** *see* Cutolo M *et al*
- Serratrice J** *see* Granel B *et al*
- Serre G** *see* Nogueira L *et al*
- Servan J** *see* Lidove O *et al*
- Sheehan NJ** *et al.* Caudal epidural injections: *letter*, 718
- Shehab D** *see* Malaviya AN *et al*
- Shek TWH** *see* Peh WCG *et al*
- Shepstone L** *see* Hutchinson D *et al*
- Shepstone L** *et al.* Shape of the intercondylar notch of the human femur: a comparison of osteoarthritic and non-osteoarthritic bones from a skeletal sample, 968
- Shimada Y** *see* Kogure T *et al*
- Shimokawa I** *see* Yamasaki S *et al*
- Shin KC** *et al.* Serum procalcitonin measurement for detection of intercurrent infection in febrile patients with SLE: *letter*, 988
- Shiokawa S** *et al.* Clonal analysis of B cells in the osteoarthritis synovium, 802
- Shirazi I** *et al.* Down regulation of interleukin 1 β production in human osteoarthritic synovial tissue and cartilage cultures by aminoguanidine, 391
- Shoenfeld Y** *see* Abu-Shakra M *et al*
- Sibilia J** *see* Limbach F-X *et al*
- Sidi Y** *see* Leiba M *et al*
- Siebert S** *see* Rudwaleit M *et al*
- Sieper J** *see* Fendler C *et al*
see Rudwaleit M *et al*
- Sieper J, Braun J.** New treatment options in ankylosing spondylitis: a role for anti-TNF α therapy, iii58 (suppl III)
- Sigl T** *see* Anders HJ *et al*
- Silberstein L** *et al.* An unexpected cause of muscle pain in diabetes, 310
- Silman AJ** *see* Pope DP *et al*
see Rossa AD *et al*
see Valentini G *et al*
see Wiles NJ *et al*
- Silverman BW** *see* Shepstone L *et al*
- Silvestri E** *see* Cimmino MA *et al*
- Simelyte E** *see* Zhang X *et al*
- Sjösteen A-K** *see* Nilsson A-K *et al*
- Sipka S** *et al.* Glucocorticosteroid dependent decrease in the activity of calcineurin in the peripheral blood mononuclear cells of patients with systemic lupus erythematosus, 380
- Situnayake D** *see* Mulherin D *et al*
- Situnayake RD** *see* Eardley KS *et al*
- Skogh T** *see* Reckner Olsson A *et al*
- Skov K** *see* Østergaard M *et al*
- Skurnik M** *see* Jalava J *et al*
- Smeets TJM** *et al.* Analysis of the cell infiltrate and expression of matrix metalloproteinases and granzyme B in paired synovial biopsy specimens from the cartilage-pannus junction in patients with RA, 561
- Smieja M** *et al.* Randomised, blinded, placebo controlled trial of doxycycline for chronic seronegative arthritis, 1088
- Smith AP** *see* Hewlett S *et al*
- Smith MD** *see* Kraan MC *et al*
see Smeets TJM *et al*
- Smolen JS** *see* Breedveld FC *et al*
see Furst DE *et al*
see Machold KP and Smolen JS
see Scott DL *et al*
- Snaddon J** *see* Brand C *et al*
- Sofat N** *et al.* Azathioprine hypersensitivity: *letter*, 719
- Solans-Laqué R** *see* Mijares-Boeckh-Behrens T *et al*
- Solomon KA** *see* Newton RC *et al*
- Song H-H** *see* Kim W-U *et al*
- Song YW** *see* Shin KC *et al*
- Sopeña B** *see* de La Fuente J *et al*
- Sörensen H** *see* Fendler C *et al*
- Spaepen M** *see* Balsa A *et al*
- Sparano L** *see* Riccio A *et al*
- Speculand B** *see* Mulherin D *et al*
- Spijkervet FKL** *see* Kalk WWI *et al*
- Spronk PE** *et al.* Severe atherosclerotic changes, including aortic occlusion, associated with hyperhomocysteinaemia and antiphospholipid antibodies, 699
- Stam F** *see* Hadithi M *et al*
- Stamp L** *et al.* Bilateral transient osteoporosis of the knee in pregnancy: *letter*, 721
- Steele K** *see* Gormley G *et al*
- Steen KSS** *et al.* Incidence of clinically manifest ulcers and their complications in patients with rheumatoid arthritis, 443
- Stegeman CA** *see* Brons RH *et al*
- Steiner W** *see* Angst F *et al*
- Stenger S, Rölinghoff M.** Role of cytokines in the innate immune response to intracellular pathogens, iii43 (suppl III)
- Stevenson M** *see* Gormley G *et al*
- Stewart M** *et al.* Lymphoma in a patient with rheumatoid arthritis receiving methotrexate treatment: successful treatment with rituximab, 892
- Stewart N** *see* McQueen FM *et al*
see Stamp L *et al*
- Steyerberg EW** *see* Krijnen P *et al*
- Stoltenberg M** *see* Østergaard M *et al*
- Stoppacciaro A** *see* Carlucci F *et al*
- Stork J** *see* Valentini G *et al*
- Straub RH** *see* Cutolo M *et al*
- Stravopoulos C** *see* Balsa A *et al*
- Strimlan CV.** Pulmonary function in patients with primary Sjögren's syndrome: *letter*, 429
- Stubiger N** *see* Köter I *et al*
- Stuckey SL** *see* Cicuttini FM *et al*
see Wluka AE *et al*
- Stucki G** *see* Angst F *et al*
- Subra JF** *see* Mouthon L *et al*
- Sueishi M** *see* Matsumura R *et al*
- Sugano N** *see* Sakai T *et al*
- Sugiyama T** *see* Matsumura R *et al*
- Sulkava R** *see* Huusko TM *et al*
- Sulli A** *see* Cutolo M *et al*
- Sullivan K** *see* Binks M *et al*
- Sundelin B** *see* Gunnarsson I *et al*
- Sutton AJ** *et al.* A case-control study to investigate the relation between low and moderate levels of physical activity and osteoarthritis of the knee using data collected as part of the Allied Dunbar National Fitness Survey, 756
- Suuronen R** *see* Helenius LMJ *et al*
- Suzuki N** *see* Kikuchi Y *et al*
- Suzuki S** *see* Miyata M *et al*
- Svenungsson E** *et al.* Increased levels of proinflammatory cytokines and nitric oxide metabolites in neuropsychiatric lupus erythematosus, 372
- Swen WA** *see* Backhaus M *et al*
- Swiader L** *see* Granel B *et al*
- Swoboda B** *see* Pfander D *et al*
- Symmons DPM** *see* Wiles NJ *et al*
- Symmons DPM.** Knee pain in older adults: the latest musculoskeletal "epidemic": *leader*, 89
- Sysa A** *see* Valentini G *et al*
- Szántó S** *see* Sipka S *et al*
- Szegedi G** *see* Sipka S *et al*
- Szomor ZL** *et al.* Differential expression of cytokines and nitric oxide synthase isoforms in human rotator cuff bursae: *letter*, 431
- Szucs K** *see* Sipka S *et al*
- Tada Y** *see* Kikuchi Y *et al*
- Taggart AJ** *see* Gormley G *et al*
- Tajima N** *see* Kurosaka D *et al*
- Tak PP** *see* Kraan MC *et al*
see Smeets TJM *et al*
- Takabayashi K** *see* Oinuma K *et al*
- Takagi H** *see* Akimoto S *et al*
- Takahara J** *see* Fujita J *et al*
- Takaoka T** *et al.* Development of erythroleukaemia after myelodysplastic syndrome in a patient with Wegener's granulomatosis: *letter*, 899
- Takasugi K** *see* Yamada T *et al*
- Takeuchi J** *see* Takaoka T *et al*
- Takigawa M** *see* Sekine T *et al*
- Tamaki K** *see* Yamane K *et al*
- Tammi M** *see* Haapala J *et al*
- Tanabe E** *see* Matsumura R *et al*
- Tarkowski A** *see* Svenungsson E *et al*
- Taylor-Robinson D, Keat A.** How can a causal role for small bacteria in chronic inflammatory arthritides be established or refuted?, 177
- Teh L-S** *et al.* HLA class II alleles and synovial fluid cytology in RA: *letter*, 542
- Tektonidou MG** *et al.* Right ventricular diastolic dysfunction in patients with anticardiolipin antibodies and antiphospholipid syndrome, 43
- Terai C** *see* Koseki Y *et al*
- Terasawa K** *see* Kogure T *et al*
- Terslev L** *see* Qvistgaard E *et al*
- Tervaert JWC** *see* Brons RH *et al*
- Teshima R** *see* Nawata K *et al*
- Thibault V** *see* Lidove O *et al*
- Thiel A** *see* Rudwaleit M *et al*
- Thomson EA** *see* Hamilton J *et al*
- Thongngarm T, McMurray RW.** Primary psoriasis abscess: *letter*, 173
- Thirassa P** *see* Matucci-Cerinic M *et al*
- Tirri E** *see* Rossa AD *et al*
- Toda I** *see* Mijares-Boeckh-Behrens T *et al*

- Toda I *et al.* Lack of evidence for an increased microchimerism in the circulation of patients with Sjögren's syndrome, 248
- Toivanen A *see* Jalava J *et al*
see Laivoranta-Nyman S *et al*
- Toivanen P *see* Jalava J *et al*
see Zhang X *et al*
- Tokuda M *see* Fujita J *et al*
see Yang Y *et al*
- Tominaga M *see* Yamasaki S *et al*
- Tomioka H *see* Matsumura R *et al*
- Tomita Y *see* Takaoka T *et al*
- Torp-Pedersen S *see* Qvistgaard E *et al*
- Töyräs J *see* Hyttinen MM *et al*
- Tracy JK *see* Hochberg MC *et al*
- Trapani A *see* Marzano A *et al*
- Treves R *see* Bonnet C *et al*
- Truckenbrodt H *see* von Koskull St *et al*
- Tsubota K *see* Toda I *et al*
- Tsuchiya T *see* Yamasaki S *et al*
- Tulleken JE *see* Komdeur R *et al*
- Tunç R *see* Fresko I *et al*
- Turnbull C *see* Edmonds S *et al*
- Tyndall A *see* Binks M *et al*
- Tyndall A *et al.* Haemopoietic stem cell transplantation in the treatment of severe autoimmune diseases 2000, 702
- Ueda R *see* Fujita J *et al*
- Uesato M *see* Koseki Y *et al*
- Uhlig T *see* Gilboe I-M *et al*
- Uksila J *see* Fendler C *et al*
- Ulfgren A-K *see* Olsson N *et al*
- Ullrich S *see* Röben P *et al*
- Umemiya K *see* Matsumura R *et al*
- Ushiyama O *see* Kikuchi Y *et al*
- Vaddi K *see* Newton RC *et al*
- Valentini G *see* Rossa AD *et al*
- Valentini G *et al.* European multicentre study to define disease activity criteria for systemic sclerosis. II. Identification of disease activity variables and development of preliminary activity indexes, 592
- Valesini G *see* Carlucci F *et al*
- Vallo J *see* Lindegaard H *et al*
- Valverde J *see* Nolla JM *et al*
- Valverde-Garcia J *see* Narváez J *et al*
- Vamvakopoulos J, Madhok R. Interleukin 1 gene polymorphisms: letter, 718
- van Asselt KM *et al.* Outcome of cervical spine surgery in patients with rheumatoid arthritis, 448
- van Baar ME *et al.* Effectiveness of exercise in patients with osteoarthritis of hip or knee: nine month's follow up, 1123
- van Damme N *see* Baeten D *et al*
- van Damme N *et al.* Flow cytometric analysis of gut mucosal lymphocytes supports an impaired Th1 cytokine profile in spondyloarthritis, 495
- van den Bent MJ *see* Barendregt PJ *et al*
- van den Berg PJS *see* Zandbelt MM *et al*
- van den Berg WB *see* Barrera P *et al*
- van den Bosch F *see* Baeten D *et al*
- van den Bosch F *et al.* Treatment of active spondyloarthritis with infliximab, the chimeric monoclonal antibody to tumour necrosis factor α , iii33 (suppl III)
- van den Ende CHM *see* Edmonds S *et al*
- van den Hoogen F *see* Binks M *et al*
- van den Hoogen FHJ *see* den Broeder AA *et al*
see Rossa AD *et al*
see Valentini G *et al*
see van Heereveld HAEM *et al*
see Zandbelt MM *et al*
- van den Meiracker AH *see* Barendregt PJ *et al*
- van de Putte L *see* Binks M *et al*
see Williamson A and van de Putte L
- van de Putte LBA *see* Barrera P *et al*
see den Broeder AA *et al*
see Scott DL *et al*
see van Heereveld HAEM *et al*
see Zandbelt MM *et al*
- van de Putte LBA, Vischer TL. EULAR and its journal: leader, 545
- van der Heijde D *see* Boonen A *et al*
- van der Heijde D. Radiographic progression in rheumatoid arthritis: Does it reflect outcome? Does it reflect treatment?, iii47 (suppl III)
- van der Heijde GL *see* Barendregt PJ *et al*
- van der Horst-Bruinsma IE *see* Jansen LMA *et al*
- van der Linden MW *et al.* Soluble CD95 concentrations are increased in patients with severe systemic lupus erythematosus, but not in their first degree relatives, 237
- van der Linden SJ *see* Boonen A *et al*
see Chorus AMJ *et al*
- van der Tempel H *see* Boonen A *et al*
see Boonen A *et al*
- van der Werf TS *see* Komdeur R *et al*
- van Dijk W *see* Poland DCW *et al*
- van Doornum S *et al.* Prolonged prodrome, systemic vasculitis, and deafness in Cogan's syndrome, 69
- van Duinen SG *see* Rood MJ *et al*
- van Engelen BGM *see* Brouwer R *et al*
- van Gestel AM *see* Zandbelt MM *et al*
- van Heereveld HAEM *et al.* Prevention of symptomatic thrombosis with short term (low molecular weight) heparin in patients with rheumatoid arthritis after hip or knee replacement, 974
- van Het Hof B *see* Poland DCW *et al*
- van Jaarsveld CHM *see* Jacobs JWG *et al*
- van Laar J *see* Binks M *et al*
- van Lopik T *see* van der Linden MW *et al*
- van Overeem Hansen G *see* Fredberg U *et al*
- van Raaij-van den Aarsen VJM *see* Barendregt PJ *et al*
- van Riel PLCM *see* Albers JMC *et al*
see Barrera P *et al*
see Zandbelt MM *et al*
- van Schaardenburg D *see* Jansen LMA *et al*
see Krijnen P *et al*
- van Soesbergen RM *see* van Asselt KM *et al*
- van 't Hof MA *see* Albers JMC *et al*
- van Venrooij WJ *see* Brouwer R *et al*
see Mediwake R *et al*
see Mierau R *et al*
see Zampieri S *et al*
- van Vollenhoven R *see* Berg L *et al*
see Svenungsson E *et al*
- Vargas Nuñez JA *see* Garcia Gasalla M *et al*
- Vasiliauskienė L *et al.* Prevalence and clinical significance of antikeratin antibodies and other serological markers in Lithuanian patients with rheumatoid arthritis, 459
- Vassiliou V *see* Tektonidou MG *et al*
- Vauthier-Brouzes D *see* Huang DLT *et al*
- Vázquez-Mellado J *et al.* Relation between adverse events associated with allopurinol and renal function in patients with gout, 981
- Veale D *see* Harrington P *et al*
- Vecht CJ *see* Barendregt PJ *et al*
- Velasco-Vázquez J *see* González-Reimers E *et al*
- Velilla J *see* Martínez-Lázaro R *et al*
- Vencovsky J *see* Brouwer R *et al*
- Verbruggen G *see* Almqvist KF *et al*
see van Damme N *et al*
- Verburg RJ *see* Goossens PH *et al*
- Verdonk R *see* Almqvist KF *et al*
- Vergne P *see* Bonnet C *et al*
- Verschuuren JJGM *see* Rood MJ *et al*
- Veselá M *see* Havelka S *et al*
- Veys EM *see* Almqvist KF *et al*
see Baeten D *et al*
see Peene I *et al*
see van Damme N *et al*
see van den Bosch F *et al*
- Viazov S *see* Seemayer CA *et al*
- Vignon E *see* Garnerio P *et al*
- Villardell-Tarrés M *see* Mijares-Boeckh-Behrens T *et al*
- Vincent C *see* Nogueira L *et al*
- Vinci M *et al.* RS3PE and ovarian cancer: letter, 429
- Vischer TL *see* Bas S *et al*
see van de Putte LBA and Vischer TL
- Vissink A *see* Kalk WWI *et al*
- Vitozzi S *see* Guglielmone H *et al*
- Vlachoyiannopoulos PG *see* Rossa AD *et al*
see Tektonidou MG *et al*
- Vlachoyiannopoulos PJ *see* Valentini G *et al*
- Voisin M-C *see* Laloux L *et al*
- Volck B *see* Ostergaard M *et al*
- Volk H-D *see* Jacobi AM *et al*
- Vollmar AM *see* Kiemer AK and Vollmar AM
- von Essen R *see* Paimela L *et al*
- von Koskull St *et al.* Incidence and prevalence of juvenile arthritis in an urban population of southern Germany: a prospective study, 940
- Voorn TB *see* van Baar ME *et al*
- Wagner AD *et al.* Joint and muscle pain with mononeuritis multiplex, tetraparesis, and myocardial infarction in a previously healthy adult: lesson of the month, 1003
- Wahl AF, Wallace PM. Oncostatin M in the anti-inflammatory response, iii75 (suppl III)
- Wahle M *et al.* Impaired catecholaminergic signalling of B lymphocytes in patients with chronic rheumatic diseases, 505
- Wakefield RJ *see* Backhaus M *et al*
- Wallace PM *see* Wahl AF and Wallace PM
- Walter M *see* van Doornum S *et al*
- Wang J *see* Almqvist KF *et al*
- Wang L *see* Almqvist KF *et al*
- Wang M-X *see* Szomor ZL *et al*
- Wang Z-Y *et al.* Polymorphisms of the mannose binding lectin gene in patients with Sjögren's syndrome, 483
- Watts RA *et al.* Epidemiology of vasculitis in Europe: letter, 1156

- Geoeidemiology of systemic vasculitis: comparison of the incidence in two regions of Europe, 170
- Wechsler B *see* Huang DLT *et al*
- Weedon H *see* Kraan MC *et al*
- Weiller PJ *see* Granel B *et al*
- Welsing PMJ *see* Zandbelt MM *et al*
- Weseloh G *see* Pfander D *et al*
- Westendorp RGJ *see* van der Linden MW *et al*
- Westfall PR *see* McCarthy GM *et al*
- Westhovens R *see* Balsa A *et al*
- Westkaemper R *see* Aeschlimann A *et al*
- Wevers CWJ *see* Chorus AMJ *et al*
- Whiteman M *see* Basu S *et al*
- Whittum-Hudson JA *see* Freise J *et al*
- Wicks IP *see* van Doornum S *et al*
- Wiik A *see* Vasilakaki L *et al*
- Wijnands M, Burgers A. Stress fracture in long term methotrexate treatment for psoriatic arthritis: *lesson of the month*, 736
- Wikman A *see* Brouwer R *et al*
- Wiles NJ *et al*. Benchmarking: the five year outcome of rheumatoid arthritis assessed using a pain score, the Health Assessment Questionnaire, and the Short Form-36 (SF-36) in a community and a clinic based sample, 956
- Williamson A, van de Putte L. Getting our journals to developing countries: *editorial*, 993
- Wilson H *et al*. A case of shingles mimicking carpal tunnel syndrome: *letter*, 719
- Wingren G *see* Reckner Olsson A *et al*
- Wittwer H *see* Boeger CA *et al*
- Wluka AE *see* Cicuttini FM *et al*
- Wluka AE *et al*. Users of oestrogen replacement therapy have more knee cartilage than non-users, 332
- Wolfe F, Choi HK. Benchmarking and the percentile assessment of RA: adding a new dimension to rheumatic disease measurement: *leader*, 994
- Wolfe F *et al*. Usefulness of the HAQ in the clinic: *letter*, 811
- Wollenhaupt J *see* Putschky N *et al*
- Wollheim FA *see* Castro F *et al*
- see* Geirsson AJ *et al*
- Wollman Y *see* Shirazi I *et al*
- Wong KS *see* Hui ACF *et al*
- Wong SM *see* Hui ACF *et al*
- Wong SM *et al*. Corticosteroid injection for the treatment of carpal tunnel syndrome: *letter*, 897
- Ultrasound guided injection of plantar fasciitis: *letter*, 639
- Wolf AD *see* Aeschlimann A *et al*
- Wright G *see* Gormley G *et al*
- Wright GD *see* Courtney PA and Wright GD
- see* Meenagh GK and Wright GD
- Wu F *see* Yang Y *et al*
- Yamada A *see* Kurosaka D *et al*
- Yamada T *et al*. Relative serum amyloid A (SAA) values: the influence of SAA1 genotypes and corticosteroid treatment in Japanese patients with rheumatoid arthritis, 124
- Yamada Y *see* Maeshima E *et al*
- Yamadori I *see* Fujita J *et al*
- Yamane K *et al*. Anti-U3 snRNP antibodies in localised scleroderma: *letter*, 1157
- Yamasaki D *see* Nawata K *et al*
- Yamasaki S *et al*. Importance of NF- κ B in rheumatoid synovial tissues: in situ NF- κ B expression and in vitro study using cultured synovial cells, 678
- Polyarteritis nodosa complicated by thrombotic thrombocytopenic purpura: *letter*, 541
- Yamazaki T *see* Takaoka T *et al*
- Yang Y *see* Fujita J *et al*
- Yang Y *et al*. Clinical features of several connective tissue diseases with anti-Golgi antibody: *letter*, 986
- Yaron I *see* Shirazi I *et al*
- Yaron M *see* Paran D *et al*
- see* Shirazi I *et al*
- Yasuda J *see* Kurosaka D *et al*
- Yazawa N *see* Yamane K *et al*
- Yazici H *see* Diri E *et al*
- see* Fresko I *et al*
- Yebra Bango M *see* Garcia Gasalla M *et al*
- Yeoman S *see* McQueen FM *et al*
- Yerroum M *see* Chariot P *et al*
- Yin Z *see* Rudwaleit M *et al*
- Yli-Kerttula U *see* Laivoranta-Nyman S *et al*
- Yokoyama T *see* Kurosaka D *et al*
- Yoshikawa H *see* Sakai T *et al*
- Yoshimura S *see* Foxwell BMJ *et al*
- Yoshinouchi T *see* Fujita J *et al*
- Young-Min SA *et al*. Markers of joint destruction: principles, problems, and potential: *leader*, 545
- Serum TIMP-1, TIMP-2, and MMP-1 in patients with systemic sclerosis, primary Raynaud's phenomenon, and in normal controls, 846
- Youssef PP *see* Smeets TJM *et al*
- Yu LM *see* Hui ACF *et al*
- Yukawa S *see* Maeshima E *et al*
- Yung P *see* Hui ACF *et al*
- Yurdakul S *see* Diri E *et al*
- see* Fresko I *et al*
- Zampieri S *et al*. Dephosphorylation of autoantigenic ribosomal P proteins during Fas-L induced apoptosis: a possible trigger for the development of the autoimmune response in patients with systemic lupus erythematosus, 72
- Zandbelt MM *et al*. Health Assessment Questionnaire modifications: is standardisation needed?, 841
- Reversibility of histological and immunohistological abnormalities in sublabial salivary gland biopsy specimens following treatment with corticosteroids in Sjögren's syndrome, 511
- Zeidler H *see* Freise J *et al*
- see* Putschky N *et al*
- see* Zink A *et al*
- Zhang X *et al*. Characterisation of *Eubacterium* cell wall: peptidoglycan structure determines arthritogenicity, 269
- Zierhut M *see* Köster I *et al*
- Zijlstra JG *see* Komdeur R *et al*
- Zimmermann R *see* Pfander D *et al*
- Zink A *et al*. The national database of the German Collaborative Arthritis Centres: I. Structure, aims, and patients, 199
- The national database of the German Collaborative Arthritis Centres: II. Treatment of patients with rheumatoid arthritis, 207

VOLUME 60 • SUBJECT INDEX

- Achilles tendon**, Efficacy of extracorporeal shock wave treatment in calcaneal enthesophytosis, 1064
- α_1 -acid glycoprotein**, Specific glycosylation of α_1 -acid glycoprotein characterises patients with familial Mediterranean fever and obligatory carriers of MEFV, 777
- acne**, Papulopustular skin lesions are seen more frequently in patients with Behçet's syndrome who have arthritis: a controlled and masked study, 1074
- ADAM-17**, Biology of TACE inhibition, iii25 (suppl III)
- β adrenergic receptor**, Impaired catecholaminergic signalling of B lymphocytes in patients with chronic rheumatic diseases, 505
- adult onset Still's disease**, Successful treatment of a small cohort of patients with adult onset of Still's disease with infliximab: first experiences, iii55 (suppl III)
- adverse reactions**, Relation between adverse events associated with allopurinol and renal function in patients with gout, 981
- aggrecan**, Release of cartilage and bone macromolecules into synovial fluid: differences between psoriatic arthritis and rheumatoid arthritis, 27
- alginate**, Culture of chondrocytes in alginate surrounded by fibrin gel: characteristics of the cells over a period of eight weeks, 781
- algodystrophy**, Acceptance of the different denominations for reflex sympathetic dystrophy, 77
- allopurinol**, Relation between adverse events associated with allopurinol and renal function in patients with gout, 981
- aminoguanidine**, Down regulation of interleukin 1 β production in human osteoarthritic synovial tissue and cartilage cultures by aminoguanidine, 391
- amyloidosis**, Amyloidosis induced, end stage renal disease in patients with familial Mediterranean fever is highly associated with point mutations in the MEFV gene, 146
Concomitant diagnosis of primary Sjögren's syndrome and systemic AL amyloidosis, 694
Evaluation of hand function in patients undergoing long term haemodialysis, 278
Relative serum amyloid A (SAA) values: the influence of SAA1 genotypes and corticosteroid treatment in Japanese patients with rheumatoid arthritis, 124
- angiogenesis**, Antagonising angiogenesis in rheumatoid arthritis, iii71 (suppl III)
A pilot study of a long acting somatostatin analogue for the treatment of refractory rheumatoid arthritis, 888
- ankylosing spondylitis**, Employment, work disability, and work days lost in patients with ankylosing spondylitis: a cross sectional study of Dutch patients, 353
Focal sialadenitis in patients with ankylosing spondylitis and spondyloarthropathy: a comparison with patients with rheumatoid arthritis or mixed connective tissue disease, 744
Immunohistological study of entheses in spondyloarthropathies: comparison in rheumatoid arthritis and osteoarthritis, 316
Low T cell production of TNF α and IFN γ in ankylosing spondylitis: its relation to HLA-B27 and influence of the TNF-308 gene polymorphism, 36
New treatment options in ankylosing spondylitis: a role for anti-TNF α therapy, iii58 (suppl III)
Treatment of ankylosing spondylitis with infliximab: letter, 1159
Withdrawal from labour force due to work disability in patients with ankylosing spondylitis, 1033
- anterior cruciate ligament**, Shape of the intercondylar notch of the human femur: a comparison of osteoarthritic and non-osteoarthritic bones from a skeletal sample, 968
Tensile properties of rat anterior cruciate ligament in collagen induced arthritis, 395
- antibiotics**, Antibiotic prophylaxis for haematogenous bacterial arthritis in patients with joint disease: a cost effectiveness analysis, 359
Randomised, blinded, placebo controlled trial of doxycycline for chronic seronegative arthritis, 1088
- antibodies**, Cofactor dependence and isotype distribution of anticardiolipin antibodies in viral infections, 500
- anticardiolipin antibodies**, Antiphospholipid antibodies and RA: presence of β_2 GPI independent aCL: letter, 303
Cofactor dependence and isotype distribution of anticardiolipin antibodies in viral infections, 500
Right ventricular diastolic dysfunction in patients with anticardiolipin antibodies and antiphospholipid syndrome, 43
Severe atherosclerotic changes, including aortic occlusion, associated with hyperhomocysteinaemia and antiphospholipid antibodies, 699
- anticholesterol antibodies**, Anticholesterol antibody levels in patients with systemic lupus erythematosus: letter, 722
- anti-citrullinated peptide antibodies**, Use of anti-citrullinated peptide and anti-RA33 antibodies in distinguishing erosive arthritis in patients with systemic lupus erythematosus and rheumatoid arthritis, 67
- antifilaggrin antibodies**, Association of autoantibodies to filaggrin with an active disease in early rheumatoid arthritis, 32
Performance of two ELISAs for antifilaggrin autoantibodies, using either affinity purified or deiminated recombinant human filaggrin, in the diagnosis of rheumatoid arthritis, 882
- antigen inhalation**, Systemic small sized vessel vasculitis after massive antigen inhalation: letter, 903
- anti-Golgi antibodies**, Clinical features of several connective tissue diseases with anti-Golgi antibody: letter, 986
- antikeratin antibodies**, Performance of two ELISAs for antifilaggrin autoantibodies, using either affinity purified or deiminated recombinant human filaggrin, in the diagnosis of rheumatoid arthritis, 882
Prevalence and clinical significance of antikeratin antibodies and other serological markers in Lithuanian patients with rheumatoid arthritis, 459
- antineutrophil cytoplasmic antibodies**, A case of cholesterol embolism with ANCA treated with corticosteroid and cyclophosphamide: letter, 726
 α_1 Antitrypsin phenotypic variability is not associated with ANCA in southern Chinese: letter, 725
Detection of immune deposits in skin lesions of patients with Wegener's granulomatosis, 1097
Prevalence and clinical significance of antikeratin antibodies and other serological markers in Lithuanian patients with rheumatoid arthritis, 459
Systemic antineutrophil cytoplasmic antibody vasculitis associated with lymphoid neoplasia, 293
- antinuclear antibodies**, Detection and identification of antinuclear antibodies (ANA) in a large and consecutive cohort of serum samples referred for ANA testing, 1131
- anti-oncoproteins**, Cancer and autoimmunity: autoimmune and rheumatic features in patients with malignancies: review, 433
- antiphospholipid antibodies**, Antiphospholipid antibodies and RA: presence of β_2 GPI independent aCL: letter, 303
How to treat women with antiphospholipid antibodies in pregnancy?: letter, 1
Severe atherosclerotic changes, including aortic occlusion, associated with hyperhomocysteinaemia and antiphospholipid antibodies, 699
Treatment of women with aPL in pregnancy: letter, 717
- antiphospholipid syndrome**, Autologous skin transplantation for widespread cutaneous necrosis in secondary antiphospholipid syndrome: lesson of the month, 908
Characteristics of patients with antiphospholipid syndrome with major bleeding after oral anticoagulant treatment, 527
Right ventricular diastolic dysfunction in patients with anticardiolipin antibodies and antiphospholipid syndrome, 43
- anti-RA33 antibodies**, Use of anti-citrullinated peptide and anti-RA33 antibodies in distinguishing erosive arthritis in patients with systemic lupus erythematosus and rheumatoid arthritis, 67
- anti-SSA antibodies**, Detection and identification of antinuclear antibodies (ANA) in a large and consecutive cohort of serum samples referred for ANA testing, 1131
- anti-TNF α** , Impaired Th1 cytokine production in spondyloarthropathy is restored by anti-TNF α , 750
- α_1 antitrypsin**, α_1 Antitrypsin phenotypic variability is not associated with ANCA in southern Chinese: letter, 725
- apoptosis**, Dephosphorylation of autoantigenic ribosomal P proteins during Fas-L induced apoptosis: a possible trigger for the development of the autoimmune response in patients with systemic lupus erythematosus, 72
Importance of NF- κ B in rheumatoid synovial tissues: in situ NF- κ B expression and in vitro study using cultured synovial cells, 678
Reduced expression of CD44 on monocytes and neutrophils in systemic lupus erythematosus: relations with apoptotic neutrophils and disease activity, 950
- art**, Benign familial hypermobility syndrome and Trendelenburg sign in a painting "The Three Graces" by Peter Paul Rubens (1577-1640), 894
Extreme exorotation of a foot in a painting by Dirk Bouts (ca 1464), 1152
- arthritis**, Antibiotic prophylaxis for haematogenous bacterial arthritis in patients with joint disease: a cost effectiveness analysis, 359
Arthritis associated with non-alcoholic steatohepatitis: letter, 815
Intra-articular co-infection by *Borrelia burgdorferi* and *Chlamydia trachomatis*, 632
- arthroplasty**, Rise in serum C reactive protein after hip and knee arthroplasties in patients with rheumatoid arthritis, 275
- arthroscopy**, Quantitative magnetic resonance imaging as marker of synovial membrane regeneration and recurrence of synovitis after arthroscopic knee joint synovectomy: a one year follow up study, 233
- artificial saliva**, Survey of artificial tear and saliva usage among patients with Sjögren's syndrome: letter, 1077

- artificial tears**, Survey of artificial tear and saliva usage among patients with Sjögren's syndrome: *letter*, 1077
- assessment**, Multiple choice question quiz: a valid test for needs assessment in CME in rheumatology and for self assessment, 740
- atherosclerosis**, Severe atherosclerotic changes, including aortic occlusion, associated with hyperhomocysteinaemia and anti-phospholipid antibodies, 699
- atrial natriuretic peptide**, The atrial natriuretic peptide regulates the production of inflammatory mediators in macrophages, *iii*68 (suppl III)
- atrophoderma**, Atrophoderma and juvenile idiopathic arthritis: *letter*, 900
- attendance**, European multicentre study to define disease activity criteria for systemic sclerosis. I. Clinical and epidemiological features of 290 patients from 19 centres, 585
- autoantibodies**, Autoantibody profiles in the sera of European patients with myositis, 116
Less specific myositis autoantibodies?: *letter*, 810
Recognition of YKL-39, a human cartilage related protein, as a target antigen in patients with rheumatoid arthritis, 49
- autoantigens**, Autoantibody profiles in the sera of European patients with myositis, 116
Less specific myositis autoantibodies?: *letter*, 810
- autoimmune diseases**, Haemopoietic stem cell transplantation in the treatment of severe autoimmune diseases 2000, 702
- autoimmunity**, Autoantibody profiles in the sera of European patients with myositis, 116
Cancer and autoimmunity: autoimmune and rheumatic features in patients with malignancies: *review*, 433
Increased peripheral T cell reactivity to microbial antigens and collagen type II in rheumatoid arthritis after treatment with soluble TNF α receptors, 133
Less specific myositis autoantibodies?: *letter*, 810
Treatment of idiopathic retroperitoneal fibrosis using cyclosporin, 427
- azathioprine**, Azathioprine hypersensitivity: *letter*, 719
- B lymphocytes**, Clonal analysis of B cells in the osteoarthritis synovium, 802
- back pain**, Inappropriate medical management of spinal epidural abscess, 218
Stress fracture of the sacrum in a child: *letter*, 87
The burden of musculoskeletal diseases in the general population of Spain: results from a national survey, 1040
- bacteria**, How can a causal role for small bacteria in chronic inflammatory arthritides be established or refuted?, 177
- bacterial diagnosis**, Frequency of triggering bacteria in patients with reactive arthritis and undifferentiated oligoarthritis and the relative importance of the tests used for diagnosis, 337
- behavioural coping**, Work factors and behavioural coping in relation to withdrawal from the labour force in patients with rheumatoid arthritis, 1025
- Behçet's disease**, Behçet's disease and thrombophilia: *review*, 1081
Behçet's disease: infectious aetiology, new autoantigens, and HLA-B51: *review*, 996
Changes in the concentration and distribution of tissue factor pathway inhibitor in Behçet's disease and systemic lupus erythematosus: effect on the prothrombotic state, 1149
HHV8 associated Kaposi's sarcoma during triple immunosuppressive treatment with cyclosporin A, azathioprine, and prednisolone for ocular Behçet's disease and complete remission of both disorders with interferon α , 83
Intestinal permeability in Behçet's syndrome, 65
Papulopustular skin lesions are seen more frequently in patients with Behçet's syndrome who have arthritis: a controlled and masked study, 1074
Parvovirus arthropathy masquerading as the arthritis of Behçet's disease: *letter*, 1080
Parvovirus B19 infection in Behçet's disease: *letter*, 814
Remission of Behçet's syndrome with tumour necrosis factor α blocking therapy, 637
- Bell's palsy**, Sjögren's syndrome: an unusual cause of Bell's palsy: *letter*, 724
- biomechanics**, Inactivation of one allele of the type II collagen gene alters the collagen network in murine articular cartilage and makes cartilage softer, 262
- biopsy**, Reversibility of histological and immunohistological abnormalities in sublabial salivary gland biopsy specimens following treatment with corticosteroids in Sjögren's syndrome, 511
- blocking agents**, Updated consensus statement on tumour necrosis factor blocking agents for the treatment of rheumatoid arthritis and other rheumatic diseases (April 2001): *editorial*, 2
- bone**, Cross sectional evaluation of biochemical markers of bone, cartilage, and synovial tissue metabolism in patients with knee osteoarthritis: relations with disease activity and joint damage, 619
Markers of joint destruction: principles, problems, and potential: *leader*, 545
Stem cells for repair of cartilage and bone: the next challenge in osteoarthritis and rheumatoid arthritis: *review*, 305
- bone density**, Idiopathic osteoporosis: an evolutionary dys-adaptation?, 554
- bone erosions**, Sonographic erosions of the rheumatoid little toe: *letter*, 896
Ultrasonography in the evaluation of bone erosions, 98
- bone marrow transplantation**, Phase I/II trial of autologous stem cell transplantation in systemic sclerosis: procedure related mortality and impact on skin disease, 577
Stem cell transplantation: limits and hopes: *leader*, 548
- bone mineral density**, Validated measurement of periparticular bone mineral density at the knee joint by dual energy x ray absorptiometry, 8
Value of clinical factors in selecting postmenopausal women with rheumatoid arthritis for bone densitometry, 799
- bone scintigraphy**, Bone scintigraphy for osteonecrosis of the knee in patients with non-traumatic osteonecrosis of the femoral head: comparison with magnetic resonance imaging, 14
- Borrelia burgdorferi**, Intra-articular co-infection by *Borrelia burgdorferi* and *Chlamydia trachomatis*, 632
- Borrelia garinii**, Treatment resistant Lyme arthritis caused by *Borrelia garinii*, 284
- breast implants**, Breast implants and illness: a model of psychological factors, 653
- C reactive protein**, Effect of daily corticosteroid treatment on CRP response to hip or knee replacement in patients with RA: *letter*, 989
Rise in serum C reactive protein after hip and knee arthroplasties in patients with rheumatoid arthritis, 275
Specific glycosylation of α_1 -acid glycoprotein characterises patients with familial Mediterranean fever and obligatory carriers of MEFV, 777
- C trachomatis**, Optimised sample DNA preparation for detection of *Chlamydia trachomatis* in synovial tissue by polymerase chain reaction and ligase chain reaction, 140
- Clq immunoadsorption**, Rapid improvement of SLE-specific cutaneous lesions by Clq immunoadsorption: *letter*, 898
- calcineurin**, Glucocorticosteroid dependent decrease in the activity of calcineurin in the peripheral blood mononuclear cells of patients with systemic lupus erythematosus, 380
- calcium phosphate**, Basic calcium phosphate crystals activate human osteoarthritic synovial fibroblasts and induce matrix metalloproteinase-13 (collagenase-3) in adult porcine articular chondrocytes, 399
- calcium pyrophosphate dihydrate**, Diff Quik staining method for detection and identification of monosodium urate and calcium pyrophosphate crystals in synovial fluids, 194
Dissolution of calcium pyrophosphate crystals by polyphosphates: an in vitro and ex vivo study, 962
Preservation of calcium pyrophosphate dihydrate crystals: effect of Mayer's haematoxylin staining period, 80
- cancer**, RS3PE and ovarian cancer: *letter*, 429
- cardiac toxicity**, Cardiac toxicity secondary to long term treatment with chloroquine: *letter*, 301
- carpal tunnel syndrome**, A case of shingles mimicking carpal tunnel syndrome: *letter*, 719
Corticosteroid injection for the treatment of carpal tunnel syndrome: *letter*, 897
Oral steroid in the treatment of carpal tunnel syndrome: *letter*, 813
- carpus**, What is the fate of erosions in early rheumatoid arthritis? Tracking individual lesions using x rays and magnetic resonance imaging over the first two years of disease, 859
- cartilage**, Cross sectional evaluation of biochemical markers of bone, cartilage, and synovial tissue metabolism in patients with knee osteoarthritis: relations with disease activity and joint damage, 619
Esculetin inhibits cartilage resorption induced by interleukin 1 α in combination with oncostatin M, 158
Inactivation of one allele of the type II collagen gene alters the collagen network in murine articular cartilage and makes cartilage softer, 262
Interleukin 13 blocks the release of collagen from bovine nasal cartilage treated with proinflammatory cytokines, 150
Markers of joint destruction: principles, problems, and potential: *leader*, 545
Stem cells for repair of cartilage and bone: the next challenge in osteoarthritis and rheumatoid arthritis: *review*, 305
Vascular endothelial growth factor in articular cartilage of healthy and osteoarthritic human knee joints, 1070
- cartilage volume**, Users of oestrogen replacement therapy have more knee cartilage than non-users, 332
- cartilage-pannus junction**, Analysis of the cell infiltrate and expression of matrix metalloproteinases and granzyme B in paired synovial biopsy specimens from the cartilage-pannus junction in patients with RA, 561
- Castleman's disease**, Castleman's disease: *letter*, 176
- caudal**, Caudal epidural injections: *letter*, 718
- causalgia**, Acceptance of the different denominations for reflex sympathetic dystrophy, 77
- CD44**, Reduced expression of CD44 on monocytes and neutrophils in systemic lupus erythematosus: relations with apoptotic neutrophils and disease activity, 950
- CD86**, Expression of costimulatory molecules on peripheral blood lymphocytes of patients with systemic lupus erythematosus, 523

- CD95**, Soluble CD95 concentrations are increased in patients with severe systemic lupus erythematosus, but not in their first degree relatives, 237
- cell wall induced arthritis**, Characterisation of *Eubacterium* cell wall: peptidoglycan structure determines arthritogenicity, 269
- cerebrospinal fluid**, Increased levels of proinflammatory cytokines and nitric oxide metabolites in neuropsychiatric lupus erythematosus, 372
- cervical myelopathy**, Outcome of cervical spine surgery in patients with rheumatoid arthritis, 448
- children**, Low incidence of reactive arthritis in children following a salmonella outbreak, 1055
- Chinese, u**, Antitrypsin phenotypic variability is not associated with ANCA in southern Chinese: *letter*, 725
- Chlamydia trachomatis**, Intra-articular co-infection by *Borrelia burgdorferi* and *Chlamydia trachomatis*, 632
- Male sex predominance in *Chlamydia trachomatis* sexually acquired reactive arthritis: are women more protected by anti-chlamydia antibodies?, 605
- chloroquine**, Cardiac toxicity secondary to long term treatment with chloroquine: *letter*, 301
- cholesterol embolism**, A case of cholesterol embolism with ANCA treated with corticosteroid and cyclophosphamide: *letter*, 726
- chondrocalcinosis**, Dissolution of calcium pyrophosphate crystals by polyphosphates: an in vitro and ex vivo study, 962
- chondrocytes**, Basic calcium phosphate crystals activate human osteoarthritic synovial fibroblasts and induce matrix metalloproteinase-13 (collagenase-3) in adult porcine articular chondrocytes, 399
- Culture of chondrocytes in alginate surrounded by fibrin gel: characteristics of the cells over a period of eight weeks, 781
- Interleukin 13 blocks the release of collagen from bovine nasal cartilage treated with proinflammatory cytokines, 150
- chronic inflammatory arthritides**, How can a causal role for small bacteria in chronic inflammatory arthritides be established or refuted?, 177
- chronic lymphocytic leukaemia**, Systemic antineutrophil cytoplasmic antibody vasculitis associated with lymphoid neoplasia, 293
- Churg-Strauss syndrome**, Systemic small sized vessel vasculitis after massive antigen inhalation: *letter*, 903
- cirrhosis**, HLA-DRB1 and DQB1 genes in anticomplement antibody positive patients with SSC and primary biliary cirrhosis: *letter*, 639
- citrullinated proteins**, Performance of two ELISAs for antiflaggrin autoantibodies, using either affinity purified or deiminated recombinant human flaggrin, in the diagnosis of rheumatoid arthritis, 882
- classification**, Geoepidemiology of systemic vasculitis: comparison of the incidence in two regions of Europe, 170
- clinical differences**, European multicentre study to define disease activity criteria for systemic sclerosis. I. Clinical and epidemiological features of 290 patients from 19 centres, 585
- clinical monitoring**, Immunological and clinical follow up of hepatitis C virus associated cryoglobulinaemic vasculitis, 385
- CNS disease**, CNS involvement in systemic lupus erythematosus: a case with remarkable histopathological findings, 299
- coffee**, Coffee consumption, RF, and the risk of RA: *matters arising*, 540
- Coffee or decaff?: *matters arising*, 87
- Cogan's syndrome**, Prolonged prodrome, systemic vasculitis, and deafness in Cogan's syndrome, 69
- collagen**, Inactivation of one allele of the type II collagen gene alters the collagen network in murine articular cartilage and makes cartilage softer, 262
- Insulin-like growth factor I blocks collagen release and down regulates matrix metalloproteinase-1, -3, -8, and -13 mRNA expression in bovine nasal cartilage stimulated with oncostatin M in combination with interleukin 1 α , 254
- collagen induced arthritis**, Tensile properties of rat anterior cruciate ligament in collagen induced arthritis, 395
- collagenase**, Serum TIMP-1, TIMP-2, and MMP-1 in patients with systemic sclerosis, primary Raynaud's phenomenon, and in normal controls, 846
- comorbidity**, Comorbidity and lifestyle, reproductive factors, and environmental exposures associated with rheumatoid arthritis, 934
- COMP**, Release of cartilage and bone macromolecules into synovial fluid: differences between psoriatic arthritis and rheumatoid arthritis, 27
- complex regional pain syndrome**, Acceptance of the different denominations for reflex sympathetic dystrophy, 77
- compliance**, Effect of patient education on adherence to drug treatment for rheumatoid arthritis: a randomised controlled trial, 869
- connective tissue diseases**, Clinical features of several connective tissue diseases with anti-Golgi antibody: *letter*, 986
- Reversible posterior leucoencephalopathy syndrome in systemic lupus and vasculitis, 534
- Rheumatic disorders and primary biliary cirrhosis: an appraisal of 170 Italian patients, 1046
- continuing medical education**, Multiple choice question quiz: a valid test for needs assessment in CME in rheumatology and for self assessment, 740
- corticosteroid pulse treatment**, Short term effects of corticosteroid pulse treatment on disease activity and the wellbeing of patients with active rheumatoid arthritis, 61
- corticosteroids**, A case of cholesterol embolism with ANCA treated with corticosteroid and cyclophosphamide: *letter*, 726
- Corticosteroid injection for the treatment of carpal tunnel syndrome: *letter*, 897
- Osteonecrosis in patients with systemic lupus erythematosus develops very early after starting high dose corticosteroid treatment, 1145
- Reversibility of histological and immunohistological abnormalities in sublabial salivary gland biopsy specimens following treatment with corticosteroids in Sjögren's syndrome, 511
- Risk factors and prognostic influence of infection in a single cohort of 87 adults with systemic lupus erythematosus, 1141
- cost effectiveness analysis**, Antibiotic prophylaxis for haematogenous bacterial arthritis in patients with joint disease: a cost effectiveness analysis, 359
- costimulatory molecules**, Expression of costimulatory molecules on peripheral blood lymphocytes of patients with systemic lupus erythematosus, 523
- Glandular and extraglandular expression of costimulatory molecules in patients with Sjögren's syndrome, 473
- CpG motif**, CpG-DNA derived from sera in systemic lupus erythematosus enhances ICAM-1 expression on endothelial cells, 685
- CPPD crystal deposition disease**, Calcium pyrophosphate dihydrate (CPPD) crystal deposition disease in a teaching hospital in Kuwait, 416
- ⁵¹Cr-EDTA**, Intestinal permeability in Behçet's syndrome, 65
- cryoglobulinaemia**, Hepatitis C virus infection with peripheral neuropathy is not always associated with cryoglobulinaemia, 290
- cryoglobulinaemic vasculitis**, Immunological and clinical follow up of hepatitis C virus associated cryoglobulinaemic vasculitis, 385
- crystal arthropathy**, Calcium pyrophosphate dihydrate (CPPD) crystal deposition disease in a teaching hospital in Kuwait, 416
- cutaneous necrosis**, Autologous skin transplantation for widespread cutaneous necrosis in secondary antiphospholipid syndrome: *lesson of the month*, 908
- cyclic AMP**, Impaired catecholaminergic signalling of B lymphocytes in patients with chronic rheumatic diseases, 505
- cyclophosphamide**, A case of cholesterol embolism with ANCA treated with corticosteroid and cyclophosphamide: *letter*, 726
- Gastric antral vascular ectasia in systemic sclerosis: complete resolution with methylprednisolone and cyclophosphamide, 796
- cyclosporin**, Treatment of idiopathic retroperitoneal fibrosis using cyclosporin, 427
- Treatment with cyclosporin switching to hydroxychloroquine in patients with rheumatoid arthritis, 514
- cytochrome oxidase**, Impaired redox status and cytochrome c oxidase deficiency in patients with polymyalgia rheumatica, 1016
- cytokine blockers**, Cytokine blockers in psoriatic arthritis, **iii37 (suppl III)**
- cytokines**, Differential expression of cytokines and nitric oxide synthase isoforms in human rotator cuff bursae: *letter*, 431
- Impaired Th1 cytokine production in spondyloarthropathy is restored by anti-TNF α , 750
- Insulin-like growth factor I blocks collagen release and down regulates matrix metalloproteinase-1, -3, -8, and -13 mRNA expression in bovine nasal cartilage stimulated with oncostatin M in combination with interleukin 1 α , 254
- Low T cell production of TNF α and IFN γ in ankylosing spondylitis: its relation to HLA-B27 and influence of the TNF-308 gene polymorphism, 36
- Measurement of cytokine and adhesion molecule expression in synovial tissue by digital image analysis, 296
- Novel targets for interleukin 18 binding protein, **iii18 (suppl III)**
- Role of cytokines in the innate immune response to intracellular pathogens, **iii43 (suppl III)**
- database**, The national database of the German Collaborative Arthritis Centres: I. Structure, aims, and patients, 199
- The national database of the German Collaborative Arthritis Centres: II. Treatment of patients with rheumatoid arthritis, 207
- deafness**, Prolonged prodrome, systemic vasculitis, and deafness in Cogan's syndrome, 69
- demyelinating disease**, Giant cell arteritis associated with demyelinating polyradiculoneuropathy: *letter*, 812
- densitometry**, Value of clinical factors in selecting postmenopausal women with rheumatoid arthritis for bone densitometry, 799
- dephosphorylation**, Dephosphorylation of autoantigenic ribosomal P proteins during Fas-L induced apoptosis: a possible trigger for the development of the autoimmune response in patients with systemic lupus erythematosus, 72
- dermatomyositis**, Autoantibody profiles in the sera of European patients with myositis, 116

- Difference in B cell activation between dermatomyositis and polymyositis: analysis of the expression of RP105 on peripheral blood B cells, 1137
- Idiopathic dilatation of the pulmonary artery in a patient with dermatomyositis complicated by interstitial pneumonitis: *letter*, 815
- Intravenous immunoglobulin for treatment of gastro-intestinal haemorrhage in dermatomyositis: *letter*, 723
- Less specific myositis autoantibodies?: *letter*, 810
- developing countries**, Getting our journals to developing countries: *leader*, 993
- diabetes mellitus**, An unexpected cause of muscle pain in diabetes, 310
- diagnosis**, Can rheumatologists agree on a diagnosis of inflammatory arthritis in an early synovitis clinic?: *letter*, 638
- Chronic recurrent multifocal osteomyelitis is a differential diagnosis of juvenile idiopathic arthritis: *lesson of the month*, 828
- diagnostic tests**, Performance of two ELISAs for antifilaggrin autoantibodies, using either affinity purified or deiminated recombinant human filaggrin, in the diagnosis of rheumatoid arthritis, 882
- diastolic dysfunction**, Right ventricular diastolic dysfunction in patients with anticardiolipin antibodies and antiphospholipid syndrome, 43
- Diff Quik**, Diff Quik staining method for detection and identification of monosodium urate and calcium pyrophosphate crystals in synovial fluids, 194
- digital image analysis**, Measurement of cytokine and adhesion molecule expression in synovial tissue by digital image analysis, 296
- digital vasculitis**, Isolated digital vasculitis in a patient with rheumatoid arthritis: good response to tumour necrosis factor α blocking treatment, 538
- disability**, Does the Stanford Health Assessment Questionnaire have potential as a monitoring tool for subjects with rheumatoid arthritis?, 344
- Employment, work disability, and work days lost in patients with ankylosing spondylitis: a cross sectional study of Dutch patients, 353
- Usefulness of the HAQ in the clinic: *letter*, 811
- Values for function in rheumatoid arthritis: patients, professionals, and public, 928
- Withdrawal from labour force due to work disability in patients with ankylosing spondylitis, 1033
- disability index**, Health Assessment Questionnaire modifications: is standardisation needed?, 841
- disease activity**, European multicentre study to define disease activity criteria for systemic sclerosis. II. Identification of disease activity variables and development of preliminary activity indexes, 592
- Prolactin enhances the in vitro production of IgG in peripheral blood mononuclear cells from patients with systemic lupus erythematosus but not from healthy controls, 242
- Treatment strategy, disease activity, and outcome in four cohorts of patients with early rheumatoid arthritis, 453
- UVA-1 cold light treatment of SLE: a double blind, placebo controlled crossover trial, 112
- disease modifying antirheumatic drugs**, The national database of the German Collaborative Arthritis Centres: II. Treatment of patients with rheumatoid arthritis, 207
- disease status criteria**, European multicentre study to define disease activity criteria for systemic sclerosis. II. Identification of disease activity variables and development of preliminary activity indexes, 592
- DISH**, Are DISH and OPLL genetically related?: *letter*, 902
- DNA**, CpG-DNA derived from sera in systemic lupus erythematosus enhances ICAM-1 expression on endothelial cells, 685
- DNA preparation**, Optimised sample DNA preparation for detection of *Chlamydia trachomatis* in synovial tissue by polymerase chain reaction and ligase chain reaction, 140
- Doppler ultrasonography**, Quantitative ultrasonography in rheumatoid arthritis: evaluation of inflammation by Doppler technique, 690
- down regulation**, Down regulation of interleukin 1 β production in human osteoarthritic synovial tissue and cartilage cultures by aminoguanidine, 391
- doxycycline**, Randomised, blinded, placebo controlled trial of doxycycline for chronic seronegative arthritis, 1088
- dsDNA antibodies**, Anti-dsDNA antibodies associated with acute EBV infection in Sjögren's syndrome: *letter*, 992
- dual energy x ray absorptiometry**, Periarticular bone mineral density at the knee joint: *matters arising*, 638
- Validated measurement of periarticular bone mineral density at the knee joint by dual energy x ray absorptiometry, 8
- early rheumatoid arthritis**, Low field dedicated magnetic resonance imaging in untreated rheumatoid arthritis of recent onset, 770
- Predictors of radiographic joint damage in patients with early rheumatoid arthritis, 924
- What is the fate of erosions in early rheumatoid arthritis? Tracking individual lesions using x rays and magnetic resonance imaging over the first two years of disease, 859
- early synovitis clinic**, Referrals to an "early synovitis clinic": are they appropriate?: *letter*, 991
- education**, Effect of patient education on adherence to drug treatment for rheumatoid arthritis: a randomised controlled trial, 869
- elbow**, Valgus deformity and proximal subluxation of the rheumatoid elbow: a radiographic 15 year follow up study of 148 elbows, 765
- elderly**, Presenting features of polymyalgia rheumatica (PMR) and rheumatoid arthritis with PMR-like onset: a prospective study, 1021
- elderly onset RA**, HLA-DRB1 genes and patients with late onset rheumatoid arthritis, 531
- electromagnetic field therapy**, Pulsed electromagnetic field therapy in the management of knee OA: *letter*, 717
- employment**, Employment, work disability, and work days lost in patients with ankylosing spondylitis: a cross sectional study of Dutch patients, 353
- endothelial cells**, CpG-DNA derived from sera in systemic lupus erythematosus enhances ICAM-1 expression on endothelial cells, 685
- entheses**, Immunohistological study of entheses in spondyloarthropathies: comparison in rheumatoid arthritis and osteoarthritis, 316
- environmental exposure**, Comorbidity and lifestyle, reproductive factors, and environmental exposures associated with rheumatoid arthritis, 934
- epidemiology**, Epidemiology of vasculitis in Europe: *letter*, 1156
- Geoepidemiology of systemic vasculitis: comparison of the incidence in two regions of Europe, 170
- Incidence and prevalence of juvenile arthritis in an urban population of southern Germany: a prospective study, 940
- Knee pain and osteoarthritis in older adults: a review of community burden and current use of primary health care, 91
- Knee pain in older adults: the latest musculoskeletal "epidemic": *leader*, 89
- Regional differences in the incidence of rheumatoid arthritis in Finland in 1995, 128
- Threefold increased risk of hip fractures with rheumatoid arthritis in Central Finland, 521
- epidural**, Caudal epidural injections: *letter*, 718
- Epstein-Barr virus**, Anti-dsDNA antibodies associated with acute EBV infection in Sjögren's syndrome: *letter*, 992
- erosions**, What is the fate of erosions in early rheumatoid arthritis? Tracking individual lesions using x rays and magnetic resonance imaging over the first two years of disease, 859
- erythroleukaemia**, Development of erythroleukaemia after myelodysplastic syndrome in a patient with Wegener's granulomatosis: *letter*, 899
- etanercept**, A combination of etanercept and methotrexate for the treatment of refractory juvenile idiopathic arthritis: a pilot study, 410
- Increased peripheral T cell reactivity to microbial antigens and collagen type II in rheumatoid arthritis after treatment with soluble TNF α receptors, 133
- ethics**, Ethical aspects of new medicines targeted at treatment of RA: *letter*, 304
- EULAR**, EULAR and its journal: *leader*, 545
- EULAR guidelines**, EULAR recommendations for the management of knee osteoarthritis: *matters arising*, 540
- Management of knee osteoarthritis: *letter*, 984
- European consortium**, Clinical and immunogenetic characteristics of European multicase rheumatoid arthritis families, 573
- exercise**, A case-control study to investigate the relation between low and moderate levels of physical activity and osteoarthritis of the knee using data collected as part of the Allied Dunbar National Fitness Survey, 756
- Effect of intensive exercise on patients with active RA: *letter*, 429
- Effectiveness of exercise in patients with osteoarthritis of hip or knee: nine month's follow up, 1123
- exorotation**, Extreme exorotation of a foot in a painting by Dirk Bouts (ca 1464): *leader*, 1152
- experimental animals**, Decline after immobilisation and recovery after remobilisation of synovial fluid IL1, TIMP, and chondroitin sulphate levels in young beagle dogs, 55
- familial Mediterranean fever**, Amyloidosis induced, end stage renal disease in patients with familial Mediterranean fever is highly associated with point mutations in the MEFV gene, 146
- Specific glycosylation of α_1 -acid glycoprotein characterises patients with familial Mediterranean fever and obligatory carriers of MEFV, 777
- familiality**, Differences between female and male patients with familial rheumatoid arthritis, 413
- family history**, Heavy cigarette smoking and RA: *letter*, 1154
- Heavy cigarette smoking is strongly associated with rheumatoid arthritis (RA), particularly in patients without a family history of RA, 223
- Fas**, Soluble CD95 concentrations are increased in patients with severe systemic lupus erythematosus, but not in their first degree relatives, 237
- fenofibrate**, Fenofibrate: a new treatment for hyperuricaemia and gout?: *letter*, 984

- fever**, Serum procalcitonin measurement for detection of intercurrent infection in febrile patients with SLE: *letter*, 988
- fibrin**, Culture of chondrocytes in alginate surrounded by fibrin gel: characteristics of the cells over a period of eight weeks, 781
- fibroblasts**, Basic calcium phosphate crystals activate human osteoarthritic synovial fibroblasts and induce matrix metalloproteinase-13 (collagenase-3) in adult porcine articular chondrocytes, 399
- fibromyalgia**, Strength training induced adaptations in neuromuscular function of premenopausal women with fibromyalgia: comparison with healthy women, 21
- The burden of musculoskeletal diseases in the general population of Spain: results from a national survey, 1040
- fluoroscopy**, Caudal epidural injections: *letter*, 718
- focal sialadenitis**, Focal sialadenitis in patients with ankylosing spondylitis and spondyloarthritis: a comparison with patients with rheumatoid arthritis or mixed connective tissue disease, 744
- follow up studies**, A longitudinal cohort study of Finnish patients with primary Sjögren's syndrome: clinical, immunological, and epidemiological aspects, 467
- fracture**, Stress fracture in long term methotrexate treatment for psoriatic arthritis: *lesson of the month*, 736
- frequency of bacteria**, Frequency of triggering bacteria in patients with reactive arthritis and undifferentiated oligoarthritis and the relative importance of the tests used for diagnosis, 337
- gadodiamide**, Low field dedicated magnetic resonance imaging in untreated rheumatoid arthritis of recent onset, 770
- gastric antral vascular ectasia**, Gastric antral vascular ectasia in systemic sclerosis: complete resolution with methylprednisolone and cyclophosphamide, 796
- gastrointestinal haemorrhage**, Intravenous immunoglobulin for treatment of gastro-intestinal haemorrhage in dermatomyositis: *letter*, 723
- gastropathy**, Incidence of clinically manifest ulcers and their complications in patients with rheumatoid arthritis, 443
- GB virus-C**, Prevalence of TTV DNA and GBV-C RNA in patients with systemic sclerosis, rheumatoid arthritis, and osteoarthritis does not differ from that in healthy blood donors, 806
- gene transfer**, High efficiency gene transfer is an efficient way of defining therapeutic targets: a functional genomics approach, iii13 (suppl III)
- genes**, Inactivation of one allele of the type II collagen gene alters the collagen network in murine articular cartilage and makes cartilage softer, 262
- genetics**, Differences between female and male patients with familial rheumatoid arthritis, 413
- Soluble CD95 concentrations are increased in patients with severe systemic lupus erythematosus, but not in their first degree relatives, 237
- genotype**, Relative serum amyloid A (SAA) values: the influence of SAA1 genotypes and corticosteroid treatment in Japanese patients with rheumatoid arthritis, 124
- giant cell arteritis**, Epidemiology of biopsy proven giant cell arteritis in northwestern Spain: trend over an 18 year period, 367
- Giant cell arteritis associated with demyelinating polyradiculoneuropathy: *letter*, 812
- giant cell tumour**, Growing wrist mass, 550
- glucocorticosteroids**, Assessment of phalangeal bone loss in patients with rheumatoid arthritis by quantitative ultrasound, 670
- Glucocorticosteroid dependent decrease in the activity of calcineurin in the peripheral blood mononuclear cells of patients with systemic lupus erythematosus, 380
- glycoprotein 1**, Antiphospholipid antibodies and RA: presence of β_2 GP1 independent aCL: *letter*, 303
- Cofactor dependence and isotype distribution of anticardiolipin antibodies in viral infections, 500
- gold**, Comparative study of intramuscular gold and methotrexate in a rheumatoid arthritis population from a socially deprived area, 566
- Gold treatment, nephrotic syndrome, and multi-organ failure in a patient with adult onset Still's disease: *lesson of the month*, 4
- gout**, Fenofibrate: a new treatment for hyperuricaemia and gout?: *letter*, 984
- Relation between adverse events associated with allopurinol and renal function in patients with gout, 981
- graft versus host disease**, Fetal microchimerism in Sjögren's syndrome: *letter*, 897
- Lack of evidence for an increased microchimerism in the circulation of patients with Sjögren's syndrome, 248
- gut**, Flow cytometric analysis of gut mucosal lymphocytes supports an impaired Th1 cytokine profile in spondyloarthritis, 495
- haematuria**, A prospective study of renal disease in patients with early rheumatoid arthritis, 327
- haemodialysis**, Evaluation of hand function in patients undergoing long term haemodialysis, 278
- haemorrhage**, Characteristics of patients with antiphospholipid syndrome with major bleeding after oral anticoagulant treatment, 527
- hand**, Evaluation of hand function in patients undergoing long term haemodialysis, 278
- Idiopathic osteoporosis: an evolutionary dys-adaptation?, 554
- Health Assessment Questionnaire**, Benchmarking and the percentile assessment of RA: adding a new dimension to rheumatic disease measurement: *leader*, 994
- Benchmarking: the five year outcome of rheumatoid arthritis assessed using a pain score, the Health Assessment Questionnaire, and the Short Form-36 (SF-36) in a community and a clinic based sample, 956
- Does the Stanford Health Assessment Questionnaire have potential as a monitoring tool for subjects with rheumatoid arthritis?, 344
- Health Assessment Questionnaire modifications: is standardisation needed?, 841
- Usefulness of the HAQ in the clinic: *letter*, 811
- heel spur**, Efficacy of extracorporeal shock wave treatment in calcaneal enthesophytosis, 1064
- heparanase**, Antagonising angiogenesis in rheumatoid arthritis, iii71 (suppl III)
- hepatitis B virus**, Polyarteritis nodosa and mixed cryoglobulinaemia related to hepatitis B and C virus coinfection, 1068
- hepatitis C virus**, Hepatitis C virus infection with peripheral neuropathy is not always associated with cryoglobulinaemia, 290
- Immunological and clinical follow up of hepatitis C virus associated cryoglobulinaemic vasculitis, 385
- Lymphomas complicating Sjögren's syndrome and hepatitis C virus infection may share a common pathogenesis: chronic stimulation of rheumatoid factor B cells, 1007
- Polyarteritis nodosa and mixed cryoglobulinaemia related to hepatitis B and C virus coinfection, 1068
- hip**, Effect of daily corticosteroid treatment on CRP response to hip or knee replacement in patients with RA: *letter*, 989
- Prevention of post-discharge venous thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthroplasty: a continuing matter of debate: *leader*, 905
- Prevention of symptomatic thrombosis with short term (low molecular weight) heparin in patients with rheumatoid arthritis after hip or knee replacement, 974
- Rise in serum C reactive protein after hip and knee arthroplasties in patients with rheumatoid arthritis, 275
- hip arthroplasty**, Radiographic stage of osteoarthritis or sex of the patient does not predict one year outcome after total hip arthroplasty, 228
- hip fractures**, Threefold increased risk of hip fractures with rheumatoid arthritis in Central Finland, 521
- hip pain**, Primary psoas abscess: *letter*, 173
- HIV infection**, Human immunodeficiency virus associated spondyloarthritis: pathogenic insights based on imaging findings and response to highly active antiretroviral treatment, 696
- HLA**, Tumour necrosis factor microsatellites and HLA-DRB1, HLA-DQA1, and HLA-DQB1 alleles in Peruvian patients with rheumatoid arthritis, 791
- HLA-B51**, Behçet's disease: infectious aetiology, new autoantigens, and HLA-B51: *review*, 996
- HLA-DQA1**, HLA-DRB10301 and DQA10501 in RA: *letter*, 727
- HLA-DQB1**, HLA class II alleles and synovial fluid cytology in RA: *letter*, 542
- HLA-DRB1 and DQB1 genes in anticitromere antibody positive patients with SSc and primary biliary cirrhosis: *letter*, 639
- HLA-DRB1**, HLA class II alleles and synovial fluid cytology in RA: *letter*, 542
- HLA-DRB1 and DQB1 genes in anticitromere antibody positive patients with SSc and primary biliary cirrhosis: *letter*, 639
- HLA-DRB1 genes and patients with late onset rheumatoid arthritis, 531
- HLA-DRB10301 and DQA10501 in RA: *letter*, 727
- honeycomb**, Non-specific interstitial pneumonia as pulmonary involvement of systemic sclerosis, 281
- HRCT**, Non-specific interstitial pneumonia as pulmonary involvement of systemic sclerosis, 281
- hyaluronate**, Acute arthritis after intra-articular hyaluronate injection: onset of effusions without crystal, 518
- hydroxychloroquine**, Treatment with cyclosporin switching to hydroxychloroquine in patients with rheumatoid arthritis, 514
- hyperhomocysteinaemia**, Severe atherosclerotic changes, including aortic occlusion, associated with hyperhomocysteinaemia and antiphospholipid antibodies, 699
- hyper-IgD syndrome**, Non-steroidal anti-inflammatory drugs in the treatment of hyper-IgD syndrome: *letter*, 904
- hypermobility**, Benign familial hypermobility syndrome and Trendelenburg sign in a painting "The Three Graces" by Peter Paul Rubens (1577-1640), 894
- hypersensitivity**, Azathioprine hypersensitivity: *letter*, 719
- hypertrophic osteoarthropathy**, An unexpected cause of muscle pain in diabetes, 310
- ICAM-1**, CpG-DNA derived from sera in systemic lupus erythematosus enhances ICAM-1 expression on endothelial cells, 685
- ICTP**, Type I collagen degradation does not diminish with RA disease duration, 420
- idiopathic retroperitoneal fibrosis**, Treatment of idiopathic retroperitoneal fibrosis using cyclosporin, 427

- IgG**, Prolactin enhances the *in vitro* production of IgG in peripheral blood mononuclear cells from patients with systemic lupus erythematosus but not from healthy controls, 242
- immobilisation**, Decline after immobilisation and recovery after remobilisation of synovial fluid IL-1, TIMP, and chondroitin sulphate levels in young beagle dogs, 55
- immune complexes**, Detection of immune deposits in skin lesions of patients with Wegener's granulomatosis, 1097
- immune response**, Role of cytokines in the innate immune response to intracellular pathogens, **iii43 (suppl III)**
- immunoblotting**, Male sex predominance in *Chlamydia trachomatis* sexually acquired reactive arthritis: are women more protected by anti-chlamydia antibodies?, 605
- immunoglobulins**, Intravenous gammaglobulins in refractory polymyositis: lower dose for maintenance treatment is effective, 635
Intravenous immunoglobulin for treatment of gastro-intestinal haemorrhage in dermatomyositis: *letter*, 723
- immunohistochemistry**, Analysis of the cell infiltrate and expression of matrix metalloproteinases and granzyme B in paired synovial biopsy specimens from the cartilage-pannus junction in patients with RA, 561
- immunohistology**, Reversibility of histological and immunohistological abnormalities in sublabial salivary gland biopsy specimens following treatment with corticosteroids in Sjögren's syndrome, 511
- immunomodulation**, A pilot study of a long acting somatostatin analogue for the treatment of refractory rheumatoid arthritis, 888
- immunosuppressive drugs**, Risk factors and prognostic influence of infection in a single cohort of 87 adults with systemic lupus erythematosus, 1141
- immunosuppressive treatment**, Immunosuppressive treatment for vasculitis associated with Lyme borreliosis: *letter*, 721
- incidence**, Epidemiology of biopsy proven giant cell arteritis in north-western Spain: trend over an 18 year period, 367
Incidence and prevalence of juvenile arthritis in an urban population of southern Germany: a prospective study, 940
Regional differences in the incidence of rheumatoid arthritis in Finland in 1995, 128
- infection**, Behçet's disease: infectious aetiology, new autoantigens, and HLA-B51: *review*, 996
Risk factors and prognostic influence of infection in a single cohort of 87 adults with systemic lupus erythematosus, 1141
Serum prolactin measurement for detection of intercurrent infection in febrile patients with SLE: *letter*, 988
- inflammation**, Biology of TACE inhibition, **iii25 (suppl III)**
Novel targets for interleukin 18 binding protein, **iii18 (suppl III)**
Oncostatin M in the anti-inflammatory response, **iii75 (suppl III)**
Quantitative ultrasonography in rheumatoid arthritis: evaluation of inflammation by Doppler technique, 690
Raised levels of F₂-isoprostanes and prostaglandin F_{2α} in different rheumatic diseases, 627
- inflammatory arthritis**, Can rheumatologists agree on a diagnosis of inflammatory arthritis in an early synovitis clinic?: *letter*, 638
- inflammatory mediators**, The atrial natriuretic peptide regulates the production of inflammatory mediators in macrophages, **iii68 (suppl III)**
- infiximab**, New treatment options in ankylosing spondylitis: a role for anti-TNF α therapy, **iii58 (suppl III)**
Successful treatment of a small cohort of patients with adult onset of Still's disease with infiximab: first experiences, **iii55 (suppl III)**
Treatment of active spondyloarthritis with infiximab, the chimeric monoclonal antibody to tumour necrosis factor α , **iii33 (suppl III)**
Treatment of ankylosing spondylitis with infiximab: *letter*, 1159
- inhibitors**, Esculetin inhibits cartilage resorption induced by interleukin 1 α in combination with oncostatin M, 158
Matrix metalloproteinase inhibitors in rheumatic diseases, **iii62 (suppl III)**
- injected air**, Placement of intra-articular injections verified by ultrasonography and injected air as contrast medium: *letter*, 542
- injection**, Ultrasound guided injection of plantar fasciitis: *letter*, 639
- insulin-like growth factor 1**, Insulin-like growth factor 1 blocks collagen release and down regulates matrix metalloproteinase-1, -3, -8, and -13 mRNA expression in bovine nasal cartilage stimulated with oncostatin M in combination with interleukin 1 α , 254
- intercondylar notch**, Shape of the intercondylar notch of the human femur: a comparison of osteoarthritic and non-osteoarthritic bones from a skeletal sample, 968
- interferon α** , HHV8 associated Kaposi's sarcoma during triple immunosuppressive treatment with cyclosporin A, azathioprine, and prednisolone for ocular Behçet's disease and complete remission of both disorders with interferon α , 83
- interferon γ** , Flow cytometric analysis of gut mucosal lymphocytes supports an impaired Th1 cytokine profile in spondyloarthritis, 495
Glandular and extraglandular expression of costimulatory molecules in patients with Sjögren's syndrome, 473
- interleukin 1**, Down regulation of interleukin 1 β production in human osteoarthritic synovial tissue and cartilage cultures by aminoguanidine, 391
- Esculetin inhibits cartilage resorption induced by interleukin 1 α in combination with oncostatin M, 158
- Interleukin 1 gene polymorphisms**: *letter*, 718
- interleukin 1 β** , Importance of NF- κ B in rheumatoid synovial tissues: *in situ* NF- κ B expression and *in vitro* study using cultured synovial cells, 678
- interleukin 2**, Effect of interleukin 2 on killer cell inhibitory receptors in patients with rheumatoid arthritis, 166
Flow cytometric analysis of gut mucosal lymphocytes supports an impaired Th1 cytokine profile in spondyloarthritis, 495
- interleukin 13**, Interleukin 13 blocks the release of collagen from bovine nasal cartilage treated with proinflammatory cytokines, 150
- internet access**, Getting our journals to developing countries: *leader*, 993
- interstitial lung disease**, MRI guided muscle biopsy confirmed polymyositis diagnosis in a patient with interstitial lung disease, 423
- interstitial nephritis**, Glandular and extraglandular expression of costimulatory molecules in patients with Sjögren's syndrome, 473
- intestinal flora**, Characterisation of *Eubacterium* cell wall: peptidoglycan structure determines arthritogenicity, 269
- intra-articular injections**, Placement of intra-articular injections verified by ultrasonography and injected air as contrast medium: *letter*, 542
- ischaemic heart disease**, Novel targets for interleukin 18 binding protein, **iii18 (suppl III)**
- isoprostanes**, Raised levels of F₂-isoprostanes and prostaglandin F_{2α} in different rheumatic diseases, 627
- joint destruction**, Markers of joint destruction: principles, problems, and potential: *leader*, 545
Type I collagen degradation does not diminish with RA disease duration, 420
- joint infection**, Bacterial PCR in the diagnosis of joint infection, 287
- joint pain**, Joint and muscle pain with mononeuritis multiplex, tetraparesis, and myocardial infarction in a previously healthy adult: *lesson of the month*, 1003
- juvenile arthritis**, A combination of etanercept and methotrexate for the treatment of refractory juvenile idiopathic arthritis: a pilot study, 410
Atrophoderma and juvenile idiopathic arthritis: *letter*, 900
Chronic recurrent multifocal osteomyelitis is a differential diagnosis of juvenile idiopathic arthritis: *lesson of the month*, 828
Incidence and prevalence of juvenile arthritis in an urban population of southern Germany: a prospective study, 940
- Kaposi's sarcoma**, HHV8 associated Kaposi's sarcoma during triple immunosuppressive treatment with cyclosporin A, azathioprine, and prednisolone for ocular Behçet's disease and complete remission of both disorders with interferon α , 83
- killer cell inhibitory receptors**, Effect of interleukin 2 on killer cell inhibitory receptors in patients with rheumatoid arthritis, 166
- Klippel-Feil syndrome**, Klippel-Feil syndrome in the prehispanic population of El Hierro (Canary Islands): *letter*, 174
- knee**, A case-control study to investigate the relation between low and moderate levels of physical activity and osteoarthritis of the knee using data collected as part of the Allied Dunbar National Fitness Survey, 756
Bilateral transient osteoporosis of the knee in pregnancy: *letter*, 721
Cross sectional evaluation of biochemical markers of bone, cartilage, and synovial tissue metabolism in patients with knee osteoarthritis: relations with disease activity and joint damage, 619
Effect of daily corticosteroid treatment on CRP response to hip or knee replacement in patients with RA: *letter*, 989
Effect of leeches therapy (*Hirudo medicinalis*) in painful osteoarthritis of the knee: a pilot study: *letter*, 986
EULAR recommendations for the management of knee osteoarthritis: *matters arising*, 540
Management of knee osteoarthritis: *letter*, 984
Prevention of post-discharge venous thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthroplasty: a continuing matter of debate: *leader*, 905
Prevention of symptomatic thrombosis with short term (low molecular weight) heparin in patients with rheumatoid arthritis after hip or knee replacement, 974
Pulsed electromagnetic field therapy in the management of knee OA: *letter*, 717
Rise in serum C reactive protein after hip and knee arthroplasties in patients with rheumatoid arthritis, 275
Shape of the intercondylar notch of the human femur: a comparison of osteoarthritic and non-osteoarthritic bones from a skeletal sample, 968
Static postural sway, proprioception, and maximal voluntary quadriceps contraction in patients with knee osteoarthritis and normal control subjects, 612
Tibial and femoral cartilage changes in knee osteoarthritis, 977
Users of oestrogen replacement therapy have more knee cartilage than non-users, 332
Validated measurement of periarticular bone mineral density at the knee joint by dual energy x ray absorptiometry, 8

- Vascular endothelial growth factor in articular cartilage of healthy and osteoarthritic human knee joints, 1070
- knee joint**, Periarticular bone mineral density at the knee joint: *matters arising*, 638
- knee osteoarthritis**, Knee pain and osteoarthritis in older adults: a review of community burden and current use of primary health care, 91
- Knee pain in older adults: the latest musculoskeletal "epidemic": *leader*, 89
- knee pain**, Debilitating knee pain in a patient with "normal" radiographs: *lesson of the month*, 650
- lactate**, Impaired redox status and cytochrome c oxidase deficiency in patients with polymyalgia rheumatica, 1016
- Larsen method**, Bone destruction, upward migration, and medialisation of rheumatoid shoulder: a 15 year follow up study, 322
- Valgus deformity and proximal subluxation of the rheumatoid elbow: a radiographic 15 year follow up study of 148 elbows, 765
- leaches**, Effect of leeches therapy (*Hirudo medicinalis*) in painful osteoarthritis of the knee: a pilot study: *letter*, 986
- leflunomide**, Treatment of active rheumatoid arthritis with leflunomide: two year follow up of a double blind, placebo controlled trial versus sulfasalazine, 913
- lesions**, Rapid improvement of SLE-specific cutaneous lesions by C1q immunoadsorption: *letter*, 898
- leucocyte activation**, Immunological and clinical follow up of hepatitis C virus associated cryoglobulinaemic vasculitis, 385
- ligase chain reaction**, Optimised sample DNA preparation for detection of *Chlamydia trachomatis* in synovial tissue by polymerase chain reaction and ligase chain reaction, 140
- line immunoassay**, Detection and identification of antinuclear antibodies (ANA) in a large and consecutive cohort of serum samples referred for ANA testing, 1131
- lipopolysaccharide**, Differential roles of Toll-like receptors in the elicitation of proinflammatory responses by macrophages, **iii6** (suppl III)
- lumbar spine**, Caudal epidural injections: *letter*, 718
- Inappropriate medical management of spinal epidural abscess, 218
- lupus anticoagulant**, Characteristics of patients with antiphospholipid syndrome with major bleeding after oral anticoagulant treatment, 527
- Lyme arthritis**, Treatment resistant Lyme arthritis caused by *Borrelia garinii*, 284
- Lyme borreliosis**, Immunosuppressive treatment for vasculitis associated with Lyme borreliosis: *letter*, 721
- lymphocytes**, Flow cytometric analysis of gut mucosal lymphocytes supports an impaired Th1 cytokine profile in spondyloarthropathy, 495
- Immunohistological study of entheses in spondyloarthropathies: comparison in rheumatoid arthritis and osteoarthritis, 316
- Impaired catecholaminergic signalling of B lymphocytes in patients with chronic rheumatic diseases, 505
- lymphoma**, Lymphoma in a patient with rheumatoid arthritis receiving methotrexate treatment: successful treatment with rituximab, 892
- Lymphomas complicating Sjögren's syndrome and hepatitis C virus infection may share a common pathogenesis: chronic stimulation of rheumatoid factor B cells, 1007
- Systemic antineutrophil cytoplasmic antibody vasculitis associated with lymphoid neoplasia, 293
- macrophages**, Differential roles of Toll-like receptors in the elicitation of proinflammatory responses by macrophages, **iii6** (suppl III)
- The atrial natriuretic peptide regulates the production of inflammatory mediators in macrophages, **iii68** (suppl III)
- magnetic resonance imaging**, Bone scintigraphy for osteonecrosis of the knee in patients with non-traumatic osteonecrosis of the femoral head: comparison with magnetic resonance imaging, 14
- Growing wrist mass, 550
- Importance of timing of post-contrast MRI in rheumatoid arthritis: what happens during the first 60 minutes after IV gadolinium-DTPA?, 1050
- Low field dedicated magnetic resonance imaging in untreated rheumatoid arthritis of recent onset, 770
- MRI guided muscle biopsy confirmed polymyositis diagnosis in a patient with interstitial lung disease, 423
- Quantitative magnetic resonance imaging as marker of synovial membrane regeneration and recurrence of synovitis after arthroscopic knee joint synovectomy: a one year follow up study, 233
- What is the fate of erosions in early rheumatoid arthritis? Tracking individual lesions using x rays and magnetic resonance imaging over the first two years of disease, 859
- magnetic resonance spectroscopy**, Sensitivity of quantitative ^1H magnetic resonance spectroscopy of the brain in detecting early neuronal damage in systemic lupus erythematosus, 106
- malignancy**, Cancer and autoimmunity: autoimmune and rheumatic features in patients with malignancies: *review*, 433
- mannose binding lectin**, Polymorphisms of the mannose binding lectin gene in patients with Sjögren's syndrome, 483
- mast cells**, Demonstration of mast cell chemotactic activity in synovial fluid from rheumatoid patients, 187
- Mayer's haematoxylin**, Preservation of calcium pyrophosphate dihydrate crystals: effect of Mayer's haematoxylin staining period, 80
- mechanism of action**, Anti-inflammatory mechanisms of methotrexate in rheumatoid arthritis: *leader*, 729
- meta-analysis**, Reporting of outcomes in arthritis trials measured on ordinal and interval scales is inadequate in relation to meta-analysis, 349
- metabolic markers**, Decline after immobilisation and recovery after remobilisation of synovial fluid IL1, TIMP, and chondroitin sulphate levels in young beagle dogs, 55
- metalloproteinases**, Basic calcium phosphate crystals activate human osteoarthritic synovial fibroblasts and induce matrix metalloproteinase-13 (collagenase-3) in adult porcine articular chondrocytes, 399
- Insulin-like growth factor 1 blocks collagen release and down regulates matrix metalloproteinase-1, -3, -8, and -13 mRNA expression in bovine nasal cartilage stimulated with oncostatin M in combination with interleukin 1 α , 254
- Interleukin 13 blocks the release of collagen from bovine nasal cartilage treated with proinflammatory cytokines, 150
- Matrix metalloproteinase inhibitors in rheumatic diseases, **iii62** (suppl III)
- methotrexate**, A combination of etanercept and methotrexate for the treatment of refractory juvenile idiopathic arthritis: a pilot study, 410
- Anti-inflammatory mechanisms of methotrexate in rheumatoid arthritis: *leader*, 729
- Comparative study of intramuscular gold and methotrexate in a rheumatoid arthritis population from a socially deprived area, 566
- Intramuscular methotrexate in inflammatory rheumatic disease: *letter*, 1156
- Is parenteral methotrexate worth trying?: *letter*, 432
- Lymphoma in a patient with rheumatoid arthritis receiving methotrexate treatment: successful treatment with rituximab, 892
- Methotrexate and early postoperative complications in patients with rheumatoid arthritis undergoing elective orthopaedic surgery, 214
- "Stepping-up" from methotrexate: a systematic review of randomised placebo controlled trials in patients with rheumatoid arthritis with an incomplete response to methotrexate, **iii51** (suppl III)
- Stress fracture in long term methotrexate treatment for psoriatic arthritis: *lesson of the month*, 736
- microchimerism**, Fetal microchimerism in Sjögren's syndrome: *letter*, 897
- Lack of evidence for an increased microchimerism in the circulation of patients with Sjögren's syndrome, 248
- Y chromosome microchimerism in Sjögren's syndrome: *letter*, 1078
- microcrystals**, Acute arthritis after intra-articular hyaluronate injection: onset of effusions without crystal, 518
- β_2 microglobulin**, A longitudinal cohort study of Finnish patients with primary Sjögren's syndrome: clinical, immunological, and epidemiological aspects, 467
- microscopy**, Measurement of cytokine and adhesion molecule expression in synovial tissue by digital image analysis, 296
- migration**, Demonstration of mast cell chemotactic activity in synovial fluid from rheumatoid patients, 187
- mitochondria**, Impaired redox status and cytochrome c oxidase deficiency in patients with polymyalgia rheumatica, 1016
- mixed connective tissue disease**, Focal sialadenitis in patients with ankylosing spondylitis and spondyloarthropathy: a comparison with patients with rheumatoid arthritis or mixed connective tissue disease, 744
- mixed cryoglobulinaemia**, Polyarteritis nodosa and mixed cryoglobulinaemia related to hepatitis B and C virus coinfection, 1068
- mnemonic**, A mnemonic for SLE diagnostic criteria: *letter*, 638
- molecular typing**, Treatment resistant Lyme arthritis caused by *Borrelia garinii*, 284
- monoclonal antibody**, Treatment of active spondyloarthropathy with infliximab, the chimeric monoclonal antibody to tumour necrosis factor α , **iii33** (suppl III)
- mononeuritis multiplex**, Joint and muscle pain with mononeuritis multiplex, tetraparesis, and myocardial infarction in a previously healthy adult: *lesson of the month*, 1003
- monosodium urate**, Diff Quik staining method for detection and identification of monosodium urate and calcium pyrophosphate crystals in synovial fluids, 194
- muscle biopsy**, MRI guided muscle biopsy confirmed polymyositis diagnosis in a patient with interstitial lung disease, 423
- muscle pain**, Joint and muscle pain with mononeuritis multiplex, tetraparesis, and myocardial infarction in a previously healthy adult: *lesson of the month*, 1003
- muscle strength**, Strength training induced adaptations in neuromuscular function of premenopausal women with fibromyalgia: comparison with healthy women, 21
- mutations**, Amyloidosis induced, end stage renal disease in patients with familial Mediterranean fever is highly associated with point mutations in the MEFV gene, 146

- mycotic aneurysm**, *Salmonella* arteritis: an unusual cause of low back pain: *lesson of the month*, 1086
- myelodysplastic syndrome**, Development of erythroleukaemia after myelodysplastic syndrome in a patient with Wegener's granulomatosis: *letter*, 899
- Treatment of myelodysplastic syndrome with agents interfering with inhibitory cytokines, **iii41 (suppl III)**
- naifold capillary microscopy**, Differentiation between primary and secondary Raynaud's phenomenon: a prospective study comparing naifold capillaroscopy using an ophthalmoscope or stereomicroscope, 407
- nerve growth factor**, Nerve growth factor and neuropeptides circulating levels in systemic sclerosis (scleroderma), 487
- neuronal damage**, Sensitivity of quantitative ¹H magnetic resonance spectroscopy of the brain in detecting early neuronal damage in systemic lupus erythematosus, 106
- neuropeptide Y**, Nerve growth factor and neuropeptides circulating levels in systemic sclerosis (scleroderma), 487
- neuropsychiatric systemic lupus erythematosus**, Increased levels of proinflammatory cytokines and nitric oxide metabolites in neuropsychiatric lupus erythematosus, 372
- new drugs**, Ethical aspects of new medicines targeted at treatment of RA: *letter*, 304
- NF- κ B**, Importance of NF- κ B in rheumatoid synovial tissues: in situ NF- κ B expression and in vitro study using cultured synovial cells, 678
- nitric oxide**, Increased levels of proinflammatory cytokines and nitric oxide metabolites in neuropsychiatric lupus erythematosus, 372
- nitric oxide synthase**, Differential expression of cytokines and nitric oxide synthase isoforms in human rotator cuff bursae: *letter*, 431
- non-Hodgkin's lymphoma**, A longitudinal cohort study of Finnish patients with primary Sjögren's syndrome: clinical, immunological, and epidemiological aspects, 467
- non-steroidal anti-inflammatory drugs**, Incidence of clinically manifest ulcers and their complications in patients with rheumatoid arthritis, 443
- Non-steroidal anti-inflammatory drugs in the treatment of hyper-IgD syndrome: *letter*, 904
- Reporting of outcomes in arthritis trials measured on ordinal and interval scales is inadequate in relation to meta-analysis, 349
- nuclear magnetic resonance**, Importance of timing of post-contrast MRI in rheumatoid arthritis: what happens during the first 60 minutes after IV gadolinium-DTPA?, 1050
- occipital neuralgia**, Outcome of cervical spine surgery in patients with rheumatoid arthritis, 448
- occupational physical demands**, Association of occupational physical demands and psychosocial working environment with disabling shoulder pain, 852
- oestrogen**, Users of oestrogen replacement therapy have more knee cartilage than non-users, 332
- oncostatin M**, Esculetin inhibits cartilage resorption induced by interleukin 1 α in combination with oncostatin M, 158
- Oncostatin M in the anti-inflammatory response, **iii75 (suppl III)**
- ophthalmoscope**, Differentiation between primary and secondary Raynaud's phenomenon: a prospective study comparing naifold capillaroscopy using an ophthalmoscope or stereomicroscope, 407
- oral steroid**, Oral steroid in the treatment of carpal tunnel syndrome: *letter*, 813
- ordinal scale**, Reporting of outcomes in arthritis trials measured on ordinal and interval scales is inadequate in relation to meta-analysis, 349
- orthopaedic surgery**, Methotrexate and early postoperative complications in patients with rheumatoid arthritis undergoing elective orthopaedic surgery, 214
- osteoarthritis**, A case-control study to investigate the relation between low and moderate levels of physical activity and osteoarthritis of the knee using data collected as part of the Allied Dunbar National Fitness Survey, 756
- Acute arthritis after intra-articular hyaluronate injection: onset of effusions without crystal, 518
- Clonal analysis of B cells in the osteoarthritis synovium, 802
- Cross sectional evaluation of biochemical markers of bone, cartilage, and synovial tissue metabolism in patients with knee osteoarthritis: relations with disease activity and joint damage, 619
- Effect of leeches therapy (*Hirudo medicinalis*) in painful osteoarthritis of the knee: a pilot study: *letter*, 986
- Effectiveness of exercise in patients with osteoarthritis of hip or knee: nine month's follow up, 1123
- EULAR recommendations for the management of knee osteoarthritis: *matters arising*, 540
- Management of knee osteoarthritis: *letter*, 984
- Markers of joint destruction: principles, problems, and potential: *leader*, 545
- Pulsed electromagnetic field therapy in the management of knee OA: *letter*, 717
- Radiographic stage of osteoarthritis or sex of the patient does not predict one year outcome after total hip arthroplasty, 228
- Shape of the intercondylar notch of the human femur: a comparison of osteoarthritic and non-osteoarthritic bones from a skeletal sample, 968
- Static postural sway, proprioception, and maximal voluntary quadriceps contraction in patients with knee osteoarthritis and normal control subjects, 612
- Stem cells for repair of cartilage and bone: the next challenge in osteoarthritis and rheumatoid arthritis: *review*, 305
- The burden of musculoskeletal diseases in the general population of Spain: results from a national survey, 1040
- Tibial and femoral cartilage changes in knee osteoarthritis, 977
- Users of oestrogen replacement therapy have more knee cartilage than non-users, 332
- Vascular endothelial growth factor in articular cartilage of healthy and osteoarthritic human knee joints, 1070
- Vitamin E is ineffective for symptomatic relief of knee osteoarthritis: a six month double blind, randomised, placebo controlled study, 946
- osteomyelitis**, Chronic recurrent multifocal osteomyelitis is a differential diagnosis of juvenile idiopathic arthritis: *lesson of the month*, 828
- osteonecrosis**, Bone scintigraphy for osteonecrosis of the knee in patients with non-traumatic osteonecrosis of the femoral head: comparison with magnetic resonance imaging, 14
- Osteonecrosis in patients with systemic lupus erythematosus develops very early after starting high dose corticosteroid treatment, 1145
- osteoporosis**, Assessment of phalangeal bone loss in patients with rheumatoid arthritis by quantitative ultrasound, 670
- Bilateral transient osteoporosis of the knee in pregnancy: *letter*, 721
- Idiopathic osteoporosis: an evolutionary dys-adaptation?, 554
- Value of clinical factors in selecting postmenopausal women with rheumatoid arthritis for bone densitometry, 799
- osteoprotegerin**, Osteoprotegerin, **iii81 (suppl III)**
- outcome**, Benchmarking and the percentile assessment of RA: adding a new dimension to rheumatic disease measurement: *leader*, 994
- Benchmarking: the five year outcome of rheumatoid arthritis assessed using a pain score, the Health Assessment Questionnaire, and the Short Form-36 (SF-36) in a community and a clinic based sample, 956
- Effect of patient education on adherence to drug treatment for rheumatoid arthritis: a randomised controlled trial, 869
- Radiographic progression in rheumatoid arthritis: Does it reflect outcome? Does it reflect treatment?, **iii47 (suppl III)**
- Treatment strategy, disease activity, and outcome in four cohorts of patients with early rheumatoid arthritis, 453
- oxidative stress**, Raised levels of F₂-isoprostanes and prostaglandin F_{2 α} in different rheumatic diseases, 627
- pain**, Knee pain and osteoarthritis in older adults: a review of community burden and current use of primary health care, 91
- Knee pain in older adults: the latest musculoskeletal "epidemic": *leader*, 89
- paraneoplastic syndromes**, Cancer and autoimmunity: autoimmune and rheumatic features in patients with malignancies: *review*, 433
- paraparesis**, Inappropriate medical management of spinal epidural abscess, 218
- parvovirus**, Parvovirus arthropathy masquerading as the arthritis of Behçet's disease: *letter*, 1080
- Parvovirus B19 infection in Behçet's disease: *letter*, 814
- passive smoking**, Coffee consumption, RF, and the risk of RA: *matters arising*, 540
- peptidoglycan-polysaccharide**, Characterisation of *Eubacterium* cell wall: peptidoglycan structure determines arthritogenicity, 269
- periarticular bone mineral density**, Periarticular bone mineral density at the knee joint: *matters arising*, 638
- peripheral blood mononuclear cells**, Prolactin enhances the in vitro production of IgG in peripheral blood mononuclear cells from patients with systemic lupus erythematosus but not from healthy controls, 242
- peripheral nervous system**, Involvement of the peripheral nervous system in primary Sjögren's syndrome, 876
- peripheral neuropathy**, Hepatitis C virus infection with peripheral neuropathy is not always associated with cryoglobulinaemia, 290
- permeability**, Intestinal permeability in Behçet's syndrome, 65
- personal values**, Values for function in rheumatoid arthritis: patients, professionals, and public, 928
- Peru**, Tumour necrosis factor microsatellites and HLA-DRB1, HLA-DQA1, and HLA-DQB1 alleles in Peruvian patients with rheumatoid arthritis, 791
- phospholipid antibodies**, Cofactor dependence and isotype distribution of anticardiolipin antibodies in viral infections, 500
- phototreatment**, UVA-1 cold light treatment of SLE: a double blind, placebo controlled crossover trial, 112
- pitting oedema**, Pitting oedema in early diffuse systemic scleroderma: *letter*, 1079
- plain films**, Radiographic progression in rheumatoid arthritis: Does it reflect outcome? Does it reflect treatment?, **iii47 (suppl III)**
- planter fascia**, Efficacy of extracorporeal shock wave treatment in calcaneal enthesophytosis, 1064
- planter fasciitis**, Ultrasound guided injection of planter fasciitis: *letter*, 639

- pneumonia**, Non-specific interstitial pneumonia as pulmonary involvement of systemic sclerosis, 281
- pneumonitis**, Idiopathic dilatation of the pulmonary artery in a patient with dermatomyositis complicated by interstitial pneumonitis: *letter*, 815
- polyarteritis nodosa**, Polyarteritis nodosa and mixed cryoglobulinaemia related to hepatitis B and C virus coinfection, 1068
- Polyarteritis nodosa complicated by thrombotic thrombocytopenic purpura: *letter*, 541
- polyarthritis**, Ultrasonography is useful to distinguish between intra- and extra-articular disease in pyoderma gangrenosum complicating polyarthritis: *letter*, 901
- polymerase chain reaction**, Bacterial PCR in the diagnosis of joint infection, 287
- Intra-articular co-infection by *Borrelia burgdorferi* and *Chlamydia trachomatis*, 632
- Optimised sample DNA preparation for detection of *Chlamydia trachomatis* in synovial tissue by polymerase chain reaction and ligase chain reaction, 140
- Treatment resistant Lyme arthritis caused by *Borrelia garinii*, 284
- polymorphisms**, Interleukin 1 gene polymorphisms: *letter*, 718
- Low T cell production of TNF α and IFN γ in ankylosing spondylitis: its relation to HLA-B27 and influence of the TNF-308 gene polymorphism, 36
- Polymorphisms of the mannose binding lectin gene in patients with Sjögren's syndrome, 483
- polymyalgia rheumatica**, Impaired redox status and cytochrome c oxidase deficiency in patients with polymyalgia rheumatica, 1016
- Musculoskeletal manifestations in polymyalgia rheumatica and temporal arteritis, 1060
- Presenting features of polymyalgia rheumatica (PMR) and rheumatoid arthritis with PMR-like onset: a prospective study, 1021
- Recurrent seronegative symmetrical synovitis with pitting oedema (RS3PE) as recurrence of aborted PMR: *letter*, 303
- Retrocalcaneal bursitis in polymyalgia rheumatica: *letter*, 1160
- polymyositis**, Autoantibody profiles in the sera of European patients with myositis, 116
- Difference in B cell activation between dermatomyositis and polymyositis: analysis of the expression of RP105 on peripheral blood B cells, 1137
- Intravenous gammaglobulins in refractory polymyositis: lower dose for maintenance treatment is effective, 635
- Less specific myositis autoantibodies?: *letter*, 810
- MRI guided muscle biopsy confirmed polymyositis diagnosis in a patient with interstitial lung disease, 423
- polyphosphates**, Dissolution of calcium pyrophosphate crystals by polyphosphates: an in vitro and ex vivo study, 962
- postoperative complications**, Methotrexate and early postoperative complications in patients with rheumatoid arthritis undergoing elective orthopaedic surgery, 214
- postural sway**, Static postural sway, proprioception, and maximal voluntary quadriceps contraction in patients with knee osteoarthritis and normal control subjects, 612
- prediction**, Predictors of radiographic joint damage in patients with early rheumatoid arthritis, 924
- pregnancy**, Bilateral transient osteoporosis of the knee in pregnancy: *letter*, 721
- How to treat women with antiphospholipid antibodies in pregnancy?: *leader*, 1
- Pregnancy in past or present lupus nephritis: a study of 32 pregnancies from a single centre, 599
- Rheumatoid arthritis associated with ulcerative colitis: *letter*, 901, 1155
- Treatment of women with aPL in pregnancy: *letter*, 717
- prevalence**, Incidence and prevalence of juvenile arthritis in an urban population of southern Germany: a prospective study, 940
- prevention**, Antibiotic prophylaxis for haematogenous bacterial arthritis in patients with joint disease: a cost effectiveness analysis, 359
- primary biliary cirrhosis**, Rheumatic disorders and primary biliary cirrhosis: an appraisal of 170 Italian patients, 1046
- primary care**, Knee pain and osteoarthritis in older adults: a review of community burden and current use of primary health care, 91
- Knee pain in older adults: the latest musculoskeletal "epidemic": *leader*, 89
- procalcitonin**, Serum procalcitonin measurement for detection of intercurrent infection in febrile patients with SLE: *letter*, 988
- prognosis**, Disease severity of 100 patients with systemic sclerosis over a period of 14 years: using a modified Medsger scale, 1117
- prolactin**, Prolactin enhances the in vitro production of IgG in peripheral blood mononuclear cells from patients with systemic lupus erythematosus but not from healthy controls, 242
- prophylaxis**, Antibiotic prophylaxis for haematogenous bacterial arthritis in patients with joint disease: a cost effectiveness analysis, 359
- Prevention of symptomatic thrombosis with short term (low molecular weight) heparin in patients with rheumatoid arthritis after hip or knee replacement, 974
- proprioception**, Static postural sway, proprioception, and maximal voluntary quadriceps contraction in patients with knee osteoarthritis and normal control subjects, 612
- proteinuria**, A prospective study of renal disease in patients with early rheumatoid arthritis, 327
- pseudogout**, Calcium pyrophosphate dihydrate (CPPD) crystal deposition disease in a teaching hospital in Kuwait, 416
- psoriasis abscess**, Primary psoriasis abscess: *letter*, 173
- psoriatic arthritis**, Cytokine blockers in psoriatic arthritis, iii37 (suppl III)
- Release of cartilage and bone macromolecules into synovial fluid: differences between psoriatic arthritis and rheumatoid arthritis, 27
- Stress fracture in long term methotrexate treatment for psoriatic arthritis: *lesson of the month*, 736
- psychosocial working environment**, Association of occupational physical demands and psychosocial working environment with disabling shoulder pain, 852
- pulmonary artery**, Idiopathic dilatation of the pulmonary artery in a patient with dermatomyositis complicated by interstitial pneumonitis: *letter*, 815
- pulmonary function**, Pulmonary function in patients with primary Sjögren's syndrome: *letter*, 429
- pustulosis**, Papulopustular skin lesions are seen more frequently in patients with Behçet's syndrome who have arthritis: a controlled and masked study, 1074
- pyoderma gangrenosum**, Ultrasonography is useful to distinguish between intra- and extra-articular disease in pyoderma gangrenosum complicating polyarthritis: *letter*, 901
- pyrophosphate arthropathy**, Calcium pyrophosphate dihydrate (CPPD) crystal deposition disease in a teaching hospital in Kuwait, 416
- quality of life**, The burden of musculoskeletal diseases in the general population of Spain: results from a national survey, 1040
- radiographic damage**, Predictors of radiographic joint damage in patients with early rheumatoid arthritis, 924
- radiographic stage**, Radiographic stage of osteoarthritis or sex of the patient does not predict one year outcome after total hip arthroplasty, 228
- radiographs**, Debilitating knee pain in a patient with "normal" radiographs: *lesson of the month*, 650
- Matrix metalloproteinase inhibitors in rheumatic diseases, iii62 (suppl III)
- radiography**, Bone destruction, upward migration, and medialisation of rheumatoid shoulder: a 15 year follow up study, 322
- Type I collagen degradation does not diminish with RA disease duration, 420
- Valgus deformity and proximal subluxation of the rheumatoid elbow: a radiographic 15 year follow up study of 148 elbows, 765
- randomised clinical trial**, Effectiveness of exercise in patients with osteoarthritis of hip or knee: nine month's follow up, 1123
- randomised controlled trials**, Randomised, blinded, placebo controlled trial of doxycycline for chronic seronegative arthritis, 1088
- "Stepping-up" from methotrexate: a systematic review of randomised placebo controlled trials in patients with rheumatoid arthritis with an incomplete response to methotrexate, iii51 (suppl III)
- Treatment of active rheumatoid arthritis with leflunomide: two year follow up of a double blind, placebo controlled trial versus sulfasalazine, 913
- Raynaud's phenomenon**, Differentiation between primary and secondary Raynaud's phenomenon: a prospective study comparing nailfold capillaroscopy using an ophthalmoscope or stereomicroscope, 407
- Rheumatic disorders and primary biliary cirrhosis: an appraisal of 170 Italian patients, 1046
- Serum TIMP-1, TIMP-2, and MMP-1 in patients with systemic sclerosis, primary Raynaud's phenomenon, and in normal controls, 846
- reactive arthritis**, Frequency of triggering bacteria in patients with reactive arthritis and undifferentiated oligoarthritis and the relative importance of the tests used for diagnosis, 337
- How can a causal role for small bacteria in chronic inflammatory arthritides be established or refuted?, 177
- Low incidence of reactive arthritis in children following a salmonella outbreak, 1055
- Male sex predominance in *Chlamydia trachomatis* sexually acquired reactive arthritis: are women more protected by anti-chlamydia antibodies?, 605
- Papulopustular skin lesions are seen more frequently in patients with Behçet's syndrome who have arthritis: a controlled and masked study, 1074
- referral**, European multicentre study to define disease activity criteria for systemic sclerosis. I. Clinical and epidemiological features of 290 patients from 19 centres, 585
- reflex sympathetic dystrophy**, Acceptance of the different denominations for reflex sympathetic dystrophy, 77
- regional differences**, Regional differences in the incidence of rheumatoid arthritis in Finland in 1995, 128
- rehabilitation**, Responsiveness of the WOMAC osteoarthritis index as compared with the SF-36 in patients with osteoarthritis of the legs undergoing a comprehensive rehabilitation intervention, 834

- reliability**, Radiographic scoring methods as outcome measures in rheumatoid arthritis: properties and advantages: *review*, 817
- renal disease**, A prospective study of renal disease in patients with early rheumatoid arthritis, 327
- Amyloidosis induced, end stage renal disease in patients with familial Mediterranean fever is highly associated with point mutations in the MEFV gene, 146
- Pregnancy in past or present lupus nephritis: a study of 32 pregnancies from a single centre, 599
- Relation between adverse events associated with allopurinol and renal function in patients with gout, 981
- repair**, Stem cells for repair of cartilage and bone: the next challenge in osteoarthritis and rheumatoid arthritis: *review*, 305
- reporting**, Reporting of outcomes in arthritis trials measured on ordinal and interval scales is inadequate in relation to meta-analysis, 349
- responsiveness**, Responsiveness of the WOMAC osteoarthritis index as compared with the SF-36 in patients with osteoarthritis of the legs undergoing a comprehensive rehabilitation intervention, 834
- retrocalcanal bursitis**, Retrocalcanal bursitis in polymyalgia rheumatica: *letter*, 1160
- reversible posterior leucoencephalopathy syndrome**, Reversible posterior leucoencephalopathy syndrome in systemic lupus and vasculitis, 534
- rheumatic diseases**, Impaired catecholaminergic signalling of B lymphocytes in patients with chronic rheumatic diseases, 505
- Matrix metalloproteinase inhibitors in rheumatic diseases, *iii62* (suppl III)
- rheumatic pneumonia**, Rheumatic pneumonia: *letter*, 990
- rheumatism**, Benign familial hypermobility syndrome and Trendelenburg sign in a painting "The Three Graces" by Peter Paul Rubens (1577-1640), 894
- rheumatoid arthritis**, A pilot study of a long acting somatostatin analogue for the treatment of refractory rheumatoid arthritis, 888
- A prospective study of renal disease in patients with early rheumatoid arthritis, 327
- Analysis of the cell infiltrate and expression of matrix metalloproteinases and granzyme B in paired synovial biopsy specimens from the cartilage-pannus junction in patients with RA, 561
- Antagonising angiogenesis in rheumatoid arthritis, *iii71* (suppl III)
- Anti-inflammatory mechanisms of methotrexate in rheumatoid arthritis: *leader*, 729
- Assessment of phalangeal bone loss in patients with rheumatoid arthritis by quantitative ultrasound, 670
- Association of autoantibodies to filaggrin with an active disease in early rheumatoid arthritis, 32
- Benchmarking and the percentile assessment of RA: adding a new dimension to rheumatic disease measurement: *leader*, 994
- Benchmarking: the five year outcome of rheumatoid arthritis assessed using a pain score, the Health Assessment Questionnaire, and the Short Form-36 (SF-36) in a community and a clinic based sample, 956
- Characterisation of *Eubacterium* cell wall: peptidoglycan structure determines arthritogenicity, 269
- Clinical and immunogenetic characteristics of European multicase rheumatoid arthritis families, 573
- Coffee consumption, RF, and the risk of RA: *matters arising*, 540
- Coffee or decaff?: *matters arising*, 87
- Comorbidity and lifestyle, reproductive factors, and environmental exposures associated with rheumatoid arthritis, 934
- Comparative study of intramuscular gold and methotrexate in a rheumatoid arthritis population from a socially deprived area, 566
- Differences between female and male patients with familial rheumatoid arthritis, 413
- Does the Stanford Health Assessment Questionnaire have potential as a monitoring tool for subjects with rheumatoid arthritis?, 344
- Effect of intensive exercise on patients with active RA: *letter*, 429
- Effect of interleukin 2 on killer cell inhibitory receptors in patients with rheumatoid arthritis, 166
- Effects of treatment with a fully human anti-tumour necrosis factor α monoclonal antibody on the local and systemic homeostasis of interleukin 1 and TNF α in patients with rheumatoid arthritis, 660
- Ethical aspects of new medicines targeted at treatment of RA: *letter*, 304
- Focal sialadenitis in patients with ankylosing spondylitis and spondyloarthritis: a comparison with patients with rheumatoid arthritis or mixed connective tissue disease, 744
- Heavy cigarette smoking and RA: *letter*, 1154
- Heavy cigarette smoking is strongly associated with rheumatoid arthritis (RA), particularly in patients without a family history of RA, 223
- HLA class II alleles and synovial fluid cytology in RA: *letter*, 542
- HLA-DRB1 genes and patients with late onset rheumatoid arthritis, 531
- Importance of NF- κ B in rheumatoid synovial tissues: in situ NF- κ B expression and in vitro study using cultured synovial cells, 678
- Importance of timing of post-contrast MRI in rheumatoid arthritis: what happens during the first 60 minutes after IV gadolinium-DTPA?, 1050
- Incidence of clinically manifest ulcers and their complications in patients with rheumatoid arthritis, 443
- Increased peripheral T cell reactivity to microbial antigens and collagen type II in rheumatoid arthritis after treatment with soluble TNF α receptors, 133
- Interleukin 1 gene polymorphisms: *letter*, 718
- Lymphoma in a patient with rheumatoid arthritis receiving methotrexate treatment: successful treatment with rituximab, 892
- Outcome of cervical spine surgery in patients with rheumatoid arthritis, 448
- Presenting features of polymyalgia rheumatica (PMR) and rheumatoid arthritis with PMR-like onset: a prospective study, 1021
- Prevalence and clinical significance of antikeratin antibodies and other serological markers in Lithuanian patients with rheumatoid arthritis, 459
- Prevalence of TTV DNA and GBV-C RNA in patients with systemic sclerosis, rheumatoid arthritis, and osteoarthritis does not differ from that in healthy blood donors, 806
- Prevention of post-discharge venous thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthroplasty: a continuing matter of debate: *leader*, 905
- Prevention of symptomatic thrombosis with short term (low molecular weight) heparin in patients with rheumatoid arthritis after hip or knee replacement, 974
- "Stepping-up" from methotrexate: a systematic review of randomised placebo controlled trials in patients with rheumatoid arthritis with an incomplete response to methotrexate, *iii51* (suppl III)
- Quantitative magnetic resonance imaging as marker of synovial membrane regeneration and recurrence of synovitis after arthroscopic knee joint synovectomy: a one year follow up study, 233
- Quantitative ultrasonography in rheumatoid arthritis: evaluation of inflammation by Doppler technique, 690
- Radiographic progression in rheumatoid arthritis: Does it reflect outcome? Does it reflect treatment?, *iii47* (suppl III)
- Radiographic scoring methods as outcome measures in rheumatoid arthritis: properties and advantages: *review*, 817
- Raised levels of F $_2$ -isoprostanes and prostaglandin F $_{2\alpha}$ in different rheumatic diseases, 627
- Recognition of YKL-39, a human cartilage related protein, as a target antigen in patients with rheumatoid arthritis, 49
- Regional differences in the incidence of rheumatoid arthritis in Finland in 1995, 128
- Relative serum amyloid A (SAA) values: the influence of SAA1 genotypes and corticosteroid treatment in Japanese patients with rheumatoid arthritis, 124
- Release of cartilage and bone macromolecules into synovial fluid: differences between psoriatic arthritis and rheumatoid arthritis, 27
- Rheumatoid arthritis associated with ulcerative colitis: *letter*, 901, 1155
- Rise in serum C reactive protein after hip and knee arthroplasties in patients with rheumatoid arthritis, 275
- Short term effects of corticosteroid pulse treatment on disease activity and the wellbeing of patients with active rheumatoid arthritis, 61
- Sicca symptoms and secondary Sjögren's syndrome in systemic lupus erythematosus: comparison with rheumatoid arthritis and correlation with disease variables, 1103
- Sonographic erosions of the rheumatoid little toe: *letter*, 896
- Stem cells for repair of cartilage and bone: the next challenge in osteoarthritis and rheumatoid arthritis: *review*, 305
- Tensile properties of rat anterior cruciate ligament in collagen induced arthritis, 395
- The burden of musculoskeletal diseases in the general population of Spain: results from a national survey, 1040
- The national database of the German Collaborative Arthritis Centres: II. Treatment of patients with rheumatoid arthritis, 207
- Threefold increased risk of hip fractures with rheumatoid arthritis in Central Finland, 521
- Treatment of active rheumatoid arthritis with leflunomide: two year follow up of a double blind, placebo controlled trial versus sulfasalazine, 913
- Treatment strategy, disease activity, and outcome in four cohorts of patients with early rheumatoid arthritis, 453
- Treatment with cyclosporin switching to hydroxychloroquine in patients with rheumatoid arthritis, 514
- Tumour necrosis factor microsatellites and HLA-DRB1, HLA-DQA1, and HLA-DQB1 alleles in Peruvian patients with rheumatoid arthritis, 791
- Type I collagen degradation does not diminish with RA disease duration, 420
- Ultrasonography in the evaluation of bone erosions, 98
- Updated consensus statement on tumour necrosis factor blocking agents for the treatment of rheumatoid arthritis and other rheumatic diseases (April 2001): *editorial*, 2
- Use of anti-citrullinated peptide and anti-RA33 antibodies in distinguishing erosive arthritis in patients with systemic lupus erythematosus and rheumatoid arthritis, 67
- Usefulness of the HAQ in the clinic: *letter*, 811
- Valgus deformity and proximal subluxation of the rheumatoid elbow: a radiographic 15 year follow up study of 148 elbows, 765

- Value of clinical factors in selecting postmenopausal women with rheumatoid arthritis for bone densitometry, 799
- Values for function in rheumatoid arthritis: patients, professionals, and public, 928
- Work factors and behavioural coping in relation to withdrawal from the labour force in patients with rheumatoid arthritis, 1025
- rheumatoid disease**, Inappropriate medical management of spinal epidural abscess, 218
- rheumatoid factors**, Prevalence and clinical significance of antikeratin antibodies and other serological markers in Lithuanian patients with rheumatoid arthritis, 459
- rheumatoid shoulder**, Bone destruction, upward migration, and medialisation of rheumatoid shoulder: a 15 year follow up study, 322
- rheumatological care**, The national database of the German Collaborative Arthritis Centres: I. Structure, aims, and patients, 199
- rheumatology**, Guidelines for musculoskeletal ultrasound in rheumatology: review, 641
- ribosomal P proteins**, Dephosphorylation of autoantigenic ribosomal P proteins during Fas-L induced apoptosis: a possible trigger for the development of the autoimmune response in patients with systemic lupus erythematosus, 72
- right ventricle**, Right ventricular diastolic dysfunction in patients with anticardiolipin antibodies and antiphospholipid syndrome, 43
- risk factors**, HLA-DRB10301 and DQA10501 in RA: letter, 727
- Withdrawal from labour force due to work disability in patients with ankylosing spondylitis, 1033
- Work factors and behavioural coping in relation to withdrawal from the labour force in patients with rheumatoid arthritis, 1025
- RP105 negative B cells**, Difference in B cell activation between dermatomyositis and polymyositis: analysis of the expression of RP105 on peripheral blood B cells, 1137
- RS3PE**, Remitting seronegative symmetrical synovitis with pitting oedema (RS3PE) as recurrence of aborted PMR: letter, 303
- RS3PE and ovarian cancer: letter, 429
- sacrum**, Stress fracture of the sacrum in a child: letter, 87
- Salmonella infection**, Low incidence of reactive arthritis in children following a salmonella outbreak, 1055
- Salmonella typhimurium*, Salmonella arthritis: an unusual cause of low back pain: lesson of the month, 1086
- salmonellosis**, Salmonella arthritis: an unusual cause of low back pain: lesson of the month, 1086
- scintigraphy**, A pilot study of the salivary scintigraphy diagnostic performance in a Spanish population with Sjögren's syndrome diagnosed by the European criteria: letter, 302
- scleroderma**, Anti-U3 snRNP antibodies in localised scleroderma: letter, 1157
- Disease severity of 100 patients with systemic sclerosis over a period of 14 years: using a modified Medsger scale, 1117
- Fetal microchimerism in Sjögren's syndrome: letter, 897
- Lack of evidence for an increased microchimerism in the circulation of patients with Sjögren's syndrome, 248
- Phase I/II trial of autologous stem cell transplantation in systemic sclerosis: procedure related mortality and impact on skin disease, 577
- Stem cell transplantation: limits and hopes: leader, 548
- sensitivity to change**, Radiographic scoring methods as outcome measures in rheumatoid arthritis: properties and advantages: review, 817
- septicaemia**, Lumbar spondylodiscitis secondary to *Enterobacter cloacae* septicaemia after extracorporeal shock wave lithotripsy: letter, 989
- seronegative arthritis**, Randomised, blinded, placebo controlled trial of doxycycline for chronic seronegative arthritis, 1088
- serum amyloid A**, Relative serum amyloid A (SAA) values: the influence of SAA1 genotypes and corticosteroid treatment in Japanese patients with rheumatoid arthritis, 124
- Specific glycosylation of α_1 -acid glycoprotein characterises patients with familial Mediterranean fever and obligatory carriers of MEFV, 777
- severity score**, Disease severity of 100 patients with systemic sclerosis over a period of 14 years: using a modified Medsger scale, 1117
- sex**, Male sex predominance in *Chlamydia trachomatis* sexually acquired reactive arthritis: are women more protected by anti-chlamydia antibodies?, 605
- Radiographic stage of osteoarthritis or sex of the patient does not predict one year outcome after total hip arthroplasty, 228
- SF-36**, Benchmarking and the percentile assessment of RA: adding a new dimension to rheumatic disease measurement: leader, 994
- Benchmarking: the five year outcome of rheumatoid arthritis assessed using a pain score, the Health Assessment Questionnaire, and the Short Form-36 (SF-36) in a community and a clinic based sample, 956
- Responsiveness of the WOMAC osteoarthritis index as compared with the SF-36 in patients with osteoarthritis of the legs undergoing a comprehensive rehabilitation intervention, 834
- shingle**, A case of shingles mimicking carpal tunnel syndrome: letter, 719
- shock wave treatment**, Efficacy of extracorporeal shock wave treatment in calcaneal enthesophytosis, 1064
- Lumbar spondylodiscitis secondary to *Enterobacter cloacae* septicaemia after extracorporeal shock wave lithotripsy: letter, 989
- shoulder arthroplasty**, Bone destruction, upward migration, and medialisation of rheumatoid shoulder: a 15 year follow up study, 322
- shoulder pain**, Association of occupational physical demands and psychosocial working environment with disabling shoulder pain, 852
- sialochemistry**, Sialometry and sialochemistry: diagnostic tools for Sjögren's syndrome, 1110
- sicca symptoms**, Sicca symptoms and secondary Sjögren's syndrome in systemic lupus erythematosus: comparison with rheumatoid arthritis and correlation with disease variables, 1103
- side effects**, Acute arthritis after intra-articular hyaluronate injection: onset of effusions without crystal, 518
- silicone**, Breast implants and illness: a model of psychological factors, 653
- Sjögren's syndrome**, A longitudinal cohort study of Finnish patients with primary Sjögren's syndrome: clinical, immunological, and epidemiological aspects, 467
- A pilot study of the salivary scintigraphy diagnostic performance in a Spanish population with Sjögren's syndrome diagnosed by the European criteria: letter, 302
- Anti-dsDNA antibodies associated with acute EBV infection in Sjögren's syndrome: letter, 992
- Clinical features of several connective tissue diseases with anti-Golgi antibody: letter, 986
- Concomitant diagnosis of primary Sjögren's syndrome and systemic AL amyloidosis, 694
- Fetal microchimerism in Sjögren's syndrome: letter, 897
- Glandular and extraglandular expression of costimulatory molecules in patients with Sjögren's syndrome, 473
- Haematopoietic stem cell transplantation (HSCT) in a patient with Sjögren's syndrome and lung malt lymphoma cured lymphoma not the autoimmune disease: letter, 174
- Involvement of the peripheral nervous system in primary Sjögren's syndrome, 876
- Lack of evidence for an increased microchimerism in the circulation of patients with Sjögren's syndrome, 248
- Lymphomas complicating Sjögren's syndrome and hepatitis C virus infection may share a common pathogenesis: chronic stimulation of rheumatoid factor B cells, 1007
- Polymorphisms of the mannose binding lectin gene in patients with Sjögren's syndrome, 483
- Pulmonary function in patients with primary Sjögren's syndrome: letter, 429
- Reversibility of histological and immunohistological abnormalities in sublabial salivary gland biopsy specimens following treatment with corticosteroids in Sjögren's syndrome, 511
- Sialometry and sialochemistry: diagnostic tools for Sjögren's syndrome, 1110
- Sicca symptoms and secondary Sjögren's syndrome in systemic lupus erythematosus: comparison with rheumatoid arthritis and correlation with disease variables, 1103
- Sjögren's syndrome: an unusual cause of Bell's palsy: letter, 724
- Survey of artificial tear and saliva usage among patients with Sjögren's syndrome: letter, 1077
- Y chromosome microchimerism in Sjögren's syndrome: letter, 1078
- skin biopsies**, Detection of immune deposits in skin lesions of patients with Wegener's granulomatosis, 1097
- skin transplantation**, Autologous skin transplantation for widespread cutaneous necrosis in secondary antiphospholipid syndrome: lesson of the month, 908
- slow acting antirheumatic drugs**, Effect of patient education on adherence to drug treatment for rheumatoid arthritis: a randomised controlled trial, 869
- small joints**, Sonographic erosions of the rheumatoid little toe: letter, 896
- Ultrasonography in the evaluation of bone erosions, 98
- smoking**, Comorbidity and lifestyle, reproductive factors, and environmental exposures associated with rheumatoid arthritis, 934
- Heavy cigarette smoking and RA: letter, 1154
- Heavy cigarette smoking is strongly associated with rheumatoid arthritis (RA), particularly in patients without a family history of RA, 223
- Sollerman test**, Evaluation of hand function in patients undergoing long term haemodialysis, 278
- somatisation**, Breast implants and illness: a model of psychological factors, 653
- somatostatin**, A pilot study of a long acting somatostatin analogue for the treatment of refractory rheumatoid arthritis, 888
- Spain**, The burden of musculoskeletal diseases in the general population of Spain: results from a national survey, 1040
- spine**, Are DISH and OPLL genetically related?: letter, 902
- Inappropriate medical management of spinal epidural abscess, 218
- spondyloarthropathy**, Employment, work disability, and work days lost in patients with ankylosing spondylitis: a cross sectional study of Dutch patients, 353

- Flow cytometric analysis of gut mucosal lymphocytes supports an impaired Th1 cytokine profile in spondyloarthropathy, **495**
- Focal sialadenitis in patients with ankylosing spondylitis and spondyloarthropathy: a comparison with patients with rheumatoid arthritis or mixed connective tissue disease, **744**
- Human immunodeficiency virus associated spondyloarthropathy: pathogenic insights based on imaging findings and response to highly active antiretroviral treatment, **696**
- Immunohistological study of entheses in spondyloarthropathies: comparison in rheumatoid arthritis and osteoarthritis, **316**
- Impaired Th1 cytokine production in spondyloarthropathy is restored by anti-TNF α , **750**
- Treatment of active spondyloarthropathy with infliximab, the chimeric monoclonal antibody to tumour necrosis factor α , **iii33** (suppl III)
- spondylodiscitis**, Lumbar spondylodiscitis secondary to *Enterobacter cloacae* septicaemia after extracorporeal shock wave lithotripsy: *letter*, **989**
- steatohepatitis**, Arthritis associated with non-alcoholic steatohepatitis: *letter*, **815**
- stem cell factor**, Demonstration of mast cell chemotactic activity in synovial fluid from rheumatoid patients, **187**
- stem cells**, Haematopoietic stem cell transplantation (HSCT) in a patient with Sjögren's syndrome and lung malt lymphoma cured lymphoma not the autoimmune disease: *letter*, **174**
- Haematopoietic stem cell transplantation in the treatment of severe autoimmune diseases 2000, **702**
- Phase I/II trial of autologous stem cell transplantation in systemic sclerosis: procedure related mortality and impact on skin disease, **577**
- Stem cell transplantation: limits and hopes: *leader*, **548**
- Stem cells for repair of cartilage and bone: the next challenge in osteoarthritis and rheumatoid arthritis: *review*, **305**
- Still's disease**, Gold treatment, nephrotic syndrome, and multi-organ failure in a patient with adult onset Still's disease: *lesson of the month*, **4**
- strength training**, Strength training induced adaptations in neuromuscular function of premenopausal women with fibromyalgia: comparison with healthy women, **21**
- stress fracture**, Stress fracture of the sacrum in a child: *letter*, **87**
- structural damage**, Radiographic progression in rheumatoid arthritis: Does it reflect outcome? Does it reflect treatment?, **iii47** (suppl III)
- subacromial bursa**, Differential expression of cytokines and nitric oxide synthase isoforms in human rotator cuff bursae: *letter*, **431**
- sulfasalazine**, Treatment of active rheumatoid arthritis with leflunomide: two year follow up of a double blind, placebo controlled trial versus sulfasalazine, **913**
- suprapatellar pouch**, Analysis of the cell infiltrate and expression of matrix metalloproteinases and granzyme B in paired synovial biopsy specimens from the cartilage-pannus junction in patients with RA, **561**
- swelling**, Idiopathic osteoporosis: an evolutionary dys-adaptation?, **554**
- synovial fluid**, Decline after immobilisation and recovery after remobilisation of synovial fluid IL1, TIMP, and chondroitin sulphate levels in young beagle dogs, **55**
- Diff Quik staining method for detection and identification of monosodium urate and calcium pyrophosphate crystals in synovial fluids, **194**
- HLA class II alleles and synovial fluid cytology in RA: *letter*, **542**
- synovial tissue**, Effects of treatment with a fully human anti-tumour necrosis factor α monoclonal antibody on the local and systemic homeostasis of interleukin 1 and TNF α in patients with rheumatoid arthritis, **660**
- Measurement of cytokine and adhesion molecule expression in synovial tissue by digital image analysis, **296**
- synovitis**, Cross sectional evaluation of biochemical markers of bone, cartilage, and synovial tissue metabolism in patients with knee osteoarthritis: relations with disease activity and joint damage, **619**
- Growing wrist mass, **550**
- Markers of joint destruction: principles, problems, and potential: *leader*, **545**
- Quantitative magnetic resonance imaging as marker of synovial membrane regeneration and recurrence of synovitis after arthroscopic knee joint synovectomy: a one year follow up study, **233**
- synovium**, Clonal analysis of B cells in the osteoarthritis synovium, **802**
- systemic lupus erythematosus**, A mnemonic for SLE diagnostic criteria: *letter*, **638**
- Anticholesterol antibody levels in patients with systemic lupus erythematosus: *letter*, **722**
- Changes in the concentration and distribution of tissue factor pathway inhibitor in Behçet's disease and systemic lupus erythematosus: effect on the prothrombotic state, **1149**
- CNS involvement in systemic lupus erythematosus: a case with remarkable histopathological findings, **299**
- CpG-DNA derived from sera in systemic lupus erythematosus enhances ICAM-1 expression on endothelial cells, **685**
- Dephosphorylation of autoantigenic ribosomal P proteins during Fas-L induced apoptosis: a possible trigger for the development of the autoimmune response in patients with systemic lupus erythematosus, **72**
- Expression of costimulatory molecules on peripheral blood lymphocytes of patients with systemic lupus erythematosus, **523**
- Glucocorticosteroid dependent decrease in the activity of calcineurin in the peripheral blood mononuclear cells of patients with systemic lupus erythematosus, **380**
- Osteonecrosis in patients with systemic lupus erythematosus develops very early after starting high dose corticosteroid treatment, **1145**
- Pregnancy in past or present lupus nephritis: a study of 32 pregnancies from a single centre, **599**
- Prolactin enhances the in vitro production of IgG in peripheral blood mononuclear cells from patients with systemic lupus erythematosus but not from healthy controls, **242**
- Rapid improvement of SLE-specific cutaneous lesions by C1q immunoadsorption: *letter*, **898**
- Reduced expression of CD44 on monocytes and neutrophils in systemic lupus erythematosus: relations with apoptotic neutrophils and disease activity, **950**
- Reversible posterior leucoencephalopathy syndrome in systemic lupus and vasculitis, **534**
- Risk factors and prognostic influence of infection in a single cohort of 87 adults with systemic lupus erythematosus, **1141**
- Sensitivity of quantitative ^1H magnetic resonance spectroscopy of the brain in detecting early neuronal damage in systemic lupus erythematosus, **106**
- Serum procalcitonin measurement for detection of intercurrent infection in febrile patients with SLE: *letter*, **988**
- Sicca symptoms and secondary Sjögren's syndrome in systemic lupus erythematosus: comparison with rheumatoid arthritis and correlation with disease variables, **1103**
- Soluble CD95 concentrations are increased in patients with severe systemic lupus erythematosus, but not in their first degree relatives, **237**
- Telomerase activity in peripheral blood mononuclear cells from patients with SLE: *letter*, **1158**
- Use of anti-citrullinated peptide and anti-RA33 antibodies in distinguishing erosive arthritis in patients with systemic lupus erythematosus and rheumatoid arthritis, **67**
- UVA-1 cold light treatment of SLE: a double blind, placebo controlled crossover trial, **112**
- systemic scleroderma**, Pitting oedema in early diffuse systemic scleroderma: *letter*, **1079**
- systemic sclerosis**, European multicentre study to define disease activity criteria for systemic sclerosis. I. Clinical and epidemiological features of 290 patients from 19 centres, **585**
- European multicentre study to define disease activity criteria for systemic sclerosis. II. Identification of disease activity variables and development of preliminary activity indexes, **592**
- Gastric antral vascular ectasia in systemic sclerosis: complete resolution with methylprednisolone and cyclophosphamide, **796**
- HLA-DRB1 and DQB1 genes in antinuclear antibody positive patients with SSC and primary biliary cirrhosis: *letter*, **639**
- Nerve growth factor and neuropeptides circulating levels in systemic sclerosis (scleroderma), **487**
- Non-specific interstitial pneumonia as pulmonary involvement of systemic sclerosis, **281**
- Phase I/II trial of autologous stem cell transplantation in systemic sclerosis: procedure related mortality and impact on skin disease, **577**
- Prevalence of TTV DNA and GBV-C RNA in patients with systemic sclerosis, rheumatoid arthritis, and osteoarthritis does not differ from that in healthy blood donors, **806**
- Rheumatic disorders and primary biliary cirrhosis: an appraisal of 170 Italian patients, **1046**
- Serum TIMP-1, TIMP-2, and MMP-1 in patients with systemic sclerosis, primary Raynaud's phenomenon, and in normal controls, **846**
- Stem cell transplantation: limits and hopes: *leader*, **548**
- systemic vasculitis**, Immunosuppressive treatment for vasculitis associated with Lyme borreliosis: *letter*, **721**
- Reversible posterior leucoencephalopathy syndrome in systemic lupus and vasculitis, **534**
- T cell reactivity**, Increased peripheral T cell reactivity to microbial antigens and collagen type II in rheumatoid arthritis after treatment with soluble TNF α receptors, **133**
- T lymphocyte**, Impaired Th1 cytokine production in spondyloarthropathy is restored by anti-TNF α , **750**
- targeted therapies**, Advances in targeted therapies III: *editorial*, **1**
- technetium-99m sestamibi scan**, An unexpected cause of muscle pain in diabetes, **310**
- telomerase activity**, Telomerase activity in peripheral blood mononuclear cells from patients with SLE: *letter*, **1158**
- temporal arteritis**, Musculoskeletal manifestations in polymyalgia rheumatica and temporal arteritis, **1060**
- temporal artery biopsy**, Epidemiology of biopsy proven giant cell arteritis in northwestern Spain: trend over an 18 year period, **367**

- tensile properties**, Tensile properties of rat anterior cruciate ligament in collagen induced arthritis, 395
- Th1/Th2 cytokine profile**, Flow cytometric analysis of gut mucosal lymphocytes supports an impaired Th1 cytokine profile in spondyloarthritis, 495
- therapeutic targets**, High efficiency gene transfer is an efficient way of defining therapeutic targets: a functional genomics approach, *iii13 (suppl III)*
- thrombocytopenia**, Polyarteritis nodosa complicated by thrombotic thrombocytopenic purpura: *letter*, 541
- thromboembolism**, Prevention of post-discharge venous thromboembolism in patients with rheumatoid arthritis undergoing knee or hip arthroplasty: a continuing matter of debate: *leader*, 905
- thrombosis**, Behçet's disease and thrombophilia: *review*, 1081
Prevention of symptomatic thrombosis with short term (low molecular weight) heparin in patients with rheumatoid arthritis after hip or knee replacement, 974
- tibiofemoral compartments**, Tibial and femoral cartilage changes in knee osteoarthritis, 977
- tissue engineering**, Culture of chondrocytes in alginate surrounded by fibrin gel: characteristics of the cells over a period of eight weeks, 781
- tissue factor pathway inhibitor**, Changes in the concentration and distribution of tissue factor pathway inhibitor in Behçet's disease and systemic lupus erythematosus: effect on the prethrombotic state, 1149
- tissue inhibitors of matrix metalloproteinases**, Serum TIMP-1, TIMP-2, and MMP-1 in patients with systemic sclerosis, primary Raynaud's phenomenon, and in normal controls, 846
- Toll-like receptors**, Differential roles of Toll-like receptors in the elicitation of proinflammatory responses by macrophages, *iii6 (suppl III)*
- transfusion induced anaemia**, Gastric antral vascular ectasia in systemic sclerosis: complete resolution with methylprednisolone and cyclophosphamide, 796
- treatment strategy**, Treatment strategy, disease activity, and outcome in four cohorts of patients with early rheumatoid arthritis, 453
- trend**, Epidemiology of biopsy proven giant cell arteritis in northwestern Spain: trend over an 18 year period, 367
- Trendelenburg sign**, Benign familial hypermobility syndrome and Trendelenburg sign in a painting "The Three Graces" by Peter Paul Rubens (1577-1640), 894
- trials**, Reporting of outcomes in arthritis trials measured on ordinal and interval scales is inadequate in relation to meta-analysis, 349
- TT virus**, Prevalence of TTV DNA and GBV-C RNA in patients with systemic sclerosis, rheumatoid arthritis, and osteoarthritis does not differ from that in healthy blood donors, 806
- tuberculosis**, Differential roles of Toll-like receptors in the elicitation of proinflammatory responses by macrophages, *iii6 (suppl III)*
- tumour necrosis factor convertase**, Biology of TACE inhibition, *iii25 (suppl III)*
- tumour necrosis factor α** , A combination of etanercept and methotrexate for the treatment of refractory juvenile idiopathic arthritis: a pilot study, 410
Advances in targeted therapies III: *editorial*, 1
Biology of TACE inhibition, *iii25 (suppl III)*
Cytokine blockers in psoriatic arthritis, *iii37 (suppl III)*
Effects of treatment with a fully human anti-tumour necrosis factor α monoclonal antibody on the local and systemic homeostasis of interleukin 1 and TNF α in patients with rheumatoid arthritis, 660
Importance of NF- κ B in rheumatoid synovial tissues: in situ NF- κ B expression and in vitro study using cultured synovial cells, 678
Increased levels of proinflammatory cytokines and nitric oxide metabolites in neuropsychiatric lupus erythematosus, 372
Isolated digital vasculitis in a patient with rheumatoid arthritis: good response to tumour necrosis factor α blocking treatment, 538
Low T cell production of TNF α and IFN γ in ankylosing spondylitis: its relation to HLA-B27 and influence of the TNF-308 gene polymorphism, 36
New treatment options in ankylosing spondylitis: a role for anti-TNF α therapy, *iii58 (suppl III)*
Remission of Behçet's syndrome with tumour necrosis factor α blocking therapy, 637
Successful treatment of a small cohort of patients with adult onset of Still's disease with infliximab: first experiences, *iii55 (suppl III)*
Treatment of active spondyloarthritis with infliximab, the chimeric monoclonal antibody to tumour necrosis factor α , *iii33 (suppl III)*
Tumour necrosis factor microsatellites and HLA-DRB1, HLA-DQA1, and HLA-DQB1 alleles in Peruvian patients with rheumatoid arthritis, 791
Updated consensus statement on tumour necrosis factor blocking agents for the treatment of rheumatoid arthritis and other rheumatic diseases (April 2001): *editorial*, 2
- tumour necrosis factor α receptor-fusion protein**, Treatment of myelodysplastic syndrome with agents interfering with inhibitory cytokines, *iii41 (suppl III)*
- U3 snRNP antibodies**, Anti-U3 snRNP antibodies in localised scleroderma: *letter*, 1157
- ulcerative colitis**, Rheumatoid arthritis associated with ulcerative colitis: a case with severe flare of both diseases after delivery: *letter*, 901
Rheumatoid arthritis associated with ulcerative colitis: *letter*, 1155
- ulcers**, Incidence of clinically manifest ulcers and their complications in patients with rheumatoid arthritis, 443
- ultrasonography**, Placement of intra-articular injections verified by ultrasonography and injected air as contrast medium: *letter*, 542
Sonographic erosions of the rheumatoid little toe: *letter*, 896
Ultrasonography in the evaluation of bone erosions, 98
Ultrasonography is useful to distinguish between intra- and extra-articular disease in pyoderma gangrenosum complicating polyarthritis: *letter*, 901
- ultrasound**, Assessment of phalangeal bone loss in patients with rheumatoid arthritis by quantitative ultrasound, 670
Guidelines for musculoskeletal ultrasound in rheumatology: *review*, 641
Ultrasound guided injection of plantar fasciitis: *letter*, 639
- UVA-1**, UVA-1 cold light treatment of SLE: a double blind, placebo controlled crossover trial, 112
- vascular endothelial growth factor**, Antagonising angiogenesis in rheumatoid arthritis, *iii71 (suppl III)*
Vascular endothelial growth factor in articular cartilage of healthy and osteoarthritic human knee joints, 1070
- vasculitis**, Detection of immune deposits in skin lesions of patients with Wegener's granulomatosis, 1097
Epidemiology of vasculitis in Europe: *letter*, 1156
Geopidemiology of systemic vasculitis: comparison of the incidence in two regions of Europe, 170
Prolonged prodrome, systemic vasculitis, and deafness in Cogan's syndrome, 69
Systemic antineutrophil cytoplasmic antibody vasculitis associated with lymphoid neoplasia, 293
Systemic small sized vessel vasculitis after massive antigen inhalation: *letter*, 903
- vasoactive intestinal peptide**, Nerve growth factor and neuropeptides circulating levels in systemic sclerosis (scleroderma), 487
- viral diseases**, Cofactor dependence and isotype distribution of anti-cardiolipin antibodies in viral infections, 500
- vitamin E**, Vitamin E is ineffective for symptomatic relief of knee osteoarthritis: a six month double blind, randomised, placebo controlled study, 946
- warfarin**, Characteristics of patients with antiphospholipid syndrome with major bleeding after oral anticoagulant treatment, 527
- Wegener's granulomatosis**, Detection of immune deposits in skin lesions of patients with Wegener's granulomatosis, 1097
Development of erythroleukaemia after myelodysplastic syndrome in a patient with Wegener's granulomatosis: *letter*, 899
- wellbeing**, Short term effects of corticosteroid pulse treatment on disease activity and the wellbeing of patients with active rheumatoid arthritis, 61
Strength training induced adaptations in neuromuscular function of premenopausal women with fibromyalgia: comparison with healthy women, 21
- WOMAC**, Responsiveness of the WOMAC osteoarthritis index as compared with the SF-36 in patients with osteoarthritis of the legs undergoing a comprehensive rehabilitation intervention, 834
- work**, Employment, work disability, and work days lost in patients with ankylosing spondylitis: a cross sectional study of Dutch patients, 353
Withdrawal from labour force due to work disability in patients with ankylosing spondylitis, 1033
Work factors and behavioural coping in relation to withdrawal from the labour force in patients with rheumatoid arthritis, 1025
- wrist mass**, Growing wrist mass, 550
- x rays**, Low field dedicated magnetic resonance imaging in untreated rheumatoid arthritis of recent onset, 770
- x ray scoring**, Radiographic scoring methods as outcome measures in rheumatoid arthritis: properties and advantages: *review*, 817
- YKL-39**, Recognition of YKL-39, a human cartilage related protein, as a target antigen in patients with rheumatoid arthritis, 49

